



Public Authority for Civil Aviation

CAR-66

Civil Aviation Regulation

Aircraft Maintenance License

Requirements

Effective 15th January 2020

Approved by: HE Dr. Mohamed bin Nasser Al-Zaabi (CEO)

Intentionally Left Blank

List of Effective Pages

Page No.	Rev No.	Date of Issue	Page No.	Rev No.	Date of Issue	Page No.	Rev No.	Date of Issue
1	02	15/01/20	50	02	15/01/20	99	02	15/01/20
2	02	15/01/20	51	02	15/01/20	100	02	15/01/20
3	02	15/01/20	52	02	15/01/20	101	02	15/01/20
4	02	15/01/20	53	02	15/01/20	102	02	15/01/20
5	02	15/01/20	54	02	15/01/20	103	02	15/01/20
6	02	15/01/20	55	02	15/01/20	104	02	15/01/20
7	02	15/01/20	56	02	15/01/20	105	02	15/01/20
8	02	15/01/20	57	02	15/01/20	106	02	15/01/20
9	02	15/01/20	58	02	15/01/20	107	02	15/01/20
10	02	15/01/20	59	02	15/01/20	108	02	15/01/20
11	02	15/01/20	60	02	15/01/20	109	02	15/01/20
12	02	15/01/20	61	02	15/01/20	110	02	15/01/20
13	02	15/01/20	62	02	15/01/20	111	02	15/01/20
14	02	15/01/20	63	02	15/01/20	112	02	15/01/20
15	02	15/01/20	64	02	15/01/20	113	02	15/01/20
16	02	15/01/20	65	02	15/01/20	114	02	15/01/20
17	02	15/01/20	66	02	15/01/20	115	02	15/01/20
18	02	15/01/20	67	02	15/01/20	116	02	15/01/20
19	02	15/01/20	68	02	15/01/20	117	02	15/01/20
20	02	15/01/20	69	02	15/01/20	118	02	15/01/20
21	02	15/01/20	70	02	15/01/20	119	02	15/01/20
22	02	15/01/20	71	02	15/01/20	120	02	15/01/20
23	02	15/01/20	72	02	15/01/20	121	02	15/01/20
24	02	15/01/20	73	02	15/01/20	122	02	15/01/20
25	02	15/01/20	74	02	15/01/20	123	02	15/01/20
26	02	15/01/20	75	02	15/01/20	124	02	15/01/20
27	02	15/01/20	76	02	15/01/20	125	02	15/01/20
28	02	15/01/20	77	02	15/01/20	126	02	15/01/20
29	02	15/01/20	78	02	15/01/20	127	02	15/01/20
30	02	15/01/20	79	02	15/01/20	128	02	15/01/20
31	02	15/01/20	80	02	15/01/20	129	02	15/01/20
32	02	15/01/20	81	02	15/01/20	130	02	15/01/20
33	02	15/01/20	82	02	15/01/20	131	02	15/01/20
34	02	15/01/20	83	02	15/01/20	132	02	15/01/20
35	02	15/01/20	84	02	15/01/20	133	02	15/01/20
36	02	15/01/20	85	02	15/01/20	134	02	15/01/20
37	02	15/01/20	86	02	15/01/20	135	02	15/01/20
38	02	15/01/20	87	02	15/01/20	136	02	15/01/20
39	02	15/01/20	88	02	15/01/20	137		
40	02	15/01/20	89	02	15/01/20	138		
41	02	15/01/20	90	02	15/01/20	139		
42	02	15/01/20	91	02	15/01/20	140		
43	02	15/01/20	92	02	15/01/20	141		
44	02	15/01/20	93	02	15/01/20	142		
45	02	15/01/20	94	02	15/01/20	143		
46	02	15/01/20	95	02	15/01/20	144		
47	02	15/01/20	96	02	15/01/20	145		
48	02	15/01/20	97	02	15/01/20	146		
49	02	15/01/20	98	02	15/01/20	147		

Intentionally Left Blank

Corrigendum of Amendments

No.	Ref	Description
01	02	The complete CAR has been reissued

Intentionally Left Blank

PACA AIRCRAFT MAINTENANCE LISENCE REQUIREMENTS

CAR-66

AMENDMENT RECORD LIST AND DATE OF APPLICABILITY

Issue No	Revision No	Issue Date	Inserted By	Insertion Date	Date of Applicability
Issue 1	Revision 1	01/04/2011			01 July 2010
Issue 2	Revision 02	15/01/2020			15 Jan 2020

Intentionally Left Blank

Table of Contents –

CAR 66 – AIRCRAFT MAINTENANCE LICENSE REQUIRMENTS

Corrigendum of Amendments 5

FOREWORD 11

SUBPART A – GENERAL TECHNICAL REGULATIONS 15

 CAR 66.1 The Authority 15

 CAR 66.2 Scope 15

 CAR 66.3 License categories 15

 CAR 66.5 Aircraft groups 15

 CAR 66.10 Application 16

 CAR 66.15 Eligibility Requirements 16

 CAR 66.20 Privileges 16

 CAR 66.25 Basic Knowledge Requirements 18

 CAR 66.30 Basic Experience Requirements 19

 CAR 66.35 Basic Skill Requirements 20

 CAR 66.40 Continued Validity of the Aircraft Maintenance License 20

 CAR 66.45 Endorsement with Aircraft Ratings 20

 CAR 66.50 Limitations 22

 CAR 66.55 Evidence of Qualification 22

 CAR 66.70 Conversion Provisions 22

 CAR-66.75 Conversion of Foreign Licenses 22

SUBPART B: ACCEPTABLE MEANS OF COMPLAINE AND GUIDANCE MATERIAL 23

 AMC CAR 66.10 Application 23

 GM CAR 66.20 (a) Privileges 23

 AMC CAR 66.20 (b)(2) Privileges 25

 GM CAR 66.20 (b)(2) Privileges 26

 AMC CAR 66.20 (b)(3) Privileges 27

 GM CAR 66.20 (b)(4) Privileges 27

 AMC CAR 66.25 Basic Knowledge Requirements 28

 GM CAR 66.25(a) Basic Knowledge Requirements 28

 AMC CAR 66.30(a) Basic Experience Requirements 28

 AMC CAR 66.30(d) Basic Experience Requirements 28

 AMC CAR 66.30(e) Basic Experience Requirements 29

 GM CAR 66.40 Continued Validity of the Aircraft Maintenance License 29

 GM CAR 66.45 Endorsement with Aircraft Ratings 29

GM CAR 66.45(b) Endorsement with Aircraft Ratings.....31

AMC CAR 66. 45(d), (e)(3), (f)(1) and (g)(1) Endorsement with Aircraft Ratings..... 32

AMC CAR 66.45(e) Endorsement with Aircraft Ratings 32

AMC CAR 66.50(b) Limitations..... 33

GM CAR 66.70(c) Conversion Provisions 33

GM CAR 66.70(d) Conversion Provisions 34

APPENDICES TO CAR-66..... 35

Appendix A — Basic Knowledge Requirements..... 35

Appendix B — Basic Examination Standard..... 87

Appendix C — Aircraft Type Training and Examination Standard — On the Job Training91

 AMC to Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’110

 AMC to Section 1 of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’111

 AMC to Paragraphs 1(b), 3.2 and 4.2 of Appendix C to CAR -66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’112

 AMC to Paragraph 1(c) of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’112

 AMC to point 3.1(d) of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’113

 AMC to Section 5 of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’115

 AMC to Section 6 of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’116

Appendix D — Experience Requirements for Extending a CAR-66 Aircraft Maintenance License..... 118

Appendix E — Application Form 118

Appendix F — Aircraft Maintenance License referred to in CAR-66 119

APPENDICES TO AMCS TO CAR-66..... 121

 Appendix A — Aircraft Type Ratings for CAR -66 Aircraft Maintenance Licenses 121

 Appendix B — Aircraft Type Practical Experience and On-the-Job Training - List of Tasks 122

 Appendix C — Evaluation of the Competence: Assessment and Assessors 133

FOREWORD

- (a) The Public Authority for Civil Aviation (PACA) of Sultanate of Oman (hereinafter called the AUTHORITY) has issued this CAR 66 that prescribes the requirements for the issuing of Aircraft Maintenance Licenses. The issue of an aircraft maintenance licenses shall be dependent upon the applicant demonstrating compliance with the requirements of the CAR-66 and all other applicable requirements published by the PACA.
- (b) This CAR–66 prescribes the requirements for Aircraft Maintenance Licenses
- (c) CAR–66 is based on the requirement contained in ICAO Annex 1.
- (d) This CAR-66 shall be effective upon approval of the CEO.
- (e) The editing practices used in this document are as follows:
- (f) This CAR-66 will be effective from the date of the signature of this regulation;
 - (1) 'Shall' is used to indicate a mandatory requirement and may appear in CARs.
 - (2) 'Should' is used to indicate a recommendation
 - (3) 'May' is used to indicate discretion by the Authority, or the industry as appropriate.
 - (4) 'Will' indicates a mandatory requirement and is used to advise of action incumbent on the Authority.
- (g) Transition Period:
 - (1) Current license holders have until 31 May 2020 to transfer current licenses and permissions to the new requirements of this regulation; and
 - (2) All new license issues after approval of this regulation will be issued in accordance with the permission or license requirements being requested, as stated within CAR-66

Note: The use of the male gender implies the female gender and vice versa.

Intentionally Left Blank

Article 1**Subject matter and scope**

This Regulation establishes technical requirements and administrative procedures for the issuance of aircraft maintenance licenses in Compliance with the essential requirements set out in ensuing requirements to the applicable Omani, as amended.

Article 2**Definitions**

The terms and meanings used under International Standards Definitions of Annex 1 as amended to the Convention on International Civil Aviation of 1944 shall be the same terms and meanings used in this Regulation and they are fully reflected in CAR 1: Definitions and Abbreviations.

Article 3**Certifying staff**

- (1) Certifying staff shall be qualified in accordance with the provisions of CAR 66, except as provided for in CAR M.606 (h), CAR M.607 (b), CAR M.801 (d) and CAR M.803 of CAR M and in CAR 145.30 (j).
- (2) Any aircraft maintenance license and, if any, the technical limitations associated with that license, issued or recognised by the Authority in accordance with the previous requirements and procedures and valid at the time of entry into force of this Regulation, shall be deemed to have been issued in accordance with this Regulation.
- (3) Certifying staff holding a license issued in accordance with this CAR in a given category/subcategory are deemed to have the privileges described in 66.20(a) of the same corresponding to such a category/sub-category. The basic knowledge requirements corresponding to these new privileges shall be deemed as met for the purpose of extending such license to a new category/sub-category.
- (4) Certifying staff holding a license including aircraft which do not require an individual type rating may continue to exercise his/her privileges until the first renewal or change.
- (5) Until such time as this Regulation specifies requirements for certifying staff:
 - i. for aircraft other than aeroplanes and helicopters;
 - ii. for components; the requirements in force shall continue to apply, except for maintenance organisations located outside the Sultanate of Oman where the requirements shall be approved by PACA.

Article 4**Oversight capabilities**

- (1) The PACA shall be the authority with the necessary powers and responsibilities for the certification and oversight of persons and organisations subject to this Regulation.
- (2) The PACA shall ensure that it has the necessary capability to ensure the oversight of all persons and organisations covered by its oversight programme, including sufficient resources to fulfil the requirements of this Regulation.
- (3) The Authority shall ensure that its personnel do not perform oversight activities when there is evidence that this could result directly or indirectly in a conflict of interest, in particular when relating to family or financial interest.
- (4) Personnel authorised by the PACA to carry out certification and/or oversight tasks shall be empowered to perform, at least, the following tasks:

- (a) examine the records, data, procedures, and any other material relevant to the execution of the certification and/or oversight task;
- (b) take copies of, or extracts from such records, data, procedures, and other material;
- (c) ask for an oral explanation on site;
- (d) enter relevant premises, operating sites, or means of transport;
- (e) perform audits, investigations, assessments, inspections, including unannounced inspections; and.
- (f) take or initiate enforcement measures as appropriate.

Article 5

Waiver or exemption

- (1) Waiver or exemption may be issued by the Public Authority for Civil Aviation to any technical requirements contained in this Regulation under this Article, providing that, such a waiver or exemption shall only be applicable to that particular technical requirement. When such waiver or exemption is granted, it shall be deemed to have been issued under the Civil Aviation Law and in accordance with the established regulations and ensuing procedures.
- (2) For the purpose of this Article, no waiver or exemption shall be granted to any provisions pertaining to offences, violations or acts committed against any mandatory provisions of the Civil Aviation Law and from those that prescribed enforcements and penalties.
- (3) No waiver or exemption shall be granted to any provision or requirements of this Regulation that may invalidate any international treaties or bilateral agreements entered into by the Sultanate of Oman.

Article 6

Amendments and revision

- (1) Revision may be made by PACA to the technical requirements contained in this Regulation resulting from any future International Standards changes in the Licensing related Annexes in ICAO that PACA may adopt.
- (2) When such revision is made, PACA shall ensure that the aeronautical industry shall be made aware of such revision in accordance with the regulation making method or process that the PACA may established.
- (3) By derogation from paragraph 1 and 2, the Authority may however, amend, revise, supersede, revoke or cancel this Regulation in part or in whole in accordance with established Regulation and Regulation making process.

SUBPART A – GENERAL TECHNICAL REGULATIONS

CAR 66.1 The Authority

For the purpose of this regulation, the Authority shall be The Public Authority for Civil Aviation (PACA).

CAR 66.2 Scope

This section defines the aircraft maintenance license and establishes the requirements for application, issue and continuation of its validity for the issue of Aircraft Maintenance License without type rating and with type rating.

CAR 66.3 License categories

- (a) Aircraft maintenance licenses include the following categories:
 - (1) Category A
 - (2) Category B1
 - (3) Category B2
 - (4) Category B3
 - (5) Category C
- (b) Categories A and B1 are subdivided into subcategories relative to combinations of aeroplanes, helicopters, turbine and piston engines. These subcategories are:
 - (1) A1 and B1.1 Aeroplanes Turbine
 - (2) A2 and B1.2 Aeroplanes Piston
 - (3) A3 and B1.3 Helicopters Turbine
 - (4) A4 and B1.4 Helicopters Piston
- (c) Category B3 is applicable to piston-engine non-pressurised aeroplanes of 2000 kg MTOM and below.
- (d) Type Ratings that may only be maintained by a CAR 145 Approved maintenance organisation under their Authorisation Approvals. The AUTHORITY issues only without type rating licenses for Category A and B.
- (e) A CAR-145 or CAR M approved maintenance organisation may issue Category A, B and C - CAR 66 aircraft certification authorisations. These authorisations shall be approved by the AUTHORITY.
- (f) In order to qualify for a Category C aircraft certification authorisation, the candidate must be in possession of a valid B1 and/or B2 aircraft maintenance license.
- (g) For aircraft types that do not need to be maintained by a CAR 145 approved maintenance organisation the AUTHORITY may issue Category A, B and C licenses with type rating(s) if necessary for the purpose of certifying staff authorisations.

CAR 66.5 Aircraft groups

For the purpose of ratings on aircraft maintenance licenses, aircraft shall be classified in the following groups:

- (1) **Group 1:** complex motor-powered aircraft as well as multiple engine helicopters, aeroplanes with maximum certified operating altitude exceeding FL290, aircraft equipped with fly-by-wire systems and other aircraft requiring an aircraft type rating when defined so by the Authority.
- (2) **Group 2:** aircraft other than those in Group 1 belonging to the following subgroups:
 - i. sub-group 2a: single turbo-propeller engine aeroplanes
 - ii. sub-group 2b: single turbine engine helicopters
 - iii. sub-group 2c: single piston engine helicopters.

- (3) **Group 3:** piston engine aeroplanes other than those in Group 1.

CAR 66.10 Application

- (a) An application for an aircraft maintenance license or change to such license shall be made to the Authority in a form and manner established by the PACA and submitted with necessary documents to the Authority.
- (b) In addition to the documents required in points 66.10 (a), as appropriate, the applicant for additional basic categories or subcategories to an aircraft maintenance license shall submit his/her current original aircraft maintenance license to the authority together with the PACA Form.
- (c) Applicant who meets the appropriate requirement in this CAR shall pay all fees prescribed by the authority
- (d) Where the applicant for change of the basic categories qualifies for such change the maintenance organisation approved in accordance with CAR 145 or equivalent shall send the aircraft maintenance license together with the PACA Form to the authority referred to in point 66.1 for stamp and signature of the change or reissue of the license, as appropriate.
- (e) An applicant shall, before being issued with any license or rating for aircraft maintenance personnel meet such requirements in respect of age, knowledge, experience and where appropriate, medical fitness and skill, as are specified for that license or rating.
- (f) Each application shall be supported by documentation to demonstrate compliance with the applicable theoretical knowledge, practical training and experience requirements at the time of application.
- (g) An applicant, for any license or rating for aircraft maintenance personnel, shall demonstrate, in a manner determined by authority, such requirements in respect of knowledge and skill as specified for that license or rating.

CAR 66.15 Eligibility Requirements

An applicant for issue of AML

- (a) The applicant shall be not less than eighteen (18) years of age.
- (b) Shall not have any disability, which will affect technical skill or judgment in performing the work.

CAR 66. 20 Privileges

Privileges of the holder of the license and the conditions to be observed in exercising such privileges;

Subject to compliance with the requirements specified in this CAR the privileges of the holder of an aircraft maintenance license shall be to certify the aircraft or parts of the aircraft as airworthy after an authorized repair, modification or installation of an engine, accessory, instrument, and/or item of equipment, and to sign a maintenance release following inspection, maintenance operations and/or routine servicing.

The privileges of the holder of an aircraft maintenance license specified in this CAR shall be exercised only:

- (1) in respect of such:
 - i. Aircraft as are entered on the license in their entirety either specifically or under broad categories; or
 - ii. Airframes and engines and aircraft systems or components as are entered on the license either specifically or under broad categories; and/or

- iii. Aircraft avionic systems or components as are entered on the license either specifically or under broad categories;
- (2) Provided that the license holder is familiar with all the relevant information relating to the maintenance and airworthiness of the particular aircraft for which the license holder is signing a Maintenance Release, or such airframe, engine, aircraft system or component and aircraft avionic system or component which the license holder is certifying as being airworthy; and
- (3) on condition that, within the preceding twenty - four (24) months, the license holder has either had experience in the inspection, servicing or maintenance of an aircraft or components in accordance with the privileges granted by the license held for not less than six (6) months, or has met the provision for the issue of a license with the appropriate privileges, to the satisfaction of the Authority.

The scope of the privileges of the license holder in terms of the complexity of the tasks to which the certification relates are prescribe as;

- (a) The following privileges of the holder of an aircraft maintenance license shall apply:
 - (1) A category A aircraft maintenance license permits the holder to issue certificates of release to service following minor scheduled line maintenance and simple defect rectification within the limits of tasks specifically endorsed on the certification authorisation referred to in point CAR-145.35. The certification privileges shall be restricted to work that the license holder has personally performed in the maintenance organisation that issued the certification authorisation.
 - (2) A category B1 aircraft maintenance license shall permit the holder to issue certificates of release to service and to act as B1 support staff following:
 - i. Maintenance performed on aircraft structure, power plant and mechanical and electrical systems,
 - ii. work on avionic systems requiring only simple tests to prove their serviceability and not requiring troubleshooting.

Category B1 includes the corresponding A sub category.

- (3) A category B2 aircraft maintenance license shall permit the holder:
 - i. to issue certificates of release to service and to act as B2 support staff for following:
 - A. maintenance performed on avionic and electrical systems, and
 - B. electrical and avionics tasks within powerplant and mechanical systems, requiring only simple tests to prove their serviceability; and
 - ii. to issue certificates of release to service following minor scheduled line maintenance and simple defect rectification within the limits of tasks specifically endorsed on the certification authorisation referred to in point CAR-145.35. This certification privilege shall be restricted to work that the license holder has personally performed in the maintenance organisation which issued the certification authorisation and limited to the ratings already endorsed in the B2 license.

The category B2 license does not include any A subcategory.

- (4) A category B3 aircraft maintenance license shall permit the holder to issue certificates of release to service and to act as B3 support staff for:
 - i. maintenance performed on aeroplane structure, power plant and mechanical and electrical systems,
 - ii. work on avionic systems requiring only simple tests to prove their serviceability and not requiring troubleshooting.

- (5) A category C aircraft maintenance license shall permit the holder to issue certificates of release to service following base maintenance on aircraft. The privileges apply to the aircraft in its entirety.
- (b) The holder of an aircraft maintenance license may not exercise its privileges unless:
- (1) in compliance with the applicable requirements of CAR -M and CAR-145; and
 - (2) in compliance with the applicable requirements of CAR-66.20. and
 - (3) he/she has the adequate competence to certify maintenance on the corresponding aircraft; and
 - (4) he/she is able to read, write and communicate to an understandable level in the language(s) in which the technical documentation and procedures necessary to support the issue of the certificate of release to service are written.

CAR 66. 25 Basic Knowledge Requirements

The applicant shall have demonstrated a level of Basic knowledge relevant to the privileges to be granted and appropriate to the responsibilities of the aircraft maintenance license in the modules in the Appendix A to this CAR.

The applicant has to meet the following knowledge requirements in order him to be eligible for the PACA AML,

- (a) Has completed a full time basic ab-initio training course in accordance with CAR-147 and CAR-66 syllabus or equivalent acceptable to DGCAR on applied category.
- (b) An applicant for an aircraft maintenance license or the addition of a category or subcategory to such an aircraft maintenance license shall demonstrate, by examination, a level of knowledge in the appropriate subject modules in accordance with Appendix A and Appendix B to CAR-66. and Appendix 1 to CAR-147. The examination shall be conducted either by a training organisation appropriately approved in accordance with CAR-147 or by an authority of ICAO contracting State.
- (c) The basic training shall be conducted by a training organisation appropriately approved under CAR-147 or equivalent acceptable to the DGCAR.
- (d) An applicant for an aircraft maintenance license must pass in Technical examination and Civil Aviation law and Regulations. The technical examination consists with the relevant modular theoretical materials in this CAR.
- (e) A person who fails an Aviation Legislation examination shall be eligible to re-apply for that examination for a period specified by DGCAR.
- (f) The training courses and examinations shall be passed within 10 years prior to the application for an aircraft maintenance license or the addition of a category or subcategory to such aircraft maintenance license. Should this not be the case, examination credits may however be obtained in accordance with paragraph (g).
- (g) The applicant shall be required to apply to the authority for full or partial examination credit to the basic knowledge requirements for:
 - (1) Basic knowledge examinations that do not meet the requirement described in point (b), and (f) above; and
 - (2) Any other technical qualification considered by the authority to be equivalent to the knowledge standard of CAR-66
 - (3) A person who fails appropriate subject modules described in point (b) above and not comply with the requirements of point (c) above.
 - i. Credits expire ten (10) years after they were granted to the applicant by the authority. The applicant may apply for new credits after expiration.

CAR 66.30 Basic Experience Requirements

- (a) An applicant shall have had the following experience in the inspection, servicing and maintenance of aircraft or its components for an aircraft maintenance license:
- (1) for **category A** and subcategories **B1.2, B1.4** and **B3**:
 - i. Five (5) years of practical maintenance experience on operating aircraft and completion of training considered relevant by DGCAR as a skilled worker, in a technical trade; or
 - ii. Two (2) years of practical maintenance experience on operating aircraft (excluding ab-initio training) and completion of a CAR-147 approved basic training course or equivalent, acceptable to the DGCAR.
- Note: A skilled worker is a person who has successfully completed a training, acceptable to the authority, involving the manufacture, repair, overhaul or inspection of mechanical, electrical or electronic equipment. The training would include the use of tools and measuring devices.*
- (2) for **category B2** and subcategories **B1.1** and **B1.3**:
 - i. Two (2) years of practical maintenance experience on operating aircraft (excluding ab-initio training) and completion of a CAR-147 approved basic training course or equivalent, acceptable to the DGCAR.
 - (3) for **category C** with respect to large aircraft:
 - i. Three (3) years of experience exercising category B1.1, B1.3 or B2 privileges on large aircraft or as CAR-145 B1.1, B1.3 or B2 support staff, or, a combination of both; or
 - ii. Five (5) years of experience exercising category B1.2 or B1.4 privileges on large aircraft or as CAR-145 B1.2 or B1.4 support staff, or a combination of both; or
 - (4) for **category C** with respect to non-large aircraft: three (3) years of experience exercising category B1 or B.2 privileges on non-large aircraft or as CAR-145 B1 or B.2 support staff, or a combination of both; or
- (b) For category A, B1 and B2 the experience must be practical, which means being involved with a representative cross section of maintenance tasks on aircraft.
- (c) For all applicants, at least one (1) year of the required experience shall be recent maintenance experience on aircraft of the category/subcategory for which the initial aircraft maintenance license is sought. For subsequent category/subcategory additions to an existing aircraft maintenance license, the additional recent maintenance experience required may be less than one (1) year, but must be at least six months. The required experience must be dependent upon the difference between the license category/subcategory held and applied for. Such additional experience must be typical of the new license category/subcategory sought.
- (d) Notwithstanding paragraph (a), aircraft maintenance experience gained outside a civil aircraft maintenance environment shall be accepted when such maintenance is equivalent to that required by this CAR as established by the DGCAR. Additional experience of civil aircraft maintenance shall, however, be required to ensure understanding of the civil aircraft maintenance environment. Civil aircraft maintenance experience shall not be less than three (3) years.
- (e) Aircraft maintenance experience gained outside a civil aircraft maintenance environment may include aircraft maintenance experience gained in armed forces, coast guards, police etc. or in aircraft, manufacturing and it shall not be less than ten (10) years.
- Note: Proof of experience and training will be required by worksheets. In case of Company Authorization Approval holders, certification from the operators are acceptable*
- (f) An applicant for an extension to an aircraft maintenance license shall have a minimum civil aircraft maintenance experience requirement appropriate to the additional category or subcategory of license applied for as defined in Appendix E to this CAR-66.
- (g) The experience shall be practical and involve a representative cross section of maintenance tasks on aircraft.

- (h) At least one (1) year of the required experience shall be recent maintenance experience on aircraft of the category/subcategory for which the initial aircraft maintenance license is sought. For subsequent category/subcategory additions to an existing aircraft maintenance license, the additional recent maintenance experience required may be less than one (1) year, but shall be at least three (3) months. The required experience shall be dependent upon the difference between the license category/subcategory held and applied for. Such additional experience shall be typical of the new license category/subcategory sought.
- (i) Notwithstanding point (a), aircraft maintenance experience gained outside a civil aircraft maintenance environment shall be accepted when such maintenance is equivalent to that required by this CAR as established by the authority. Additional experience of civil aircraft maintenance shall, however, be required to ensure adequate understanding of the civil aircraft maintenance environment.
- (j) Experience shall have been acquired within the ten (10) years preceding the application for an aircraft maintenance license or the addition of a category or subcategory to such a license.
- (k) However, dual categories (eg.B1 and B2) are not granted by PACA.

CAR 66.35 Basic Skill Requirements

The Applicant shall have demonstrated the ability to perform those functions applicable to the privileges granted.

CAR 66.40 Continued Validity of the Aircraft Maintenance License

- (a) The aircraft maintenance license becomes invalid after five (5) years of its last issue or change, unless the holder submits his/her aircraft maintenance license to the authority in order to verify that the information contained in the license is the same as that contained in the authority records.
- (b) The holder of an aircraft maintenance license shall complete the relevant parts of prescribed application and submit it with the holder's original aircraft maintenance license to the authority through the approved maintenance organisation the holder works that has a procedure in its exposition whereby such organisation may submit the necessary documentation on behalf of the aircraft maintenance license holder.
- (c) Any certification privilege based upon an aircraft maintenance license, becomes invalid as soon as the aircraft maintenance license is invalid.
- (d) The aircraft maintenance license is only valid:
 - (1) when issued and/or changed by the authority; and
 - (2) when the holder has signed the document.

CAR 66.45 Endorsement with Aircraft Ratings

- (a) In order to be entitled to exercise certification privileges on a specific aircraft type, the holder of an aircraft maintenance license need to have his/her license endorsed with the relevant aircraft ratings.
 - (1) For category B1, B2 or C the relevant aircraft ratings are the following:
 - i. For group 1 aircraft, the appropriate aircraft type rating.
 - ii. For group 2 aircraft, the appropriate aircraft type rating, manufacturer sub-group rating or full sub-group rating.
 - iii. For group 3 aircraft, the appropriate aircraft type rating or full group rating.
 - (2) For category B3, the relevant rating is 'piston-engine non-pressurised aeroplanes of 2000 kg MTOM and below'.
 - (3) For category A, no rating is required, subject to compliance with the requirements of CAR-145.35.

- (b) The endorsement of aircraft type ratings requires the satisfactory completion of the relevant category B1, B2 or C aircraft type training.
- (c) In addition to the requirement of point (b), the endorsement of the first aircraft type rating within a given category/sub-category requires satisfactory completion of the corresponding On the Job Training, as described in Appendix C to CAR-66).
- (d) By derogation from points (b) and (c), for group 2 and 3 aircraft, aircraft type ratings may also be granted after:
- (1) satisfactory completion of the relevant category B1, B2 or C aircraft type examination described in Appendix C of CAR-66; and
 - (2) in the case of B1 and B2 category, demonstration of practical experience on the aircraft type. In that case, the practical experience shall include a representative cross section of maintenance activities relevant to the license category.
 - (3) In the case of a category C rating for a person qualified by holding an academic degree as specified in point CAR-66.30 paragraph (a)(4), the first relevant aircraft type examination shall be at the category B1 or B2 level.
- (e) For group 2 aircraft:
- (1) the endorsement of manufacturer sub-group ratings for category B1 and C license holders requires complying with the aircraft type rating requirements of at least two aircraft types from the same manufacturer which combined are representative of the applicable manufacturer sub-group;
 - (2) the endorsement of full sub-group ratings for category B1 and C license holders requires complying with the aircraft type rating requirements of at least three aircraft types from different manufacturers which combined are representative of the applicable sub-group;
 - (3) the endorsement of manufacturer sub-groups and full sub-group ratings for category B2 license holders requires demonstration of practical experience which shall include a representative cross section of maintenance activities relevant to the license category and to the applicable aircraft sub-group.
- (f) For group 3 aircraft:
- (1) the endorsement of the full group 3 rating for category B1, B2 and C license holders requires demonstration of practical experience, which shall include a representative cross section of maintenance activities relevant to the license category and to the group 3.
 - (2) for category B1, unless the applicant provides evidence of appropriate experience, the group 3 rating shall be subject to the following limitations, which shall be endorsed on the license:
 - i. pressurised aeroplanes
 - ii. metal structure aeroplanes
 - iii. composite structure aeroplanes
 - iv. wooden structure aeroplanes
 - v. aeroplanes with metal tubing structure covered with fabric.
- (g) For the B3 license:
- (1) the endorsement of the rating 'piston-engine non-pressurised aeroplanes of 2000 kg MTOM and below' requires demonstration of practical experience which shall include a representative cross-section of maintenance activities relevant to the license category.
 - (2) unless the applicant provides evidence of appropriate experience, the rating referred to in paragraph (1) above, shall be subject to the following limitations, which shall be endorsed on the license:
 - i. wooden structure aeroplanes;
 - ii. aeroplanes with metal tubing structure covered with fabric;
 - iii. metal structure aeroplanes;
 - iv. composite structure aeroplanes.

CAR 66.50 Limitations

- (a) Limitations introduced on an aircraft maintenance license are exclusions from the certification privileges and affect the aircraft in its entirety.
- (b) For limitations referred to in point 66.45, limitations shall be removed upon:
 - (1) Demonstration of appropriate experience; or
 - (2) after a satisfactory practical assessment performed by the authority.
- (c) For limitations referred to in point 66.70, limitations shall be removed upon satisfactory completion of examination on those modules/subjects in the applicable conversion criteria.

CAR 66.55 Evidence of Qualification

Personnel exercising certification privileges as well as support staff shall produce their license, as evidence of qualification, within twenty-four (24) hours upon request by an authorised person.

CAR 66.70 Conversion Provisions

- (a) Subject to sub-paragraph (b), a previously issued CAR-66 aircraft maintenance license issued prior to the effective date of this revision of CAR-66 shall be replaced with a CAR-66 aircraft maintenance license upon renewal without further examination.
- (b) Where necessary, the replacement CAR-66 aircraft maintenance license shall contain technical limitation(s) in relation to the scope of the pre-existing qualification.
- (c) Limitations on CAR-66 aircraft maintenance license may be removed when the license holder successfully applies to the AUTHORITY for their removal after fulfilling the necessary theoretical and practical requirements, or any experience as required by the AUTHORITY.

CAR-66.75 Conversion of Foreign Licenses

At the discretion of the AUTHORITY, valid licenses of other ICAO Contracting States may be converted into CAR-66 licenses provided that:

- (a) An equivalent level of safety exists between the training and testing requirements of the ICAO Contracting State and the CAR-66 requirements.
- (b) Basic knowledge and experience requirements set out in this CAR-66 are complied with.
- (c) A converted license may be restricted to the privileges of the foreign license

SUBPART B: ACCEPTABLE MEANS OF COMPLIANCE AND GUIDANCE MATERIAL**AMC CAR 66.10 Application**

- (1) Maintenance experience should be written up in a manner that the reader has a reasonable understanding of where, when and what maintenance constitutes the experience. A task by task account is not necessary but at the same time a bland statement 'X years' maintenance experience completed' is not acceptable. A logbook of maintenance experience is desirable and some authorities may require such logbook to be kept. It is acceptable to cross-refer in the Application form established by the PACA to other documents containing information on maintenance.
- (2) Applicants claiming the maximum reduction in CAR-66.30 (a) total experience based upon having successfully completed CAR-147 approved or equivalent basic training should include the certificate of recognition for approved basic training.
- (3) Applicants claiming reduction in CAR-66.30 (a) total experience based upon having successfully completed technical training in an organisation or institute recognised by the authority as an organisation or institute, should include the relevant certificate of successful completion of training.

GM CAR 66.20 (a) Privileges

- (1) The following definitions apply:

Electrical system means the aircraft electrical power supply source, plus the distribution system to the different components contained in the aircraft and relevant connectors. Lighting systems are also included in this definition. When working on cables and connectors, which are part of these electrical systems, the following typical practices are included in the privileges:

- i. Continuity, insulation and bonding techniques and testing;
- ii. Crimping and testing of crimped joints;
- iii. Connector pin removal and insertion;
- iv. Wiring protection techniques.

Avionics system means an aircraft system that transfers, processes, displays, stores, analogue, or digital data using data lines, data buses, coaxial cables, wireless or other data transmission medium, and includes the system's components and connectors. Examples of avionics systems include the following:

- i. Auto-flight;
- ii. Communication, Radar and Navigation;
- iii. Instruments (*see NOTE below*);
- iv. In Flight Entertainment Systems;
- v. Integrated Modular Avionics (IMA);
- vi. On-Board Maintenance Systems;
- vii. Information Systems;
- viii. Fly by Wire Systems (related to ATA27 'Flight Controls');
- ix. Fibre Optic Control Systems.

NOTE: Instruments are formally included within the privileges of the B2 license holders. However, a B1 license holder may also release maintenance on electromechanical and pitot-static components.

Simple test means a test described in approved maintenance data and meeting all the following criteria:

- i. The serviceability of the system can be verified using aircraft controls, switches, Built-in Test Equipment (BITE), Central Maintenance Computer (CMC) or external test equipment not involving special training.

- ii. The outcome of the test is a unique “go – no go” indication or parameter, which can be a single value or a value within an interval tolerance. No interpretation of the test result or interdependence of different values is allowed.
- iii. The test does not involve more than 10 actions as described in the approved maintenance data (not including those required to configure the aircraft prior to the test, i.e. jacking, flaps down, etc. or to return the aircraft to its initial configuration). Pushing a control, switch or button, and reading the corresponding outcome may be considered as a single step even if the maintenance data shows them separated.

Troubleshooting means the procedures and actions necessary, using approved maintenance data, in order to identify the root cause of a defect or malfunction. It may include the use of BITE or external test equipment.

Line maintenance means any maintenance that is carried out before flight to ensure that the aircraft is fit for the intended flight. It may include:

- i. trouble shooting;
- ii. defect rectification;
- iii. component replacement with use of external test equipment, if required. Component replacement may include components such as engines and propellers;
- iv. scheduled maintenance and/or checks including visual inspections that will detect obvious unsatisfactory conditions/discrepancies but do not require extensive in depth inspection. It may also include internal structure, systems and powerplant items which are visible through quick opening access panels/doors;
- v. minor repairs and modifications which do not require extensive disassembly and can be accomplished by simple means;
- vi. for temporary or occasional cases (Airworthiness Directives, hereinafter AD; service bulletins, hereinafter SB) the quality manager may accept base maintenance tasks to be performed by a line maintenance organisation provided all requirements are fulfilled.

Base Maintenance means any task falling outside the criteria that are given above for Line Maintenance.

NOTE: Aircraft maintained in accordance with ‘progressive’ type programmes need to be individually assessed in relation to this paragraph. In principle, the decision to allow some ‘progressive’ checks to be carried out is determined by the assessment that all tasks within the particular check can be carried out safely to the required standards at the designated line maintenance station.

- (2) The category B3 license does not include any A subcategory. Nevertheless, this does not prevent the B3 license holder from releasing maintenance tasks typical of the A1.2 subcategory for piston-engine non-pressurized aeroplanes of 2 000 kg MTOM and below, within the limitations contained in the B3 license.
- (3) The category C license permits certification of scheduled base maintenance by the issue of a single certificate of release to service for the complete aircraft after the completion of all such maintenance. The basis for this certification is that the maintenance has been carried out by mechanics and category B1, B2 and B3 support staff, as appropriate, have signed for the maintenance tasks under their respective specialisation. The principal function of the category C certifying staff is to ensure that all required maintenance has been called up and signed off by the category B1, B2 and B3 support staff, as appropriate, before issue of the certificate of release to service. Only category C personnel who also hold category B1, B2 or B3 qualifications may perform both roles in base maintenance.

AMC CAR 66.20 (b)(2) Privileges

The six (6) months' maintenance experience in two (2) years should be understood as consisting of two elements, duration and nature of the experience. The minimum to meet the requirements for these elements may vary depending on the size and complexity of the aircraft and type of operation and maintenance.

(1) Duration:

Within an approved maintenance organization:

- i. Six (6) months continuous employment within the same organisation; or
- ii. Six (6) months split up into different blocks, employed within the same or in different organisations.

The six (6) months period can be replaced by one hundred (100) days of maintenance experience in accordance with the privileges, whether they have been performed within an approved organisation or as independent certifying staff according to CAR-M., or as a combination thereof.

When license holder maintains and releases aircraft in accordance with CAR-M, in certain circumstances this number of days may even be reduced by fifty percent (50%) when agreed in advance by the authority. These circumstances consider the cases where the license holder happens to be the owner of an aircraft and carries out maintenance on his own aircraft, or where a license holder maintains an aircraft operated for low utilization, that does not allow the license holder to accumulate the required experience. This reduction should not be combined with the twenty percentage (20%) reduction permitted when carrying out technical support, or maintenance planning, continuing airworthiness management or engineering activities. To avoid a too long period without experience, the working days should be spread over the intended six (6) months period.

(2) Nature of the experience:

Depending on the category of the aircraft maintenance license, the following activities are considered relevant for maintenance experience:

- i. Servicing;
- ii. Inspection;
- iii. Operational and functional testing;
- iv. Trouble-shooting;
- v. Repairing;
- vi. Modifying;
- vii. Changing component;
- viii. supervising these activities;
- ix. Releasing aircraft to service.

For Category A license holders, the experience should include exercising the privileges, by means of performing tasks related to the authorization on at least one aircraft type for each license subcategory. This means tasks as mentioned in AMC CAR-145.30 (g), including servicing, component changes and simple defect rectifications.

For Category B1, B2 and B3, for every aircraft included in the authorization the experience should be on that particular aircraft or on a similar aircraft within the same license (sub) category. Two aircraft can be considered as similar when they have similar technology, construction and comparable systems, which means equally equipped with the following (as applicable to the license category):

- i. Propulsion systems (piston, turboprop, turbofan, turboshaft, jet-engine or push propellers); and

- ii. Flight control systems (only mechanical controls, hydro-mechanically powered controls or electro-mechanically powered controls); and
- iii. Avionic systems (analogue systems or digital systems); and
- iv. Structure (manufactured of metal, composite or wood).

For licenses endorsed with (sub) group ratings:

- (1) In the case of B1 license endorsed with (sub)group ratings (either manufacturer subgroup or full (sub)group) as defined in CAR-66.45 the holder should show experience on at least one aircraft type per (sub)group and per aircraft structure (metal, composite, wood).
- (2) In the case of a B2 license endorsed with (sub)group ratings (either manufacturer subgroup or full (sub)group) as defined in CAR-66.45 the holder should show experience on at least one aircraft type per (sub)group.
- (3) In the case of a B3 license endorsed with the rating 'piston-engine non-pressurized aeroplanes of 2000kg MTOM and below' as defined in CAR-66.45, the holder should show experience on at least one aircraft type per aircraft structure (metal, composite, wooden).

For category C, the experience should cover at least one of the aircraft types endorsed on the license.

For a combination of categories, the experience should include some activities of the nature shown in paragraph (2) in each category.

A maximum of twenty percent (20%) of the experience duration required may be replaced by the following relevant activities on an aircraft type of similar technology, construction and with comparable systems:

- i. Aircraft maintenance related training as an instructor/assessor or as a student;
- ii. Maintenance technical support/engineering;
- iii. Maintenance management/planning.

The experience should be documented in an individual log book or in any other recording system (which may be an automated one) containing the following data:

- i. Date;
- ii. Aircraft type;
- iii. Aircraft identification i.e. registration;
- iv. ATA chapter (optional);
- v. Operation performed i.e. 100 FH check, MLG wheel change, engine oil checks and complement, SB embodiment, trouble shooting, structural repair, STC embodiment etc.;
- vi. Type of maintenance i.e. base, or line;
- vii. Type of activity i.e. perform, supervise, release;
- viii. Category used A, B1, B2, B3 or C.
- ix. Duration in days or partial-days.

GM CAR 66.20 (b)(2) Privileges

The sentence 'met the provision for the issue of the appropriate privileges' included in CAR-66.20 paragraph (b)(2) means that during the previous two (2) years the person has met all the requirements for the endorsement of the corresponding aircraft rating (for example, in the case of aircraft in Group 1, theoretical plus practical element plus, if applicable, on-the-job training). This supersedes the need for six (6) months of experience for the first two (2) years. However, the requirement of six (6) months of experience in the preceding two (2) years will need to be met after the second year.

AMC CAR 66.20 (b)(3) Privileges

The wording 'has the adequate competence to certify maintenance on the corresponding aircraft' means that the license holder and, if applicable, the organisation where he/she is contracted/employed, should ensure that he/she has acquired the appropriate knowledge, skills, attitude and experience to release the aircraft being maintained. This is essential because some systems and technology present in the particular aircraft being maintained may not have been covered by the training/examination/experience required to obtain the license and ratings.

This is typically the case, among others, in the following situations:

- (1) Type ratings which have been endorsed on a license in accordance with Appendix A to AMC to CAR-66 'List of Type Ratings' after attending type training/on-the-job training which did not cover all the models/variants included in such rating. For example, a license endorsed with the rating Airbus A318/A319/A320/A321 (CFM56) after attending type training/on-the-job training covering only the Airbus A320 (CFM56).
- (2) Type ratings which have been endorsed on a license in accordance with Appendix A to AMC to CAR-66 'List of Type Ratings' after a new variant has been added to the rating in Appendix A, without performing difference training. For example, a license endorsed with the rating Boeing 737-600/700/800/900 for a person who already had the rating Boeing 737-600/700/800, without performing any difference training for the B737-900.
- (3) Work being carried out on a model/variant for which the technical design and maintenance techniques have significantly evolved from the original model used in the type training/on-the-job training.
- (4) Specific technology and options selected by each customer, which may not have been covered by the type training/on-the-job training.
- (5) Changes in the basic knowledge requirements of Appendix A to CAR-66 not requiring re-examination of existing license holders (grandfathered privileges).
- (6) The endorsement of group/subgroup ratings based on experience on a representative number of tasks/aircraft or based on type training/examination on a representative number of aircraft.
- (7) Persons meeting the requirements of six (6) months of experience every two (2) years only on certain similar aircraft types as allowed by AMC CAR-66.20(b)(2).
- (8) Persons holding a CAR-66 license with limitations, obtained through conversion of national qualifications (CAR-66.70), where such limitations are going to be lifted after performing the corresponding basic knowledge examinations. In this case, the type ratings endorsed in the license may have been obtained in the national system without covering all the aircraft systems (because of the previous limitations) and there will be a need to assess and, if applicable, to train this person on the missing systems.

Additional information is provided in AMC CAR-145.35 (a).

GM CAR 66.20 (b)(4) Privileges

- (1) Holders of a CAR 66 aircraft maintenance license may not exercise certification privileges unless they have a general knowledge of the language used within the maintenance environment including knowledge of common aeronautical terms in the language. The level of knowledge should be such that the license holder is able to:
 - i. read and understand the instructions and technical manuals used for the performance of maintenance;
 - ii. make written technical entries and any maintenance documentation entries, which can be understood by those with whom they are normally required to communicate;
 - iii. read and understand the maintenance organisation procedures;

- iv. communicate at such a level as to prevent any misunderstanding when exercising certification privileges.
- (2) In all cases, the level of understanding should be compatible with the level of certification privileges exercised

AMC CAR 66.25 Basic Knowledge Requirements

- (1) For an applicant being a person qualified by holding an academic degree in an aeronautical, mechanical or electronic discipline from a recognised university or other higher educational institute the need for any examination will depend upon the course taken in relation to Appendix A to CAR 66.
- (2) Knowledge gained and examinations passed during previous experiences, for example, in military aviation and civilian apprenticeships will be credited where the authority is satisfied that such knowledge and examinations are equivalent to that required by Appendix A to CAR 66.

GM CAR 66.25(a) Basic Knowledge Requirements

The levels of knowledge for each license (sub) category are directly related to the complexity of the certifications related to the corresponding license (sub) category, which means that category A should demonstrate a limited but adequate level of knowledge, whereas category B1, B2 and B3 should demonstrate a complete level of knowledge in the appropriate subject modules.

AMC CAR 66.30(a) Basic Experience Requirements

- (1) For a category C applicant holding an academic degree the representative selection of tasks should include the observation of hangar maintenance, maintenance planning, quality assurance, record-keeping, approved spare parts control and engineering development.
- (2) While an applicant to a category C license may be qualified by having three (3) years' experience as category B1 or B2 certifying staff only in line maintenance, it is however recommended that any applicant to a category C holding a B1 or B2 license demonstrate at least twelve (12) months experience as a B1 or B2 support staff.
- (3) A skilled worker is a person who has successfully completed a training, acceptable to the authority, involving the manufacture, repair, overhaul or inspection of mechanical, electrical or electronic equipment. The training would include the use of tools and measuring devices.
- (4) Maintenance experience on operating aircraft:
 - i. Means the experience of being involved in maintenance tasks on aircraft which are being operated by airlines, air taxi organisations, owners, etc.:
 - ii. Should cover a wide range of tasks in length, complexity and variety;
 - iii. Aims at gaining sufficient experience in the real environment of maintenance as opposed to only the training school environment.
 - iv. May be gained within different types of maintenance organisations (CAR-145, CAR-M. Subpart F, etc.) or under the supervision of independent certifying staff;
 - v. May be combined with CAR-147 approved training so that periods of training can be intermixed with periods of experience, similar to an apprenticeship.

AMC CAR 66.30(d) Basic Experience Requirements

To be considered as recent experience; at least fifty percent (50%) of the required twelve (12) month recent experience should be gained within the twelve (12) month period prior to the date of application for the aircraft maintenance license. The remainder of the recent experience should have been gained

within the seven (7) year period prior to application. It must be noted that the rest of the basic experience required by CAR-66.30 must be obtained within the ten (10) years prior to the application as required by CAR-66.30(f).

AMC CAR 66.30(e) Basic Experience Requirements

- (1) For category A; the additional experience of civil aircraft maintenance should be a minimum of six (6) months. For category B1, B2 or B3 the additional experience of civil aircraft maintenance should be a minimum of twelve (12) months.
- (2) Aircraft maintenance experience gained outside a civil aircraft maintenance environment may include aircraft maintenance experience gained in armed forces, coast guards, police etc. or in aircraft manufacturing.

GM CAR 66.40 Continued Validity of the Aircraft Maintenance License

The validity of the aircraft maintenance license is not affected by recency of maintenance experience whereas the validity of the CAR-66.20 Privileges, is affected by maintenance experience as specified in CAR-66.20(a).

GM CAR 66.45 Endorsement with Aircraft Ratings

The following table shows a summary of the aircraft rating requirements contained in CAR-66.45, CAR-66.50 and Appendix C to CAR-66.

The table contains the following:

- i. The different aircraft groups.
- ii. For each license (sub)category, which ratings are possible (at the choice of the applicant):
- iii. Individual type ratings.
- iv. Full and/or Manufacturer (sub)group ratings
- v. For each rating option, which are the qualification options.
- vi. For the B1.2 license (Group 3 aircraft) and for the B3 license (piston-engine non-pressurized aeroplanes of 2 000 kg MTOM and below), which are the possible limitations to be included in the license if not sufficient experience can be demonstrated in those areas.

Note: OJT means 'On-the-Job Training' (Appendix C to CAR 66, Section 6) and is only required for the first aircraft rating in the license (sub)category.

Aircraft rating requirements			
Aircraft Groups	B1/B3 license	B2 license	C license
<p>Group1</p> <ul style="list-style-type: none"> - Multiple engine helicopters. - Aeroplanes certified above FL290. - Aircraft equipped with fly-by-wire. - Other aircraft when defined by the Agency. 	<p>(For B1)</p> <p>Individual TYPE RATING</p> <p>Type training:</p> <ul style="list-style-type: none"> - Theory + examination - Practical + assessment PLUS <p>OJT (for first aircraft in license subcategory)</p>	<p>Individual TYPE RATING</p> <p>Type training:</p> <ul style="list-style-type: none"> - Theory + examination - Practical + assessment PLUS <p>OJT (for first aircraft in license subcategory)</p>	<p>Individual TYPE RATING</p> <p>Type training:</p> <ul style="list-style-type: none"> - Theory + examination
<p>Group 2</p> <p>Subgroups:</p> <p>2a: single turboprop aeroplanes (*)</p> <p>2b: single turbine engine helicopters (*)</p> <p>2c: single piston engine helicopters (*)</p> <p>(*) Except those classified in Group 1.</p>	<p>(For B1.1, B1.3, B1.4)</p> <p>Individual TYPE RATING (type training + OJT) or (type examination + practical experience)</p> <p>Full SUBGROUP RATING (type training + OJT) or (type examination + practical experience) on at least 3 aircraft representative of that subgroup</p> <p>Manufacturer SUBGROUP RATING (type training + OJT) or (type examination + practical experience) on at least 2 aircraft representative of that manufacturer subgroup</p>	<p>Individual TYPE RATING (type training + OJT) or (type examination + practical experience)</p> <p>Full SUBGROUP RATING based on demonstration of practical experience</p> <p>Manufacturer SUBGROUP RATING based on demonstration of practical experience</p>	<p>Individual TYPE RATING type training or type examination</p> <p>Full SUBGROUP RATING type training or type examination on at least 3 aircraft representative of that subgroup</p> <p>Manufacturer SUBGROUP RATING type training or type examination on at least 2 aircraft representative of that manufacturer subgroup</p>

Aircraft rating requirements			
Aircraft Groups	B1/B3 license	B2 license	C license
<p>Group3</p> <p>Piston engine aeroplanes (except those classified in Group 1)</p>	<p>(For B1.2)</p> <p>Individual TYPE RATING (type training + OJT) or (type examination + practical experience)</p> <p>Full GROUP 3 RATING based on demonstration of practical experience</p> <p>Limitations:</p> <ul style="list-style-type: none"> - Pressurized aeroplanes - Metal aeroplanes - Composite aeroplanes - Wooden aeroplanes - Metal tubing & fabric Aeroplanes 	<p>Individual TYPE RATING (type training + OJT) or (type examination + practical experience)</p> <p>Full GROUP 3 RATING based on demonstration of appropriate experience</p>	<p>Individual TYPE RATING type training or type examination</p> <p>Full GROUP 3 RATING based on demonstration of practical experience</p>
<p>Piston-engine non pressurized aeroplanes of 2 000 kg MTOM and below</p>	<p>(For B3)</p> <p>FULL RATING "Piston engine non-pressurized aeroplanes of 2 000 kg MTOM and below" based on demonstration of practical experience</p> <p>Limitations:</p> <ul style="list-style-type: none"> - Metal aeroplanes - Composite aeroplanes - Wooden aeroplanes - Metal tubing & fabric aeroplanes 	<p>Not applicable</p>	<p>Not applicable</p>

GM CAR 66.45(b) Endorsement with Aircraft Ratings

- (1) An aircraft type rating includes all the aircraft models/variants listed in column 2 of Appendix A to AMC to CAR-66.
- (2) When a person already holds a type rating on the license and such type rating is amended in the Appendix A to AMC to CAR-66 in order to include additional models/variants, there is no need for additional type training for the purpose of amending the type rating in the license. The rating should

be amended to include the new variants, upon request by the applicant, without additional requirements. However, it is the responsibility of the license holder and, if applicable, the maintenance organisation where he/she is employed to comply with CAR-66.20(b)(3), CAR-145.A.35(a) and CAR-M.A.607(a), as applicable, before he/she exercises certification privileges.

- (3) Similarly, type training courses covering certain, but not all the models/variants included in a type rating, are valid for the purpose of endorsing the full type rating.

AMC CAR 66. 45(d), (e)(3), (f)(1) and (g)(1) Endorsement with Aircraft Ratings

- (1) The 'practical experience' should cover a representative cross section including at least fifty percent (50%) of tasks contained in Appendix B to AMC relevant to the license category and to the applicable aircraft type ratings or aircraft (sub)group ratings being endorsed. This experience should cover tasks from each paragraph of the Appendix B list. Other tasks than those in the Appendix B may be considered as a replacement when they are relevant. In the case of (sub)group ratings, this experience may be shown by covering one or several aircraft types of the applicable (sub)group and may include experience on aircraft classified in group 1, 2 and/or 3 as long as the experience is relevant. The practical experience should be obtained under the supervision of authorised certifying staff.
- (2) In the case of endorsement of individual type ratings for Group 2 and Group 3 aircraft, for the second aircraft type of each manufacturer (sub) group the practical experience should be reduced to thirty percent (30%) of the tasks contained in Appendix B to AMC relevant to the license category and to the applicable aircraft type. For subsequent aircraft types of each manufacturer (sub) group this should be reduced to twenty percent (20%).
- (3) Practical experience should be demonstrated by the submission of records or a log book showing the Appendix B tasks performed by the applicant. Typical data to be recorded are similar to those described in AMC CAR-66.20(b)(2).

AMC CAR 66.45(e) Endorsement with Aircraft Ratings

- (1) For the granting of manufacturer subgroup ratings for Group 2 aircraft, for B1 and C license holders, the sentence 'at least two aircraft types from the same manufacturer which combined are representative of the applicable manufacturer subgroup' means that the selected aircraft types should cover the technologies relevant to the manufacturer subgroup in the following areas:
 - i. Flight control systems (mechanical controls/hydro-mechanically powered controls / electromechanically powered controls); and
 - ii. Avionic systems (analogue systems / digital systems); and
 - iii. Structure (manufactured of metal / composite / wood).

In cases where there are very different aircraft types within the same manufacturer subgroup, it may be necessary to cover more than two aircraft types to ensure adequate representation.

For this purpose it may be possible to use aircraft types from the same manufacturer classified in Group 1 as long as the selected aircraft belong to the same license subcategory for which the rating will be endorsed.

- (2) For the granting of full subgroup ratings for Group 2 aircraft, for B1 and C license holders, the sentence 'at least three aircraft types from different manufacturers which combined are representative of the applicable subgroup' means that the selected aircraft types should cover all the technologies relevant to the manufacturer subgroup in the following areas:
 - i. Flight control systems (mechanical controls/ hydro-mechanically powered controls/ electromechanically powered controls); and
 - ii. Avionic systems (analogue systems / digital systems); and

- iii. Structure (manufactured of metal / composite / wood).

In cases where there are very different aircraft types within the same subgroup, it may be necessary to cover more than three aircraft types to ensure adequate representation.

For this purpose it may be possible to use aircraft types from different manufacturers classified in Group 1 as long as the selected aircraft belong to the same license subcategory for which the rating will be endorsed.

- (3) For manufacturer subgroup ratings, the term 'manufacturer' means the TC holder defined in the certification data sheet, which is reflected in the list of type ratings in Appendix A to AMC to CAR-66.

In the case of an aircraft rating where the type rating refers to a TC holder made of a combination of two manufacturers which produce a similar aircraft (i.e. AGUSTA / BELL HELICOPTER TEXTRON or any case of aircraft similarly built by another manufacturer) this combination should be considered as one manufacturer.

As a consequence:

- i. When a license holder gets a manufacturer type or a manufacturer subgroup rating made of a combination of manufacturers, it covers the combination of such manufacturers.
- ii. When a license holder who intends to endorse a full subgroup rating selects three aircraft from different manufacturers, this means from different combinations of manufacturers as applicable.

AMC CAR 66.50(b) Limitations

- (1) The appropriate experience required to remove the limitations referred in CAR-66.45(f) and (g) should consist of the performance of a variety of tasks appropriate to the limitations under the supervision of authorised certifying staff. This should include the tasks required by a scheduled annual inspection. Alternatively, this experience may also be gained, if agreed by the authority, by theoretical and practical training provided by the manufacturer, as long as an assessment is further carried out and recorded by this manufacturer.
- (2) It may be acceptable to have this experience on just one aircraft type, provided this type is representative of the (sub) group in relation to the limitation being removed.
- (3) The application for the limitation removal should be supported by a record of experience signed by the authorised certifying staff or by an assessment signed by the manufacturer after completion of the applicable theoretical and practical training.

GM CAR 66.70(c) Conversion Provisions

For example, a limitation could be where a person holds a pre-existing certifying staff qualification which covered, to the standard of CAR-66 Appendix A and B, all the modules/subjects corresponding to the B1 license except for electrical power systems. This person would be issued a CAR-66 aircraft maintenance license in the B1 category with a limitation (exclusion) on electrical power systems.

For removal of limitations, refer to CAR-66.50(c).

GM CAR 66.70(d) Conversion Provisions

For aircraft not used by air carriers licensed in accordance with Regulation (EC) No 1008/2008 other than complex motor-powered aircraft, an example of limitations could be where a person holds a pre CAR-66 qualification which covered privileges to release work performed on aircraft structures, powerplant, mechanical and electrical systems but excluded privileges on aircraft equipped with turbine engine, aircraft above 2 000 kg MTOM, pressurised aircraft and aircraft equipped with retractable landing gear. This person would be issued with a CAR-66 aircraft maintenance license in the B1.2 or B3 (sub) category with the following limitations (exclusions):

- i. aircraft used by air carriers licensed in accordance with this Regulation (this limitation always exists);
- ii. aircraft above 2 000 kg MTOM;
- iii. pressurised aircraft;
- iv. aircraft equipped with retractable landing gear.

Another example of limitations could be where a pilot-owner holds a pre- CAR-66 qualification which covered privileges to release work performed on aircraft structures, powerplant, mechanical and electrical systems but limited to their own aircraft and limited to a particular aircraft type (for example, a Cessna 172). This pilot-owner would receive a CAR-66 aircraft maintenance license in the B1.2 or B3 (sub) category with the following limitations (exclusions):

- i. aircraft used by air carriers licensed in accordance with this CAR (this limitation always exists);
- ii. aircraft other than a Cessna 172;
- iii. aircraft not owned by the license holder.

The essential aspect is that the limitations are established in order to maintain the privileges of the pre-CAR 66 qualification without comparing the previous qualification with the standard of CAR 66 Appendix A and II.

For removal of limitations, refer to CAR 66.50(c).

APPENDICES TO CAR-66

Appendix A — Basic Knowledge Requirements

(1) Knowledge levels for Category A, B1, B2, B3 and C Aircraft Maintenance License

Basic knowledge for categories A, B1, B2 and B3 are indicated by knowledge levels (1, 2 or 3) against each applicable subject. Category C applicants shall meet either the category B1 or the category B2 basic knowledge levels.

The knowledge level indicators are defined on 3 levels as follows:

- (a) **LEVEL 1:** A familiarisation with the principal elements of the subject.

Objectives:

- i. The applicant should be familiar with the basic elements of the subject.
 - ii. The applicant should be able to give a simple description of the whole subject, using common words and examples.
 - iii. The applicant should be able to use typical terms.
- (b) **LEVEL 2:** A general knowledge of the theoretical and practical aspects of the subject and an ability to apply that knowledge.

Objectives:

- i. The applicant should be able to understand the theoretical fundamentals of the subject.
 - ii. The applicant should be able to give a general description of the subject using, as appropriate, typical examples.
 - iii. The applicant should be able to use mathematical formulae in conjunction with physical laws describing the subject.
 - iv. The applicant should be able to read and understand sketches, drawings and schematics describing the subject.
 - v. The applicant should be able to apply his knowledge in a practical manner using detailed procedures.
- (c) **LEVEL 3:** A detailed knowledge of the theoretical and practical aspects of the subject and a capacity to combine and apply the separate elements of knowledge in a logical and comprehensive manner.

Objectives:

- i. The applicant should know the theory of the subject and interrelationships with other subjects.
- ii. The applicant should be able to give a detailed description of the subject using theoretical fundamentals and specific examples.
- iii. The applicant should understand and be able to use mathematical formulae related to the subject.
- iv. The applicant should be able to read, understand and prepare sketches, simple drawings and schematics describing the subject.
- v. The applicant should be able to apply his knowledge in a practical manner using manufacturer's instructions.
- vi. The applicant should be able to interpret results from various sources and measurements and apply corrective action where appropriate.

(2) Modularisation

Qualification on basic subjects for each aircraft maintenance license category or subcategory should be in accordance with the following matrix, where applicable subjects are indicated by an ‘X’:

Subject module	A or B1 aeroplane with:		A or B1 helicopter with:		B2	B3
	Turbine engine(s)	Piston engine(s)	Turbine engine(s)	Piston engine(s)	Avionics	Piston-engine non-pressurised aeroplanes 2000 kg MTOM and below
1	X	X	X	X	X	X
2	X	X	X	X	X	X
3	X	X	X	X	X	X
4	X	X	X	X	X	X
5	X	X	X	X	X	X
6	X	X	X	X	X	X
7 A	X	X	X	X	X	-
7 B	-	-	-	-	-	X
8	X	X	X	X	X	X
9 A	X	X	X	X	X	-
9 B	-	-	-	-	-	X
10	X	X	X	X	X	X
11 A	X	-	-	-	-	-
11 B	-	X	-	-	-	-
11 C	-	-	-	-	-	X
12	-	-	X	X	-	-
13	-	-	-	-	X	-
14	-	-	-	-	X	-
15	X	-	X	-	-	-
16	-	X	-	X	-	X
17 A	X	X	-	-	-	-
17 B	-	-	-	-	-	X

MODULE 1. MATHEMATICS

	LEVEL			
	A	B1	B2	B3
<p>1.1 Arithmetic</p> <p>Arithmetical terms and signs, methods of multiplication and division, fractions and decimals, factors and multiples, weights, measures and conversion factors, ratio and proportion, averages and percentages, areas and volumes, squares, cubes, square and cube roots.</p>	1	2	2	2
<p>1.2 Algebra</p> <p>(a) Evaluating simple algebraic expressions, addition, subtraction, multiplication and division, use of brackets, simple algebraic fractions;</p> <p>(b) Linear equations and their solutions; Indices and powers, negative and fractional indices; Binary and other applicable numbering systems; Simultaneous equations and second degree equations with one unknown; Logarithms.</p>	1	2	2	2
	--	1	1	1
<p>1.3 Geometry</p> <p>(a) Simple geometrical constructions;</p> <p>(b) Graphical representation; nature and uses of graphs, graphs of equations/functions;</p> <p>(c) Simple trigonometry; trigonometrical relationships, use of tables and rectangular and polar coordinates.</p>	--	1	1	1
	2	2	2	2
	2	2	2	2

MODULE 2. PHYSICS

	LEVEL			
	A	B1	B2	B3
2.1 Matter	1	1	1	1
<p>Nature of matter: the chemical elements, structure of atoms, molecules; Chemical compounds; States: solid, liquid and gaseous; Changes between states</p>				
2.2 Mechanics				
2.2.1 Statics	1	2	1	1
<p>Forces, moments and couples, representation as vectors; Centre of gravity; Elements of theory of stress, strain and elasticity: tension, compression, shear and torsion; Nature and properties of solid, fluid and gas; Pressure and buoyancy in liquids (barometers).</p>				

		LEVEL			
		A	B1	B2	B3
2.2.2 Kinetics		1	2	1	1
	Linear movement: uniform motion in a straight line, motion under constant acceleration (motion under gravity); Rotational movement: uniform circular motion (centrifugal/centripetal forces); Periodic motion: pendula movement; Simple theory of vibration, harmonics and resonance; Velocity ratio, mechanical advantage and efficiency.				
2.2.3 Dynamics					
	(a) Mass; Force, inertia, work, power, energy (potential, kinetic and total energy), heat, efficiency;	1	2	2	2
	(b) Momentum, conservation of momentum; Impulse; Gyroscopic principles; Friction: nature and effects, coefficient of friction (rolling resistance).	1	2	2	1
2.2.4 Fluid dynamics					
	(a) Specific gravity and density;	2	2	2	2
	(b) Viscosity, fluid resistance, effects of streamlining; Effects of compressibility on fluids; Static, dynamic and total pressure: Bernoulli's Theorem, venturi.	1	2	1	1
2.3 Thermodynamics					
	(a) Temperature: thermometers and temperature scales: Celsius, Fahrenheit and Kelvin; Heat definition;	2	2	2	2
	(b) Heat capacity, specific heat;	--	2	2	1
	Heat transfer: convection, radiation and conduction; Volumetric expansion; First and second law of thermodynamics; Gases: ideal gases laws; specific heat at constant volume and constant pressure, work done by expanding gas; Isothermal, adiabatic expansion and compression, engine cycles, constant volume and constant pressure, refrigerators and heat pumps; Latent heats of fusion and evaporation, thermal energy, heat of combustion.				
2.4 Optics (Light)					
	Nature of light; speed of light; Laws of reflection and refraction: reflection at plane surfaces, reflection by spherical mirrors, refraction, lenses; Fibre optics.	--	2	2	--

2.5 Wave Motion and Sound				
Wave motion: mechanical waves, sinusoidal wave motion, interference phenomena, standing waves; Sound: speed of sound, production of sound, intensity, pitch and quality, Doppler effect.	--	2	2	--

MODULE 3. ELECTRICAL FUNDAMENTALS

	LEVEL			
	A	B1	B2	B3
3.1 Electron Theory Structure and distribution of electrical charges within: atoms, molecules, ions, compounds; Molecular structure of conductors, semiconductors and insulators.	1	1	1	1
3.2 Static Electricity and Conduction Static electricity and distribution of electrostatic charges; Electrostatic laws of attraction and repulsion; Units of charge, Coulomb's Law; Conduction of electricity in solids, liquids, gases and a vacuum.	1	2	2	1
3.3 Electrical Terminology The following terms, their units and factors affecting them: potential difference, electromotive force, voltage, current, resistance, conductance, charge, conventional current flow, electron flow.	1	2	2	1
3.4 Generation of Electricity Production of electricity by the following methods: light, heat, friction, pressure, chemical action, magnetism and motion.	1	1	1	1
3.5 DC Sources of Electricity Construction and basic chemical action of: primary cells, secondary cells, lead acid cells, nickel cadmium cells, other alkaline cells; Cells connected in series and parallel; Internal resistance and its effect on a battery; Construction, materials and operation of thermocouples; Operation of photo-cells.	1	2	2	2
3.6 DC Circuits Ohms Law, Kirchhoff's Voltage and Current Laws; Calculations using the above laws to find resistance, voltage and current; Significance of the internal resistance of a supply.	--	2	2	1
3.7 Resistance/Resistor (a) Resistance and affecting factors; Specific resistance; Resistor colour code, values and tolerances, preferred values, wattage ratings; Resistors in series and parallel;	---	2	2	1

	LEVEL			
	A	B1	B2	B3
Calculation of total resistance using series, parallel and series parallel combinations; Operation and use of potentiometers and rheostats; Operation of Wheatstone Bridge; (b) Positive and negative temperature coefficient conductance; Fixed resistors, stability, tolerance and limitations, methods of construction; Variable resistors, thermistors, voltage dependent resistors; Construction of potentiometers and rheostats; Construction of Wheatstone Bridge.	---	1	1	---
3.8 Power Power, work and energy (kinetic and potential); Dissipation of power by a resistor; Power formula; Calculations involving power, work and energy.	---	2	2	1
3.9 Capacitance/Capacitor Operation and function of a capacitor; Factors affecting capacitance area of plates, distance between plates, number of plates, dielectric and dielectric constant, working voltage, voltage rating; Capacitor types, construction and function; Capacitor colour coding; Calculations of capacitance and voltage in series and parallel circuits; Exponential charge and discharge of a capacitor, time constants; Testing of capacitors	---	2	2	1
3.10 Magnetism (a) Theory of magnetism; Properties of a magnet; Action of a magnet suspended in the Earth's magnetic field; Magnetisation and demagnetisation; Magnetic shielding; Various types of magnetic material; Electromagnets construction and principles of operation; Hand clasp rules to determine: magnetic field around current carrying conductor; (b) Magneto motive force, field strength, magnetic flux density, permeability, hysteresis loop, retentivity, coercive force reluctance, saturation point, eddy currents; Precautions for care and storage of magnets. Faraday's Law; Action of inducing a voltage in a conductor moving in a magnetic field; Induction principles; Effects of the following on the magnitude of an induced voltage: magnetic field strength, rate of change of flux, number of conductor turns; Mutual induction; The effect the rate of change of primary current and mutual inductance has on induced voltage; Factors affecting mutual inductance: number of turns in coil, physical size of coil, permeability of coil, position of coils with respect to each other;	---	2	2	1

	LEVEL			
	A	B1	B2	B3
Lenz's Law and polarity determining rules; Back emf, self-induction; Saturation point; Principle uses of inductors.				
3.11 Inductance/Inductor	---	2	2	1
3.12 DC Motor/Generator Theory Basic motor and generator theory; Construction and purpose of components in DC generator; Operation of, and factors affecting output and direction of current flow in DC generators; Operation of, and factors affecting output power, torque, speed and direction of rotation of DC motors; Series wound, shunt wound and compound motors; Starter Generator construction	---	2	2	1
3.13 AC Theory Sinusoidal waveform: phase, period, frequency, cycle; Instantaneous, average, root mean square, peak, peak to peak current values and calculations of these values, in relation to voltage, current and power; Triangular/Square waves; Single/3 phase principles	1	2	2	1
3.14 Resistive (R), Capacitive (C) and Inductive (L) Circuits Phase relationship of voltage and current in L, C and R circuits, parallel, series and series parallel; Power dissipation in L, C and R circuits; Impedance, phase angle, power factor and current calculations; True power, apparent power and reactive power calculations.	---	2	2	1
3.15 Transformers Transformer construction principles and operation; Transformer losses and methods for overcoming them; Transformer action under load and no-load conditions; Power transfer, efficiency, polarity markings; Calculation of line and phase voltages and currents; Calculation of power in a three phase system; Primary and Secondary current, voltage, turns ratio, power, efficiency; Auto transformers.	---	2	2	1
3.16 Filters Operation, application and uses of the following filters: low pass, high pass, band pass, band stop.	---	1	1	---

	LEVEL			
	A	B1	B2	B3
<p>3.17 AC Generators</p> <p>Rotation of loop in a magnetic field and waveform produced; Operation and construction of revolving armature and revolving field type AC generators; Single phase, two phase and three phase alternators; Three phase star and delta connections advantages and uses; Permanent Magnet Generators.</p>	---	2	2	1
<p>3.18 AC Motors</p> <p>Construction, principles of operation and characteristics of: AC synchronous and induction motors both single and poly phase; Methods of speed control and direction of rotation; Methods of producing a rotating field: capacitor, inductor, shaded or split pole.</p>	---	2	2	1

MODULE 4. ELECTRONIC FUNDAMENTAL

	LEVEL			
	A	B1	B2	B3
4.1 Semiconductors				
4.1.1 Diodes				
<p>(a) Diode symbols; Diode characteristics and properties; Diodes in series and parallel; Main characteristics and use of silicon controlled rectifiers (thyristors), light emitting diode, photo conductive diode, varistor, rectifier diodes; Functional testing of diodes.</p>	---	2	2	1
<p>(b) Materials, electron configuration, electrical properties; P and N type materials: effects of impurities on conduction, majority and minority characters; PN junction in a semiconductor, development of a potential across a PN junction in unbiased, forward biased and reverse biased conditions; Diode parameters: peak inverse voltage, maximum forward current, temperature, frequency, leakage current, power dissipation; Operation and function of diodes in the following circuits: clippers, clampers, full and half wave rectifiers, bridge rectifiers, voltage doublers and triplers; Detailed operation and characteristics of the following devices: silicon controlled rectifier (thyristor), light emitting diode, Schottky diode, photo conductive diode, varactor diode, varistor, rectifier diodes, Zener diode.</p>	---	---	2	---
4.1.2 Transistors				
<p>(a) Transistor symbols; Component description and orientation; Transistor characteristics and properties.</p>	---	1	2	1
<p>(b) Construction and operation of PNP and NPN transistors; Base, collector and emitter configurations;</p>	---	---	2	---

		LEVEL			
		A	B1	B2	B3
	Testing of transistors; Basic appreciation of other transistor types and their uses; Application of transistors: classes of amplifier (A, B, C); Simple circuits including: bias, decoupling, feedback and stabilisation; Multistage circuit principles: cascades, push-pull, oscillators, multi vibrators, flip-flop circuits.				
4.1.3 Integrated Circuits					
	(a) Description and operation of logic circuits and linear circuits/operational amplifiers;	---	1	---	1
	(b) Description and operation of logic circuits and linear circuits; Introduction to operation and function of an operational amplifier used as: integrator, differentiator, voltage follower, comparator; Operation and amplifier stages connecting methods: resistive capacitive, inductive (transformer), inductive resistive (IR), direct; Advantages and disadvantages of positive and negative feedback.	---	---	2	---
4.2 Printed Circuits Boards					
	Description and use of printed circuit boards.	---	1	2	---
4.3 Servomechanisms					
	(a) Understanding of the following terms: Open and closed loop systems, feedback, follow up, analogue transducers; Principles of operation and use of the following synchro system components/features: resolvers, differential, control and torque, transformers, inductance and capacitance transmitters;	---	1	---	---
	(b) Understanding of the following terms: Open and closed loop, follow up, servomechanism, analogue, transducer, null, damping, feedback, dead band; Construction operation and use of the following synchro system components: resolvers, differential, control and torque, E and I transformers, inductance transmitters, capacitance transmitters, synchronous transmitters; Servomechanism defects, reversal of synchro leads, hunting.	---	---	2	---

MODULE 5. DIGITAL TECHNIQUES/ELECTRONIC INSTRUMENT SYSTEMS

	LEVEL				
	A	B1-1 B1-3	B1-2 B1-4	B2	B3
5.1 Electronic Instrument Systems Typical systems arrangements and cockpit layout of electronic instrument systems.	1	2	2	3	1
5.2 Numbering Systems Numbering systems: binary, octal and hexadecimal; Demonstration of conversions between the decimal and binary, octal and hexadecimal systems and vice versa.	--	1	--	2	--
5.3 Data Conversion Analogue Data, Digital Data; Operation and application of analogue to digital, and digital to analogue converters, inputs and outputs, limitations of various types	--	1	--	2	--
5.4 Data Buses Operation of data buses in aircraft systems, including knowledge of ARINC and other specifications. Aircraft Network/Ethernet	--	2	--	2	--
5.5 Logic Circuits (a) Identification of common logic gate symbols, tables and equivalent circuits; Applications used for aircraft systems, schematic diagrams. (b) Interpretation of logic diagrams.	--	2	--	2	1
	--	--	--	2	--
5.6 Basic Computer Structure (a) Computer terminology (including bit, byte, software, hardware, CPU, IC, and various memory devices such as RAM, ROM, PROM); Computer technology (as applied in aircraft systems). (b) Computer related terminology; Operation, layout and interface of the major components in a micro-computer including their associated bus systems; Information contained in single and multi-address instruction words; Memory associated terms; Operation of typical memory devices; Operation, advantages and disadvantages of the various data storage systems.	1	2	--	--	--
	--	--	--	2	--
5.7 Microprocessors Functions performed and overall operation of a microprocessor; Basic operation of each of the following microprocessor elements: control and processing unit, clock, register, arithmetic logic unit.	--	--	--	2	--
5.8 Integrated Circuits Operation and use of encoders and decoders; Function of encoder types;	--	--	--	2	--

	LEVEL				
	A	B1-1 B1-3	B1-2 B1-4	B2	B3
Uses of medium, large and very large scale integration					
5.9 Multiplexing Operation, application and identification in logic diagrams of multiplexers and de-multiplexers.	--	--	--	2	--
5.10 Fibre Optics Advantages and disadvantages of fibre optic data transmission over electrical wire propagation; Fibre optic data bus; Fibre optic related terms; Terminations; Couplers, control terminals, remote terminals; Application of fibre optics in aircraft systems	--	1	1	2	--
5.11 Electronic Displays Principles of operation of common types of displays used in modern aircraft, including Cathode Ray Tubes, Light Emitting Diodes and Liquid Crystal Display.	--	2	1	2	1
5.12 Electrostatic Sensitive Devices Special handling of components sensitive to electrostatic discharges; Awareness of risks and possible damage, component and personnel anti-static protection devices.	1	2	2	2	1
5.13 Software Management Control Awareness of restrictions, airworthiness requirements and possible catastrophic effects of unapproved changes to software programmes.	--	2	1	2	1
5.14 Electromagnetic Environment Influence of the following phenomena on maintenance practices for electronic system: EMC-Electromagnetic Compatibility EMI-Electromagnetic Interference HIRF-High Intensity Radiated Field Lightning/lightning protection.	--	2	2	2	1
5.15 Typical Electronic/Digital Aircraft Systems General arrangement of typical electronic/digital aircraft systems and associated BITE (Built In Test Equipment) such as: (a) For B1 and B2 only: ACARS-ARINC Communication and Addressing and Reporting System EICAS-Engine Indication and Crew Alerting System FBW-Fly-by-Wire FMS-Flight Management System	--	2	2	2	1

	LEVEL				
	A	B1-1 B1-3	B1-2 B1-4	B2	B3
IRS-Inertial Reference System; (b) For B1, B2 and B3: ECAM-Electronic Centralised Aircraft Monitoring EFIS-Electronic Flight Instrument System GPS-Global Positioning System TCAS-Traffic Alert Collision Avoidance System Integrated Modular Avionics Cabin Systems Information Systems.					

MODULE 6. MATERIALS AND HARDWARE

	LEVEL			
	A	B1	B2	B3
6.1 Aircraft Materials — Ferrous (a) Characteristics, properties and identification of common alloy steels used in aircraft; Heat treatment and application of alloy steels. (b) Testing of ferrous materials for hardness, tensile strength, fatigue strength and impact resistance.	1	2	1	2
--- 1 1 1	---	1	1	1
6.2 Aircraft Materials — Non-Ferrous (a) Characteristics, properties and identification of common nonferrous materials used in aircraft; Heat treatment and application of non-ferrous materials; (b) Testing of non-ferrous material for hardness, tensile strength, fatigue strength and impact resistance.	1	2	1	2
--- 1 1 1	---	1	1	1
6.3 Aircraft Materials — Composite and Non-Metallic 6.3.1 Composite and non-metallic other than wood and fabric (a) Characteristics, properties and identification of common composite and non-metallic materials, other than wood, used in aircraft; Sealant and bonding agents; (b) The detection of defects/deterioration in composite and non-metallic material; Repair of composite and non-metallic material	1	2	2	2
1 2 --- 2	1	2	---	2
6.3.2 Wooden structures Construction methods of wooden airframe structures; Characteristics, properties and types of wood and glue used in aeroplanes; Preservation and maintenance of wooden structure; Types of defects in wood material and wooden structures; The detection of defects in wooden structure; Repair of wooden structure.	1	2	---	2

	LEVEL			
	A	B1	B2	B3
6.3.3 Fabric covering Characteristics, properties and types of fabrics used in aeroplanes; Inspections methods for fabric; Types of defects in fabric; Repair of fabric covering	1	2	---	2
6.4 Corrosion (a) Chemical fundamentals; Formation by, galvanic action process, microbiological, stress; (b) Types of corrosion and their identification; Causes of corrosion; Material types, susceptibility to corrosion	1	1	1	1
6.5.2 Bolts, studs and screws Bolt types: specification, identification and marking of aircraft bolts, international standards; Nuts: self-locking, anchor, standard types; Machine screws: aircraft specifications; Studs: types and uses, insertion and removal; Self-tapping screws, dowels.	2	2	2	2
6.5.3 Locking devices Tab and spring washers, locking plates, split pins, pal-nuts, wire locking, quic3k release fasteners, keys, circlips, cotter pins.	2	2	2	2
6.5.4 Aircraft rivets Types of solid and blind rivets: specifications and identification, heat treatment	1	2	1	2
6.6 Pipes and Unions (a) Identification of, and types of rigid and flexible pipes and their connectors used in aircraft; (b) Standard unions for aircraft hydraulic, fuel, oil, pneumatic and air system pipes	2	2	2	2
6.7 Springs Types of springs, materials, characteristics and applications	---	2	1	1
6.8 Bearings Purpose of bearings, loads, material, construction; Types of bearings and their application.	1	2	2	1
6.9 Transmissions Gear types and their application; Gear ratios, reduction and multiplication gear systems, driven and driving gears, idler gears, mesh patterns; Belts and pulleys, chains and sprockets.	1	2	2	1
6.10 Control Cables Types of cables; End fittings, turnbuckles and compensation devices; Pulleys and cable system components;	1	2	1	2

	LEVEL			
	A	B1	B2	B3
Bowden cables; Aircraft flexible control systems.				
6.11 Electrical Cables and Connectors Cable types, construction and characteristics; High tension and co-axial cables; Crimping; Connector types, pins, plugs, sockets, insulators, current and voltage rating, coupling, identification codes.	1	2	2	2

MODULE 7A. MAINTENANCE PRACTICES

Note: This module does not apply to category B3. Relevant subject matters for category B3 are defined in module 7B.

	LEVEL		
	A	B1	B2
7.1 Safety Precautions-Aircraft and Workshop Aspects of safe working practices including precautions to take when working with electricity, gases especially oxygen, oils and chemicals. Also, instruction in the remedial action to be taken in the event of a fire or another accident with one or more of these hazards including knowledge on extinguishing agents.	3	3	3
7.2 Workshop Practices Care of tools, control of tools, use of workshop materials; Dimensions, allowances and tolerances, standards of workmanship; Calibration of tools and equipment, calibration standards.	3	3	3
7.3 Tools Common hand tool types; Common power tool types; Operation and use of precision measuring tools; Lubrication equipment and methods. Operation, function and use of electrical general test equipment.	3	3	3
7.4 Avionic General Test Equipment Operation, function and use of avionic general test equipment.	---	2	3
7.5 Engineering Drawings, Diagrams and Standards Drawing types and diagrams, their symbols, dimensions, tolerances and projections; Identifying title block information; Microfilm, microfiche and computerised presentations; Specification 100 of the Air Transport Association (ATA) of America; Aeronautical and other applicable standards including ISO, AN, MS, NAS and MIL; Wiring diagrams and schematic diagrams.	1	2	2
7.6 Fits and Clearances Drill sizes for bolt holes, classes of fits; Common system of fits and clearances; Schedule of fits and clearances for aircraft and engines; Limits for bow, twist and wear; Standard methods for checking shafts, bearings and other parts.	1	2	1
7.7 Electrical Wiring Interconnection System (EWIS) Continuity, insulation and bonding techniques and testing; Use of crimp tools: hand and hydraulic operated; Testing of crimp joints; Connector pin removal and insertion; Co-axial cables: testing and installation	1	3	3

	LEVEL		
	A	B1	B2
precautions; Identification of wire types, their inspection criteria and damage tolerance. Wiring protection techniques: Cable looming and loom support, cable clamps, protective sleeving techniques including heat shrink wrapping, shielding; EWIS installations, inspection, repair, maintenance and cleanliness standards.			
7.8 Riveting Riveted joints, rivet spacing and pitch; Tools used for riveting and dimpling; Inspection of riveted joints.			
7.9 Pipes and Hoses Bending and belling/flaring aircraft pipes; Inspection and testing of aircraft pipes and hoses; Installation and clamping of pipes.	1	2	--
7.10 Springs Inspection and testing of springs.	1	2	—
7.11 Bearings Testing, cleaning and inspection of bearings; Lubrication requirements of bearings; Defects in bearings and their causes.	1	2	—
7.12 Transmissions Inspection of gears, backlash; Inspection of belts and pulleys, chains and sprockets; Inspection of screw jacks, lever devices, push-pull rod systems.	1	2	—
7.14 Material handling 7.14.1 Sheet Metal Marking out and calculation of bend allowance; Sheet metal working, including bending and forming; Inspection of sheet metal work.	—	2	—
7.14.2 Composite and non-metallic Bonding practices; Environmental conditions; Inspection methods.	—	2	—
7.15 Welding, Brazing, Soldering and Bonding (a) Soldering methods; inspection of soldered joints.	—	2	2
(b) Welding and brazing methods; Inspection of welded and brazed joints;	---	2	---
7.16 Aircraft Weight and Balance (a) Centre of Gravity/Balance limits calculation: use of relevant documents;	---	2	2
(b) Preparation of aircraft for weighing; Aircraft weighing.	---	2	---

	LEVEL		
	A	B1	B2
7.17 Aircraft Handling and Storage Aircraft taxiing/towing and associated safety precautions; Aircraft jacking, chocking, securing and associated safety precautions; Aircraft storage methods; Refuelling/defueling procedures; De-icing/anti-icing procedures; Electrical, hydraulic and pneumatic ground supplies. Effects of environmental conditions on aircraft handling and operation.	2	2	2
7.18 Disassembly, Inspection, Repair and Assembly Techniques	2	3	3
(a) Types of defects and visual inspection techniques; Corrosion removal, assessment and re-protection;	—	2	—
(b) General repair methods, Structural Repair Manual; Ageing, fatigue and corrosion control programmes;	—	2	1
(c) Non-destructive inspection techniques including, penetrant, radiographic, eddy current, ultrasonic and boroscope methods;	2	2	2
(d) Disassembly and re-assembly techniques;	---	2	2
(e) Trouble shooting techniques.			
7.19 Abnormal Events			
(a) Inspections following lightning strikes and HIRF penetration;	2	2	2
(b) Inspections following abnormal events such as heavy landings and flight through turbulence.	2	2	--
7.20 Maintenance Procedures Maintenance planning; Modification procedures; Stores procedures; Certification/release procedures; Interface with aircraft operation; Maintenance Inspection/Quality Control/Quality Assurance; Additional maintenance procedures; Control of life limited components.	1	2	2

MODULE 7B. MAINTENANCE PRACTICES

Note: The scope of this module shall reflect the technology of aeroplanes relevant to the B3 category.

	LEVEL
	B3
7.1 Safety Precautions-Aircraft and Workshop Aspects of safe working practices including precautions to take when working with electricity, gases especially oxygen, oils and chemicals. Also, instruction in the remedial action to be taken in the event of a fire or another accident with one or more of these hazards including knowledge on extinguishing agents.	3
7.2 Workshop Practices Care of tools, control of tools, use of workshop materials; Dimensions, allowances and tolerances, standards of workmanship; Calibration of tools and equipment, calibration standards.	3

	LEVEL B3
<p>7.3 Tools</p> <p>Common hand tool types; Common power tool types; Operation and use of precision measuring tools; Lubrication equipment and methods; Operation, function and use of electrical general test equipment.</p>	3
<p>7.4 Avionic General Test Equipment Operation, function and use of avionic general test equipment.</p>	—
<p>7.5 Engineering Drawings, Diagrams and Standards</p> <p>Drawing types and diagrams, their symbols, dimensions, tolerances and projections; Identifying title block information; Microfilm, microfiche and computerised presentations; Specification 100 of the Air Transport Association (ATA) of America; Aeronautical and other applicable standards including ISO, AN, MS, NAS and MIL; Wiring diagrams and schematic diagrams.</p>	2
<p>7.6 Fits and Clearances</p> <p>Drill sizes for bolt holes, classes of fits; Common system of fits and clearances; Schedule of fits and clearances for aircraft and engines; Limits for bow, twist and wear; Standard methods for checking shafts, bearings and other parts.</p>	2
<p>7.7 Electrical Cables and Connectors</p> <p>Continuity, insulation and bonding techniques and testing; Use of crimp tools: hand and hydraulic operated; Testing of crimp joints; Connector pin removal and insertion; Co-axial cables: testing and installation precautions; Wiring protection techniques: Cable looming and loom support, cable clamps, protective sleeving techniques including heat shrink wrapping, shielding.</p>	2
<p>7.8 Riveting</p> <p>Riveted joints, rivet spacing and pitch; Tools used for riveting and dimpling; Inspection of riveted joints.</p>	2
<p>7.9 Pipes and Hoses</p> <p>Bending and belling/flaring aircraft pipes; Inspection and testing of aircraft pipes and hoses; Installation and clamping of pipes.</p>	2
<p>7.10 Springs</p> <p>Inspection and testing of springs</p>	1
<p>7.11 Bearings</p> <p>Testing, cleaning and inspection of bearings; Lubrication requirements of bearings; Defects in bearings and their causes.</p>	2
<p>7.12 Transmissions</p> <p>Inspection of gears, backlash; Inspection of belts and pulleys, chains and sprockets; Inspection of screw jacks, lever devices, push-pull rod systems</p>	2
<p>7.13 Control Cables</p> <p>Swaging of end fittings; Inspection and testing of control cables; Bowden cables; aircraft flexible control systems</p>	2

	LEVEL
	B3
7.14 Material handling 7.14.1 Sheet Metal Marking out and calculation of bend allowance; Sheet metal working, including bending and forming; Inspection of sheet metal work.	2
7.14.2 Composite and non-metallic Bonding practices; Environmental conditions; Inspection methods.	2
7.15 Welding, Brazing, Soldering and Bonding (a) Soldering methods; inspection of soldered joints; (b) Welding and brazing methods; Inspection of welded and brazed joints; Bonding methods and inspection of bonded joints.	2
7.16 Aircraft Weight and Balance (a) Centre of Gravity/Balance limits calculation: use of relevant documents; (b) Preparation of aircraft for weighing; Aircraft weighing.	2 2
7.17 Aircraft Handling and Storage Aircraft taxiing/towing and associated safety precautions; Aircraft jacking, chocking, securing and associated safety precautions; Aircraft storage methods; Refuelling/defuelling procedures; De-icing/anti-icing procedures; Electrical, hydraulic and pneumatic ground supplies; Effects of environmental conditions on aircraft handling and operation.	2
7.18 Disassembly, Inspection, Repair and Assembly Techniques (a) Types of defects and visual inspection techniques; Corrosion removal, assessment and re-protection; (b) General repair methods, Structural Repair Manual; Ageing, fatigue and corrosion control programmes; (c) Non-destructive inspection techniques including, penetrant, radiographic, eddy current, ultrasonic and boroscope methods; (d) Disassembly and re-assembly techniques; (e) Trouble shooting techniques	3 2 2 2 2
7.19 Abnormal Events (a) Inspections following lightning strikes and HIRF penetration. (b) Inspections following abnormal events such as heavy landings and flight through turbulence.	2 2
7.20 Maintenance Procedures Maintenance planning; Modification procedures; Stores procedures; Certification/release procedures;	2

	LEVEL
	B3
Interface with aircraft operation; Maintenance Inspection/Quality Control/Quality Assurance; Additional maintenance procedures; Control of life limited components.	

MODULE 8. BASIC AERODYNAMICS

	LEVEL			
	A	B1	B2	B3
8.1 Physics of the Atmosphere International Standard Atmosphere (ISA), application to aerodynamics.	1	2	2	1
8.2 Aerodynamics Airflow around a body; Boundary layer, laminar and turbulent flow, free stream flow, relative airflow, upwash and downwash, vortices, stagnation; The terms: camber, chord, mean aerodynamic chord, profile (parasite) drag, induced drag, centre of pressure, angle of attack, wash in and wash out, fineness ratio, wing shape and aspect ratio; Thrust, Weight, Aerodynamic Resultant; Generation of Lift and Drag: Angle of Attack, Lift coefficient, Drag coefficient, polar curve, stall; Aerofoil contamination including ice, snow, frost.	1	2	2	1
8.3 Theory of Flight Relationship between lift, weight, thrust and drag; Glide ratio; Steady state flights, performance; Theory of the turn; Influence of load factor: stall, flight envelope and structural limitations; Lift augmentation.	1	2	2	1
8.4 Flight Stability and Dynamics Longitudinal, lateral and directional stability (active and passive).	1	2	2	2

MODULE 9A. HUMAN FACTORS

Note: This module does not apply to category B3. Relevant subject matters for category B3 are defined in module 9B.

	LEVEL		
	A	B1	B2
9.1 General The need to take human factors into account; Incidents attributable to human factors/human error; ‘Murphy’s’ law.	1	2	2
9.2 Human Performance and Limitations Vision; Hearing; Information processing; Attention and perception; Memory;	1	2	2

	LEVEL		
	A	B1	B2
Claustrophobia and physical access.			
9.3 Social Psychology Responsibility: individual and group; Motivation and de-motivation; Peer pressure; 'Culture' issues; Team working; Management, supervision and leadership.	1	1	1
9.4 Factors Affecting Performance Fitness/health; Stress: domestic and work related; Time pressure and deadlines; Workload: overload and underload; Sleep and fatigue, shift work; Alcohol, medication, drug abuse.	2	2	2
9.5 Physical Environment Noise and fumes; Illumination; Climate and temperature; Motion and vibration; Working environment.	1	1	1
9.6 Tasks Physical work; Repetitive tasks; Visual inspection; Complex systems.	1	1	1
9.7 Communication Within and between teams; Work logging and recording; Keeping up to date, currency; Dissemination of information.	2	2	2
9.8 Human Error Error models and theories; Types of error in maintenance tasks; Implications of errors (i.e. accidents); Avoiding and managing errors	1	2	2
9.9 Hazards in the Workplace Recognising and avoiding hazards; Dealing with emergencies.	1	2	2

MODULE 9B. HUMAN FACTORS

Note: The scope of this module shall reflect the less demanding environment of maintenance for B3 license holders.

	LEVEL
	B3
<p>9.1 General</p> <p>The need to take human factors into account; Incidents attributable to human factors/human error; 'Murphy's' law.</p>	2
<p>9.2 Human Performance and Limitations</p> <p>Vision; Hearing; Information processing; Attention and perception; Memory; Claustrophobia and physical access.</p>	2
<p>9.3 Social Psychology</p> <p>Responsibility: individual and group; Motivation and de-motivation; Peer pressure; 'Culture' issues; Team working; Management, supervision and leadership</p>	1
<p>9.4 Factors Affecting Performance</p> <p>Fitness/health; Stress: domestic and work related; Time pressure and deadlines; Workload: overload and underload; Sleep and fatigue, shiftwork; Alcohol, medication, drug abuse.</p>	2
<p>9.5 Physical Environment</p> <p>Noise and fumes; Illumination; Climate and temperature; Motion and vibration; Working environment.</p>	1
<p>9.6 Tasks</p> <p>Physical work; Repetitive tasks; Visual inspection; Complex systems.</p>	1
<p>9.7 Communication</p> <p>Within and between teams; Work logging and recording; Keeping up to date, currency; Dissemination of information.</p>	2
<p>9.8 Human Error</p>	2

	LEVEL B3
Error models and theories; Types of error in maintenance tasks; Implications of errors (i.e. accidents); Avoiding and managing errors.	
9.9 Hazards in the Workplace Recognising and avoiding hazards; Dealing with emergencies.	2

MODULE 10. AVIATION LEGISLATION

	LEVEL			
	A	B1	B2	B3
10.1 Regulatory Framework Role of the International Civil Aviation Organisation; Chicago Convention Role of the National Aviation Authorities; Aviation Law and Regulation Relationship between the various regulations such as CAR -21, CAR -M, CAR -145, CAR -66, CAR -147	1	1	1	1
10.2 Certifying Staff — Maintenance Detailed understanding of CAR-66.	2	2	2	2
10.3 Approved Maintenance Organisations Detailed understanding of CAR-145 and CAR-M Subpart F.	2	2	2	2
10.4 Air operations General understanding of Regulation Air Operators Certificates; Operator's responsibilities, in particular regarding continuing airworthiness and maintenance; Aircraft Maintenance Programme; MEL//CDL; Documents to be carried on board; Aircraft placarding (markings).	1	1	1	1
10.5 Certification of aircraft, parts and appliances (a) General General understanding of Part-21 and certification specifications CS-23, 25, 27, 29. (b) Documents Certificate of Airworthiness; restricted certificates of airworthiness and permit to fly; Certificate of Registration; Noise Certificate; Weight Schedule; Radio Station License and Approval.	----	1	1	1
	---	2	2	2
10.6 Continuing airworthiness	2	2	2	2

	LEVEL			
	A	B1	B2	B3
Detailed understanding of CAR-21 provisions related to continuing airworthiness. Detailed understanding of CAR-M.				
10.7 Applicable National and International Requirements for				
(a) Maintenance Programmes, Maintenance checks and inspections; Airworthiness Directives; Service Bulletins, manufacturers service information; Modifications and repairs; Maintenance documentation: maintenance manuals, structural repair manual, illustrated parts catalogue, etc.;	1	2	2	2
Only for A to B2 licenses: Master Minimum Equipment Lists, Minimum Equipment List, Dispatch Deviation Lists;	---	1	1	1
(b) Continuing airworthiness; Minimum equipment requirements — Test flights; Only for B1 and B2 licenses: ETOPS, maintenance and dispatch requirements; All Weather Operations, Category 2/3 operations.				

MODULE 11A. TURBINE AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

	LEVEL	
	A1	B1.1
11.1 Theory of Flight	1	2
11.1.1. Aeroplane Aerodynamics and Flight Controls Operation and effect of: - roll control: ailerons and spoilers, - pitch control: elevators, stabilators, variable incidence stabilisers and canards, - yaw control, rudder limiters; Control using elevons, ruddervators; High lift devices, slots, slats, flaps, flaperons; Drag inducing devices, spoilers, lift dumpers, speed brakes; Effects of wing fences, saw tooth leading edges; Boundary layer control using, vortex generators, stall wedges or leading edge devices; Operation and effect of trim tabs, balance and antibalance (leading) tabs, servo tabs, spring tabs, mass balance, control surface bias, aerodynamic balance panels. —	--	--
11.1.2. High Speed Flight Speed of sound, subsonic flight, transonic flight, supersonic flight; Mach number, critical Mach number, compressibility buffet, shock wave, aerodynamic heating, area rule; Factors affecting airflow in engine intakes of high speed aircraft; Effects of sweepback on critical Mach number.	1	2
11.2 Airframe Structures — General Concepts		

	LEVEL	
	A1	B1.1
(a) Airworthiness requirements for structural strength; Structural classification, primary, secondary and tertiary; Fail safe, safe life, damage tolerance concepts; Zonal and station identification systems; Stress, strain, bending, compression, shear, torsion, tension, hoop stress, fatigue; Drains and ventilation provisions; System installation provisions; Lightning strike protection provision; Aircraft bonding.	2	2
(b) Construction methods of: stressed skin fuselage, formers, stringers, longerons, bulkheads, frames, doublers, struts, ties, beams, floor structures, reinforcement, methods of skinning, anti-corrosive protection, wing, empennage and engine attachments; Structure assembly techniques: riveting, bolting, bonding; Methods of surface protection, such as chromating, anodising, painting; Surface cleaning; Airframe symmetry: methods of alignment and symmetry checks.	1	2
11.3 Airframe Structures — Aeroplanes 11.3.1 Fuselage (ATA 52/53/56) Construction and pressurisation sealing; Wing, stabiliser, pylon and undercarriage attachments; Seat installation and cargo loading system; Doors and emergency exits: construction, mechanisms, operation and safety devices; Windows and windscreen construction and mechanisms	1	2
11.3.2 Wings (ATA 57) Construction; Fuel storage; Landing gear, pylon, control surface and high lift/drag attachments.	1	2
11.3.3 Stabilisers (ATA 55) Construction; Control surface attachment.	1	2
11.3.4 Flight Control Surfaces (ATA 55/57) Construction and attachment; Balancing — mass and aerodynamic.	1	2
11.3.5 Nacelles/Pylons (ATA 54) Nacelles/Pylons: - Construction, - Firewalls, - Engine mounts.	1 ---	2 ---
11.4 Air Conditioning and Cabin Pressurisation (ATA 21) 11.4.1 Air supply Sources of air supply including engine bleed, APU and ground cart.	1	2
11.4.2 Air Conditioning	1	3

	LEVEL	
	A1	B1.1
Air conditioning systems; Air cycle and vapour cycle machines; Distribution systems; Flow, temperature and humidity control system.		
11.4.3 Pressurisation Pressurisation systems; Control and indication including control and safety valves; Cabin pressure controllers.	1	3
11.4.4 Safety and warning devices Protection and warning devices	1	3
11.5 Instruments/Avionic Systems 11.5.1 Instrument Systems (ATA 31) Pitot static: altimeter, air speed indicator, vertical speed indicator; Gyroscopic: artificial horizon, attitude director, direction indicator, horizontal situation indicator, turn and slip indicator, turn coordinator; Compasses: direct reading, remote reading; Angle of attack indication, stall warning systems; Glass cockpit; Other aircraft system indication.	1	2
11.5.2 Avionic Systems 1 1 Fundamentals of system lay-outs and operation of: - Auto Flight (ATA 22), - Communications (ATA 23), - Navigation Systems (ATA 34).	1 ---	1 ---
11.6 Electrical Power (ATA 24) Batteries Installation and Operation; DC power generation; AC power generation; Emergency power generation; Voltage regulation; Power distribution; Inverters, transformers, rectifiers; Circuit protection; External/Ground power.	1	3
11.7 Equipment and Furnishings (ATA 25) (a) Emergency equipment requirements; Seats, harnesses and belts. (b) Cabin lay-out; Equipment lay-out; Cabin Furnishing installation; Cabin entertainment equipment; Galley installation;	2 1	2 1

	LEVEL	
	A1	B1.1
Cargo handling and retention equipment; Air-stairs.		
11.8 Fire Protection (ATA 26) (a) Fire and smoke detection and warning systems; Fire extinguishing systems; System tests; (b) Portable fire extinguisher.	1 1	3 1
11.9 Flight Controls (ATA 27) Primary controls: aileron, elevator, rudder, spoiler; Trim control; Active load control; High lift devices; Lift dump, speed brakes; System operation: manual, hydraulic, pneumatic, electrical, fly-by-wire; Artificial feel, Yaw damper, Mach trim, rudder limiter, gust lock systems; Balancing and rigging; Stall protection/warning system.	1	3
11.10 Fuel Systems (ATA 28) System lay-out; Fuel tanks; Supply systems; Dumping, venting and draining; Cross-feed and transfer; Indications and warnings; Refuelling and defueling; Longitudinal balance fuel systems.	1	3
11.11 Hydraulic Power (ATA 29) System lay-out; Hydraulic fluids; Hydraulic reservoirs and accumulators; Pressure generation: electric, mechanical, pneumatic; Emergency pressure generation; Filters; Pressure Control; Power distribution; Indication and warning systems; Interface with other systems.	1	3
11.12 Ice and Rain Protection (ATA 30) Ice formation, classification and detection; Anti-icing systems: electrical, hot air and chemical; De-icing systems: electrical, hot air, pneumatic and chemical; Rain repellent;	1	3

	LEVEL	
	A1	B1.1
Probe and drain heating; Wiper systems		
11.13 Landing Gear (ATA 32) 2 3 Construction, shock absorbing; Extension and retraction systems: normal and emergency; Indications and warning; Wheels, brakes, antiskid and autobraking; Tyres; Steering; and Air-ground sensing.	2	3
11.14 Lights (ATA 33) External: navigation, anti collision, landing, taxiing, ice; Internal: cabin, cockpit, cargo; Emergency.	2	3
11.15 Oxygen (ATA 35) System lay-out: cockpit, cabin; Sources, storage, charging and distribution; Supply regulation; Indications and warnings.	1	3
11.16 Pneumatic/Vacuum (ATA 36) System lay-out; Sources: engine/APU, compressors, reservoirs, ground supply; Pressure control; Distribution; Indications and warnings; Interfaces with other systems.	1	3
11.17 Water/Waste (ATA 38) Water system lay-out, supply, distribution, servicing and draining; Toilet system lay-out, flushing and servicing; Corrosion aspects.	2	3
11.18 On Board Maintenance Systems (ATA 45) Central maintenance computers; Data loading system; Electronic library system; Printing; Structure monitoring (damage tolerance monitoring).	1	2
11.19 Integrated Modular Avionics (ATA42) Functions that may be typically integrated in the Integrated Modular Avionic (IMA) modules are, among others: Bleed Management, Air Pressure Control, Air Ventilation and Control, Avionics and Cockpit Ventilation Control, Temperature Control, Air Traffic Communication, Avionics Communication Router, Electrical Load Management, Circuit Breaker	1	2

	LEVEL	
	A1	B1.1
Monitoring, Electrical System BITE, Fuel Management, Braking Control, Steering Control, Landing Gear Extension and Retraction, Tyre Pressure Indication, Oleo Pressure Indication, Brake Temperature Monitoring, etc. Core System; Network Components.		
<p>11.20 Cabin Systems (ATA44)</p> <p>The units and components which furnish a means of entertaining the passengers and providing communication within the aircraft (Cabin Intercommunication Data System) and between the aircraft cabin and ground stations (Cabin Network Service). Includes voice, data, music and video transmissions.</p> <p>The Cabin Intercommunication Data System provides an interface between cockpit/cabin crew and cabin systems. These systems support data exchange of the different related LRU's and they are typically operated via Flight Attendant Panels.</p> <p>The Cabin Network Service typically consists on a server, typically interfacing with, among others, the following systems:</p> <ul style="list-style-type: none"> - Data/Radio Communication, In-Flight Entertainment System. <p>The Cabin Network Service may host functions such as:</p> <ul style="list-style-type: none"> - Access to pre-departure/departure reports, - E-mail/intranet/Internet access, - Passenger database; <p>Cabin Core System; In-flight Entertainment System; External Communication System; Cabin Mass Memory System; Cabin Monitoring System; Miscellaneous Cabin System</p>	1	2
<p>11.21 Information Systems (ATA46)</p> <p>The units and components which furnish a means of storing, updating and retrieving digital information traditionally provided on paper, microfilm or microfiche. Includes units that are dedicated to the information storage and retrieval function such as the electronic library mass storage and controller. Does not include units or components installed for other uses and shared with other systems, such as flight deck printer or general use display.</p> <p>Typical examples include Air Traffic and Information Management Systems and Network Server Systems Aircraft General Information System;</p> <p>Flight Deck Information System; Maintenance Information System; Passenger Cabin Information System; Miscellaneous Information System.</p>	1	2

MODULE 11B. PISTON AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

Note 1: This module does not apply to category B3. Relevant subject matters for category B3 are defined in module 11C.

Note 2: The scope of this Module shall reflect the technology of aeroplanes pertinent to the A2 and B1.2 subcategories.

	LEVEL	
	A2	B1.2
11.1 Theory of Flight		
11.1.1. Aeroplane Aerodynamics and Flight Controls	1	2
Operation and effect of:	---	---
- roll control: ailerons and spoilers,		
- pitch control: elevators, stipulators, variable incidence stabilisers and canards,		
- yaw control, rudder limiters;		
Control using elevens, ruddervators;		
High lift devices, slots, slats, flaps, flaperons;		
Drag inducing devices, spoilers, lift dumpers, speed brakes;		
Effects of wing fences, saw tooth leading edges;		
Boundary layer control using, vortex generators, stall wedges or leading edge devices;		
Operation and effect of trim tabs, balance and ant-balance (leading) tabs, servo tabs, spring tabs, mass balance, control surface bias, aerodynamic balance panels.		
11.1.2. High Speed Flight — N/A	---	---
11.2 Airframe Structures — General Concepts		
(a) Airworthiness requirements for structural strength;	2	2
Structural classification, primary, secondary and tertiary;		
Fail safe, safe life, damage tolerance concepts;		
Zonal and station identification systems;		
Stress, strain, bending, compression, shear, torsion, tension, hoop stress, fatigue;		
Drains and ventilation provisions;		
System installation provisions;		
Lightning strike protection provision;	1	2
Aircraft bonding.		
(b) Construction methods of: stressed skin fuselage, formers, stringers, longerons, bulkheads, frames, doublers, struts, ties, beams, floor structures, reinforcement, methods of skinning, anti-corrosive protection, wing, empennage and engine attachments;		
Structure assembly techniques: riveting, bolting, bonding;		
Methods of surface protection, such as chromating, anodising, painting;		
Surface cleaning;		
Airframe symmetry: methods of alignment and symmetry checks.		
11.3 Airframe Structures — Aeroplanes		
11.3.1 Fuselage (ATA 52/53/56)	1	2
Construction and pressurisation sealing;		
Wing, tail-plane, pylon and undercarriage attachments;		
Seat installation;		

	LEVEL	
	A2	B1.2
Doors and emergency exits: construction and operation; Windows and windscreen attachment.		
11.3.2 Wings (ATA 57) Construction; Fuel storage; Landing gear, pylon, control surface and high lift/drag attachments.	1	2
11.3.3 Stabilisers (ATA 55) Construction; Control surface attachment.	1	2
11.3.4 Flight Control Surfaces (ATA 55/57) Construction and attachment; Balancing — mass and aerodynamic.	1	2
11.3.5 Nacelles/Pylons (ATA 54) Nacelles/Pylons: - Construction, - Firewalls, - Engine mounts.	1 ---	2 ---
11.4 Air Conditioning and Cabin Pressurisation (ATA 21) Pressurisation and air conditioning systems; Cabin pressure controllers, protection and warning devices; Heating systems.	1	3
11.5 Instruments/Avionic Systems 11.5.1 Instrument Systems (ATA 31) Pitot static: altimeter, air speed indicator, vertical speed indicator; Gyroscopic: artificial horizon, attitude director, direction indicator, horizontal situation indicator, turn and slip indicator, turn coordinator; Compasses: direct reading, remote reading; Angle of attack indication, stall warning systems; Glass cockpit; Other aircraft system indication.	1	2
11.5.2 Avionic Systems Fundamentals of system lay-outs and operation of: - Auto Flight (ATA 22), - Communications (ATA 23), - Navigation Systems (ATA 34).	1 ---	1 ---
11.6 Electrical Power (ATA 24) Batteries Installation and Operation; DC power generation; Voltage regulation; Power distribution; Circuit protection;	1	3

	LEVEL	
	A2	B1.2
Inverters, transformers.		
11.7 Equipment and Furnishings (ATA 25) (a) Emergency equipment requirements; Seats, harnesses and belts; (b) Cabin lay-out; Equipment lay-out; Cabin Furnishing installation; Cabin entertainment equipment; Galley installation; Cargo handling and retention equipment; Air-stairs.	2 1	2 1
11.8 Fire Protection (ATA 26) (a) Fire and smoke detection and warning systems; Fire extinguishing systems; System tests; (b) Portable fire extinguisher.	1 1	3 3
11.9 Flight Controls (ATA 27) Primary controls: aileron, elevator, rudder; Trim tabs; High lift devices; System operation: manual; Gust locks; Balancing and rigging; Stall warning system.	1	3
11.10 Fuel Systems (ATA 28) System lay-out; Fuel tanks; Supply systems; Cross-feed and transfer; Indications and warnings; Refuelling and defuelling.	1	3
11.11 Hydraulic Power (ATA 29) System lay-out; Hydraulic fluids; Hydraulic reservoirs and accumulators; Pressure generation: electric, mechanical; Filters; Pressure Control; Power distribution; Indication and warning systems.	1	3

	LEVEL	
	A2	B1.2
11.12 Ice and Rain Protection (ATA 30) Ice formation, classification and detection; De-icing systems: electrical, hot air, pneumatic and chemical; Probe and drain heating; Wiper systems.	1	3
11.13 Landing Gear (ATA 32) Construction, shock absorbing; Extension and retraction systems: normal and emergency; Indications and warning; Wheels, brakes, antiskid and autobraking auto braking; Tyres; Steering; Air-ground sensing.	2	3
11.14 Lights (ATA 33) External: navigation, anti collision anti-collision, landing, taxiing, ice; Internal: cabin, cockpit, cargo; Emergency.	2	3
11.15 Oxygen (ATA 35) System lay-out: cockpit, cabin; Sources, storage, charging and distribution; Supply regulation; Indications and warnings.	1	3
11.16 Pneumatic/Vacuum (ATA 36) System lay-out; Sources: engine/APU, compressors, reservoirs, ground supply; Pressure control; Distribution; Indications and warnings; Interfaces with other systems.	1	3
11.17 Water/Waste (ATA 38) Water system lay-out, supply, distribution, servicing and draining; Toilet system lay-out, flushing and servicing; Corrosion aspects.	2	3

MODULE 11C. PISTON AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

Note: The scope of this module shall reflect the technology of aeroplanes pertinent to the B3 category.

	LEVEL
	B3
<p>11.1 Theory of Flight</p> <p>Aeroplane Aerodynamics and Flight Controls</p> <p>Operation and effect of:</p> <ul style="list-style-type: none"> - roll control: ailerons, - pitch control: elevators, stabilators, variable incidence stabilisers and canards, - yaw control, rudder limiters; <p>Control using elevons, ruddervators;</p> <p>High lift devices, slots, slats, flaps, flaperons;</p> <p>Drag inducing devices, lift dumpers, speed brakes;</p> <p>Effects of wing fences, saw tooth leading edges;</p> <p>Boundary layer control using, vortex generators, stall wedges or leading edge devices; Operation and effect of trim tabs, balance and anti-balance (leading) tabs, servo tabs, spring tabs, mass balance, control surface bias, aerodynamic balance panels.</p>	<p>1</p> <p>---</p>
<p>11.2 Airframe Structures — General Concepts</p> <p>(a) Airworthiness requirements for structural strength;</p> <p>Structural classification, primary, secondary and tertiary;</p> <p>Fail safe, safe life, damage tolerance concepts;</p> <p>Zonal and station identification systems;</p> <p>Stress, strain, bending, compression, shear, torsion, tension, hoop stress, fatigue;</p> <p>Drains and ventilation provisions;</p> <p>System installation provisions;</p> <p>Lightning strike protection provision;</p> <p>Aircraft bonding;</p> <p>(b) Construction methods of: stressed skin fuselage, formers, stringers, longerons, bulkheads, frames, doublers, struts, ties, beams, floor structures, reinforcement, methods of skinning, anti-corrosive protection, wing, empennage and engine attachments;</p> <p>Structure assembly techniques: riveting, bolting, bonding;</p> <p>Methods of surface protection, such as chromating, anodising, painting;</p> <p>Surface cleaning;</p> <p>Airframe symmetry: methods of alignment and symmetry checks.</p>	<p>2</p> <p>2</p>
<p>11.3 Airframe Structures — Aeroplanes</p> <p>11.3.1 Fuselage (ATA 52/53/56)</p> <p>Construction;</p> <p>Wing, tail-plane, pylon and undercarriage attachments;</p> <p>Seat installation;</p> <p>Doors and emergency exits: construction and operation;</p> <p>Window and windscreen attachment.</p>	<p>1</p>

	LEVEL
	B3
11.3.2 Wings (ATA 57) Construction; Fuel storage; Landing gear, pylon, control surface and high lift/drag attachments.	1
11.3.3 Stabilisers (ATA 55) Construction; Control surface attachment.	1
11.3.4 Flight Control Surfaces (ATA 55/57) Construction and attachment; Balancing — mass and aerodynamic.	1
11.3.5 Nacelles/Pylons (ATA 54) Nacelles/Pylons: - Construction, - Firewalls, - Engine mounts.	1
11.4 Air Conditioning (ATA 21) Heating and ventilation systems.	1
11.5 Instruments/Avionic Systems 11.5.1 Instrument Systems (ATA 31) Pitot static: altimeter, air speed indicator, vertical speed indicator; Gyroscopic: artificial horizon, attitude director, direction indicator, horizontal situation indicator, turn and slip indicator, turn coordinator; Compasses: direct reading, remote reading; Angle of attack indication, stall warning systems; Glass cockpit; Other aircraft system indication.	1
11.5.2 Avionic Systems Fundamentals of system lay-outs and operation of: - Auto Flight (ATA 22), - Communications (ATA 23), - Navigation Systems (ATA 34).	---
11.6 Electrical Power (ATA 24) Batteries Installation and Operation; DC power generation; Voltage regulation; Power distribution; Circuit protection; Inverters, transformers.	2
11.7 Equipment and Furnishings (ATA 25) Emergency equipment requirements; Seats, harnesses and belts.	2

	LEVEL
	B3
11.8 Fire Protection (ATA 26) Portable fire extinguisher.	2
11.9 Flight Controls (ATA 27) Primary controls: aileron, elevator, rudder; Trim tabs; High lift devices; System operation: manual; Gust locks; Balancing and rigging; Stall warning system.	3
11.10 Fuel Systems (ATA 28) System lay-out; Fuel tanks; Supply systems; Cross-feed and transfer; Indications and warnings; Refuelling and defuelling	2
11.11 Hydraulic Power (ATA 29) System lay-out; Hydraulic fluids; Hydraulic reservoirs and accumulators; Pressure generation: electric, mechanical; Filters; Pressure Control; Power distribution; Indication and warning systems.	2
11.12 Ice and Rain Protection (ATA 30) Ice formation, classification and detection; De-icing systems: electrical, hot air, pneumatic and chemical; Probe and drain heating; Wiper systems.	1
11.13 Landing Gear (ATA 32) Construction, shock absorbing; Extension and retraction systems: normal and emergency; Indications and warning; Wheels, brakes, antiskid and auto-braking; Tyres; Steering	2
11.14 Lights (ATA 33) External: navigation, anti-collision, landing, taxiing, ice; Internal: cabin, cockpit, cargo;	2

	LEVEL
	B3
Emergency.	
11.15 Oxygen (ATA 35) System lay-out: cockpit, cabin; Sources, storage, charging and distribution; Supply regulation; Indications and warnings.	2
11.16 Pneumatic/Vacuum (ATA 36) System lay-out; Sources: engine/APU, compressors, reservoirs, ground supply; Pressure and vacuum pumps Pressure control; Distribution; Indications and warnings; Interfaces with other systems.	2

MODULE 12. HELICOPTER AERODYNAMICS, STRUCTURES AND SYSTEMS

	LEVEL	
	A3	B1.3
	A4	B1.4
12.1 Theory of Flight — Rotary Wing Aerodynamics Terminology; Effects of gyroscopic precession; Torque reaction and directional control; Dissymmetry of lift, Blade tip stall; Translating tendency and its correction; Coriolis effect and compensation; Vortex ring state, power settling, overpitching; Auto-rotation; Ground effect.	1	2
12.2 Flight Control Systems Cyclic control; Collective control; Swashplate; Yaw control: Anti-Torque Control, Tail rotor, bleed air; Main Rotor Head: Design and Operation features; Blade Dampers: Function and construction; Rotor Blades: Main and tail rotor blade construction and attachment; Trim control, fixed and adjustable stabilisers; System operation: manual, hydraulic, electrical and fly-by-wire; Artificial feel; Balancing and rigging.	2	3

	LEVEL	
	A3 A4	B1.3 B1.4
12.7 Instruments/Avionic Systems 12.7.1 Instrument Systems (ATA 31) Pitot static: altimeter, air speed indicator, vertical speed indicator; Gyroscopic: artificial horizon, attitude director, direction indicator, horizontal situation indicator, turn and slip indicator, turn coordinator; Compasses: direct reading, remote reading; Vibration indicating systems — HUMS; Glass cockpit; Other aircraft system indication	1	2
12.7.2 Avionic Systems Fundamentals of system layouts and operation of: Auto Flight (ATA 22); Communications (ATA 23); Navigation Systems (ATA 34).	1	1
12.8 Electrical Power (ATA 24) Batteries Installation and Operation; DC power generation, AC power generation; Emergency power generation; Voltage regulation, Circuit protection. Power distribution; Inverters, transformers, rectifiers; External/Ground power	1	3
12.9 Equipment and Furnishings (ATA 25) (a) Emergency equipment requirements; Seats, harnesses and belts; Lifting systems; (b) Emergency flotation systems; Cabin lay-out, cargo retention; Equipment lay-out; Cabin Furnishing Installation.	2 1	2 1
12.10 Fire Protection (ATA 26) Fire and smoke detection and warning systems; Fire extinguishing systems; System tests	1	3
12.11 Fuel Systems (ATA 28) System lay-out; Fuel tanks; Supply systems; Dumping, venting and draining; Cross-feed and transfer; Indications and warnings; Refuelling and defuelling.	1	3

	LEVEL	
	A3 A4	B1.3 B1.4
<p>12.12 Hydraulic Power (ATA 29)</p> <p>System lay-out; Hydraulic fluids; Hydraulic reservoirs and accumulators; Pressure generation: electric, mechanical, pneumatic; Emergency pressure generation; Filters; Pressure Control; Power distribution; Indication and warning systems; Interface with other systems.</p>	1	3
<p>12.13 Ice and Rain Protection (ATA 30)</p> <p>Ice formation, classification and detection; Anti-icing and De-icing systems: electrical, hot air and chemical; Rain repellent and removal; Probe and drain heating; Wiper system.</p>	1	3
<p>12.14 Landing Gear (ATA 32)</p> <p>Construction, shock absorbing; Extension and retraction systems: normal and emergency; Indications and warning; Wheels, Tyres, brakes; Steering; Air-ground sensing; Skids, floats.</p>	2	3
<p>12.15 Lights (ATA 33)</p> <p>External: navigation, landing, taxiing, ice; Internal: cabin, cockpit, cargo; Emergency.</p>	2	3
<p>12.16 Pneumatic/Vacuum (ATA 36)</p> <p>System lay-out; Sources: engine/APU, compressors, reservoirs, ground supply; Pressure control; Distribution; Indications and warnings; Interfaces with other systems.</p>	1	3
<p>12.17 Integrated Modular Avionics (ATA42)</p> <p>Functions that may be typically integrated in the Integrated Modular Avionic (IMA) modules are, among others: Bleed Management, Air Pressure Control, Air Ventilation and Control, Avionics and Cockpit Ventilation Control, Temperature Control, Air Traffic Communication, Avionics Communication Router, Electrical Load Management, Circuit Breaker Monitoring, Electrical</p>	1	2

	LEVEL	
	A3 A4	B1.3 B1.4
System BITE, Fuel Management, Braking Control, Steering Control, Landing Gear Extension and Retraction, Tyre Pressure Indication, Oleo Pressure Indication, Brake Temperature Monitoring, etc. Core System; Network Components.		
12.18 On Board Maintenance Systems (ATA45) Central maintenance computers; Data loading system; Electronic library system; Printing; Structure monitoring (damage tolerance monitoring).	1	2
12.19 Information Systems (ATA46) The units and components which furnish a means of storing, updating and retrieving digital information traditionally provided on paper, microfilm or microfiche. Includes units that are dedicated to the information storage and retrieval function such as the electronic library mass storage and controller. Does not include units or components installed for other uses and shared with other systems, such as flight deck printer or general use display. Typical examples include Air Traffic and Information Management Systems and Network Server Systems. Aircraft General Information System; Flight Deck Information System; Maintenance Information System; Passenger Cabin Information System; Miscellaneous Information System.	1	2

MODULE 13. AIRCRAFT AERODYNAMICS, STRUCTURES AND SYSTEMS

	LEVEL
	B2
13.1 Theory of Flight (a) Aeroplane Aerodynamics and Flight Controls Operation and effect of: - roll control: ailerons and spoilers, - pitch control: elevators, stabilators, variable incidence stabilisers and canards, - yaw control, rudder limiters; Control using elevons, ruddervators; High lift devices: slots, slats, flaps; Drag inducing devices: spoilers, lift dumpers, speed brakes; Operation and effect of trim tabs, servo tabs, control surface bias; (b) High Speed Flight Speed of sound, subsonic flight, transonic flight, supersonic flight; Mach number, critical Mach number; (c) Rotary Wing Aerodynamics Terminology;	1
	1

	LEVEL
	B2
Operation and effect of cyclic, collective and anti-torque controls.	1
13.2 Structures — General Concepts (a) Fundamentals of structural systems; (b) Zonal and station identification systems; Electrical bonding; Lightning strike protection provision.	1 2
13.3 Autoflight (ATA 22) Fundamentals of automatic flight control including working principles and current terminology; Command signal processing; Modes of operation: roll, pitch and yaw channels; Yaw dampers; Stability Augmentation System in helicopters; Automatic trim control; Autopilot navigation aids interface; Autothrottle systems; Automatic Landing Systems: principles and categories, modes of operation, approach, glideslope, land, go-around, system monitors and failure conditions.	3
13.4 Communication/Navigation (ATA 23/34) Fundamentals of radio wave propagation, antennas, transmission lines, communication, receiver and transmitter; Working principles of following systems: - Very High Frequency (VHF) communication, - High Frequency (HF) communication, - Audio, - Emergency Locator Transmitters, - Cockpit Voice Recorder, - Very High Frequency omnidirectional range (VOR), - Automatic Direction Finding (ADF), - Instrument Landing System (ILS), - Microwave Landing System (MLS), - Flight Director systems, Distance Measuring Equipment (DME), - Very Low Frequency and hyperbolic navigation (VLF/Omega), - Doppler navigation, - Area navigation, RNAV systems, - Flight Management Systems, - Global Positioning System (GPS), Global Navigation Satellite Systems (GNSS), - Inertial Navigation System, - Air Traffic Control transponder, secondary surveillance radar, - Traffic Alert and Collision Avoidance System (TCAS), - Weather avoidance radar, - Radio altimeter, - ARINC communication and reporting.	3 ---

	LEVEL B2
13.5 Electrical Power (ATA 24) Batteries Installation and Operation; DC power generation; AC power generation; Emergency power generation; Voltage regulation; Power distribution; Inverters, transformers, rectifiers; Circuit protection; External/Ground power.	3
13.6 Equipment and Furnishings (ATA 25) Electronic emergency equipment requirements; Cabin entertainment equipment.	3
13.7 Flight Controls (ATA 27) (a) Primary controls: aileron, elevator, rudder, spoiler; Trim control; Active load control; High lift devices; Lift dump, speed brakes; System operation: manual, hydraulic, pneumatic; Artificial feel, Yaw damper, Mach trim, rudder limiter, gust locks.	2
Stall protection systems; (b) System operation: electrical, fly-by-wire.	3
13.8 Instruments (ATA 31) Classification; Atmosphere; Terminology; Pressure measuring devices and systems; Pitot static systems; Altimeters; Vertical speed indicators; Airspeed indicators; Machmeters; Altitude reporting/alerting systems; Air data computers; Instrument pneumatic systems; Direct reading pressure and temperature gauges; Temperature indicating systems; Fuel quantity indicating systems; Gyroscopic principles; Artificial horizons; Slip indicators; Directional gyros;	3

	LEVEL
	B2
Ground Proximity Warning Systems; Compass systems; Flight Data Recording systems; Electronic Flight Instrument Systems; Instrument warning systems including master warning systems and centralised warning panels; Stall warning systems and angle of attack indicating systems; Vibration measurement and indication; Glass cockpit.	
13.9 Lights (ATA 33) External: navigation, landing, taxiing, ice; Internal: cabin, cockpit, cargo; Emergency.	3
13.10 On Board Maintenance Systems (ATA 45) Central maintenance computers; Data loading system; Electronic library system; Printing; Structure monitoring (damage tolerance monitoring).	3
13.11 Air Conditioning and Cabin Pressurisation (ATA21) 13.11.1. Air supply Sources of air supply including engine bleed, APU and ground cart;	2
13.11.2. Air Conditioning Air conditioning systems; Air cycle and vapour cycle machines; Distribution systems; Flow, temperature and humidity control system.	2 3 1 3
13.11.3. Pressurisation Pressurisation systems; Control and indication including control and safety valves; Cabin pressure controllers	3
13.11.4. Safety and warning devices Protection and warning devices	3
13.12 Fire Protection (ATA 26) (a) Fire and smoke detection and warning systems; Fire extinguishing systems; System tests; (b) Portable fire extinguisher.	3 1
13.13 Fuel Systems (ATA 28) System lay-out;	1

	LEVEL
	B2
Fuel tanks;	1
Supply systems;	1
Dumping, venting and draining;	1
Cross-feed and transfer;	2
Indications and warnings;	3
Refuelling and defuelling;	2
Longitudinal balance fuel systems.	3
13.14 Hydraulic Power (ATA 29)	
System lay-out;	1
Hydraulic fluids;	1
Hydraulic reservoirs and accumulators;	1
Pressure generation: electrical, mechanical, pneumatic;	3
Emergency pressure generation;	3
Filters;	1
Pressure control;	3
Power distribution;	1
Indication and warning systems;	3
Interface with other systems.	3
13.15 Ice and Rain Protection (ATA 30)	
Ice formation, classification and detection;	2
Anti-icing systems: electrical, hot air and chemical;	2
De-icing systems: electrical, hot air, pneumatic, chemical;	3
Rain repellent;	1
Probe and drain heating;	3
Wiper Systems.	1
13.16 Landing Gear (ATA 32)	
Construction, shock absorbing;	1
Extension and retraction systems: normal and emergency;	3
Indications and warnings;	3
Wheels, brakes, antiskid and auto-braking;	3
Tyres;	1
Steering;	3
Air-ground sensing.	3
13.17 Oxygen (ATA 35)	
System lay-out: cockpit, cabin;	3
Sources, storage, charging and distribution;	3
Supply regulation;	3
Indications and warnings.	3
13.18 Pneumatic/Vacuum (ATA 36)	
System lay-out;	2
Sources: engine/APU, compressors, reservoirs, ground supply;	2
Pressure control;	3
Distribution;	1
Indications and warnings;	3
Interfaces with other systems.	3
13.19 Water/Waste (ATA 38)	2
Water system lay-out, supply, distribution, servicing and draining;	

MODULE 14. PROPULSION

	LEVEL	
	B2	
14.1 Turbine Engines (a) Constructional arrangement and operation of turbojet, turbofan, turboshaft and turbo-propeller engines; (b) Electronic Engine control and fuel metering systems (FADEC).	1	2
14.2 Engine Indicating Systems Exhaust gas temperature/Inter-stage turbine temperature systems; Engine speed; Engine Thrust Indication: Engine Pressure Ratio, engine turbine discharge pressure or jet pipe pressure systems; Oil pressure and temperature; Fuel pressure, temperature and flow; Manifold pressure; Engine torque; Propeller speed.	2	
14.3 Starting and Ignition Systems Operation of engine start systems and components; Ignition systems and components; Maintenance safety requirements.	3	

MODULE 15. GAS TURBINE ENGINE

	LEVEL	
	A	B1
15.1 Fundamentals Potential energy, kinetic energy, Newton's laws of motion, Brayton cycle; The relationship between force, work, power, energy, velocity, acceleration; Constructional arrangement and operation of turbojet, turbofan, turboshaft, turboprop	1	2
15.2 Engine Performance Gross thrust, net thrust, choked nozzle thrust, thrust distribution, resultant thrust, thrust horsepower, equivalent shaft horsepower, specific fuel consumption; Engine efficiencies; Bypass ratio and engine pressure ratio; Pressure, temperature and velocity of the gas flow; Engine ratings, static thrust, influence of speed, altitude and hot climate, flat rating, limitations.	---	2
15.3 Inlet Compressor inlet ducts Effects of various inlet configurations; Ice protection.	2	2
15.4 Compressors Axial and centrifugal types; Constructional features and operating principles and applications; Fan balancing; Operation:	1	2

	LEVEL	
	A	B1
Causes and effects of compressor stall and surge; Methods of air flow control: bleed valves, variable inlet guide vanes, variable stator vanes, rotating stator blades; Compressor ratio.		
15.5 Combustion Section Constructional features and principles of operation.	1	2
15.6 Turbine Section Operation and characteristics of different turbine blade types; Blade to disk attachment; Nozzle guide vanes; Causes and effects of turbine blade stress and creep.	2	2
15.7 Exhaust Constructional features and principles of operation; Convergent, divergent and variable area nozzles; Engine noise reduction; Thrust reversers	1	2
15.8 Bearings and Seals Constructional features and principles of operation.	--	2
15.9 Lubricants and Fuels Properties and specifications; Fuel additives; Safety precautions.	1	2
15.10 Lubrication Systems System operation/lay-out and components.	1	2
15.8 Bearings and Seals Constructional features and principles of operation.	--	2
15.9 Lubricants and Fuels Properties and specifications; Fuel additives; Safety precautions.	1	2
15.10 Lubrication Systems System operation/lay-out and components.	1	2
15.11 Fuel Systems Operation of engine control and fuel metering systems including electronic engine control (FADEC); Systems lay-out and components.	1	2
15.12 Air Systems Operation of engine air distribution and anti-ice control systems, including internal cooling, sealing and external air services.	1	2

	LEVEL	
	A	B1
<p>15.13 Starting and Ignition Systems</p> <p>Operation of engine start systems and components;</p> <p>Ignition systems and components;</p> <p>Maintenance safety requirements.</p>	1	2
<p>15.14 Engine Indication Systems</p> <p>Exhaust Gas Temperature/Interstage Turbine Temperature;</p> <p>Engine Thrust Indication: Engine Pressure Ratio, engine turbine discharge pressure or jet pipe pressure systems;</p> <p>Oil pressure and temperature;</p> <p>Fuel pressure and flow;</p> <p>Engine speed;</p> <p>Vibration measurement and indication;</p> <p>Torque;</p> <p>Power</p>	1	2
<p>15.15 Power Augmentation Systems</p> <p>Operation and applications;</p> <p>Water injection, water methanol;</p> <p>Afterburner systems.</p>	---	1
<p>15.16 Turbo-prop Engines</p> <p>Gas coupled/free turbine and gear coupled turbines;</p> <p>Reduction gears;</p> <p>Integrated engine and propeller controls;</p> <p>Overspeed safety devices.</p>	1	2
<p>15.17 Turbo-shaft Engines</p> <p>Arrangements, drive systems, reduction gearing, couplings, control systems</p>	1	2
<p>15.18 Auxiliary Power Units (APUs)</p> <p>Purpose, operation, protective systems.</p>	1	2
<p>15.19 Powerplant Installation</p> <p>Configuration of firewalls, cowlings, acoustic panels, engine mounts, anti-vibration mounts, hoses, pipes, feeders, connectors, wiring looms, control cables and rods, lifting points and drains.</p>	1	2
<p>15.20 Fire Protection Systems</p> <p>Operation of detection and extinguishing systems.</p>	1	2
<p>15.21 Engine Monitoring and Ground Operation</p> <p>Procedures for starting and ground run-up;</p> <p>Interpretation of engine power output and parameters;</p> <p>Trend (including oil analysis, vibration and boroscope) monitoring;</p>	1	3

	LEVEL	
	A	B1
Inspection of engine and components to criteria, tolerances and data specified by engine manufacturer; Compressor washing/cleaning; Foreign Object Damage.		
15.22 Engine Storage and Preservation Preservation and de-preservation for the engine and accessories/systems.	---	2

MODULE 16. PISTON ENGINE

	LEVEL		
	A	B1	B3
16.1 Fundamentals Mechanical, thermal and volumetric efficiencies; Operating principles — 2 stroke, 4 stroke, Otto and Diesel; Piston displacement and compression ratio; Engine configuration and firing order	1	2	2
16.2 Engine Performance Power calculation and measurement; Factors affecting engine power; Mixtures/leaning, pre-ignition.	1	2	2
16.3 Engine Construction Crank case, crank shaft, cam shafts, sumps; Accessory gearbox; Cylinder and piston assemblies; Connecting rods, inlet and exhaust manifolds; Valve mechanisms; Propeller reduction gearboxes	1	2	2
16.4 Engine Fuel Systems 16.4.1 Carburettors Types, construction and principles of operation; Icing and heating	1	2	2
16.4.2 Fuel injection systems Types, construction and principles of operation.	1	2	2
16.4.3 Electronic engine control Operation of engine control and fuel metering systems including electronic engine control (FADEC); Systems lay-out and components.	1	2	2
16.5 Starting and Ignition Systems Starting systems, pre-heat systems; Magneto types, construction and principles of operation; Ignition harnesses, spark plugs; Low and high tension systems.	1	2	2

	LEVEL		
	A	B1	B3
<p>16.6 Induction, Exhaust and Cooling Systems</p> <p>Construction and operation of: induction systems including alternate air systems;</p> <p>Exhaust systems, engine cooling systems — air and liquid.</p>	1	2	2
<p>16.7 Supercharging/Turbocharging</p> <p>Principles and purpose of supercharging and its effects on engine parameters;</p> <p>Construction and operation of supercharging/turbocharging systems;</p> <p>System terminology;</p> <p>Control systems;</p> <p>System protection.</p> <p>Properties and specifications;</p> <p>Fuel additives;</p> <p>Safety precautions.</p>	1	2	2
<p>16.8 Lubricants and Fuels</p> <p>Properties and specifications;</p> <p>Fuel additives;</p> <p>Safety precautions.</p>	1	2	2
<p>16.9 Lubrication Systems</p> <p>System operation/lay-out and components.</p>	1	2	2
<p>16.10 Engine Indication Systems</p> <p>Engine speed;</p> <p>Cylinder head temperature;</p> <p>Coolant temperature;</p> <p>Oil pressure and temperature;</p> <p>Exhaust Gas Temperature;</p> <p>Fuel pressure and flow;</p> <p>Manifold pressure</p>	1	2	2
<p>16.11 Powerplant Installation</p> <p>Configuration of firewalls, cowlings, acoustic panels, engine mounts, anti-vibration mounts, hoses, pipes, feeders, connectors, wiring looms, control cables and rods, lifting points and drains.</p>	1	2	2
<p>16.12 Engine Monitoring and Ground Operation</p> <p>Procedures for starting and ground run-up;</p> <p>Interpretation of engine power output and parameters;</p> <p>Inspection of engine and components: criteria, tolerances, and data specified by engine manufacturer.</p>	1	3	2
<p>16.13 Engine Storage and Preservation</p> <p>Preservation and de-preservation for the engine and accessories/systems.</p>	---	2	1

MODULE 17A. PROPELLER

	LEVEL	
	A1	B1
17.1 Fundamentals Blade element theory; High/low blade angle, reverse angle, angle of attack, rotational speed; Propeller slip; Aerodynamic, centrifugal, and thrust forces; Torque; Relative airflow on blade angle of attack; Vibration and resonance.	1	2
17.2 Propeller Construction Construction methods and materials used in wooden, composite and metal propellers; Blade station, blade face, blade shank, blade back and hub assembly; Fixed pitch, controllable pitch, constant speeding propeller; Propeller/spinner installation.	1	2
17.3 Propeller Pitch Control Speed control and pitch change methods, mechanical and electrical/electronic; Feathering and reverse pitch; Over-speed protection.	1	2
17.4 Propeller Synchronising Synchronising and synchrophasing equipment.	---	2
17.5 Propeller Ice Protection Fluid and electrical de-icing equipment.	1	2
17.6 Propeller Maintenance Static and dynamic balancing; Blade tracking; Assessment of blade damage, erosion, corrosion, impact damage, delamination; Propeller treatment/repair schemes; Propeller engine running.	1	3
17.7 Propeller Storage and Preservation Propeller preservation and de-preservation.	1	2

MODULE 17B. PROPELLER

Note: The scope of this Module shall reflect the propeller technology of aeroplanes pertinent to the B3 category.

	LEVEL
	B3
17.1 Fundamentals Blade element theory; High/low blade angle, reverse angle, angle of attack, rotational speed; Propeller slip; Aerodynamic, centrifugal, and thrust forces;	2

Torque; Relative airflow on blade angle of attack; Vibration and resonance	
17.2 Propeller Construction Construction methods and material used in wooden, composite and metal propellers; Blade station, blade face, blade shank, blade back and hub assembly; Fixed pitch, controllable pitch, constant speeding propeller; Propeller/spinner installation.	2
17.3 Propeller Pitch Control Speed control and pitch change methods, mechanical and electrical/electronic; Feathering and reverse pitch; Over-speed protection.	2
17.4 Propeller Synchronising Synchronising and synchrophasing equipment.	2
17.5 Propeller Ice Protection Fluid and electrical de-icing equipment.	2
17.6 Propeller Maintenance Static and dynamic balancing; Blade tracking; Assessment of blade damage, erosion, corrosion, impact damage, delamination; Propeller treatment/repair schemes; Propeller engine running.	2
17.7 Propeller Storage and Preservation Propeller preservation and de-preservation.	2

Appendix B — Basic Examination Standard

1. General

- 1.1. All basic examinations shall be carried out using the multi-choice question format and essay questions as specified below. The incorrect alternatives shall seem equally plausible to anyone ignorant of the subject. All of the alternatives shall be clearly related to the question and of similar vocabulary, grammatical construction and length. In numerical questions, the incorrect answers shall correspond to procedural errors such as corrections applied in the wrong sense or incorrect unit conversions: they shall not be mere random numbers.
- 1.2. Each multi-choice question shall have three alternative answers of which only one shall be the correct answer and the candidate shall be allowed a time per module which is based upon a nominal average of seventy-five (75) seconds per question.
- 1.3. Each essay question requires the preparation of a written answer and the candidate shall be allowed twenty (20) minutes to answer each such question.
- 1.4. Suitable essay questions shall be drafted and evaluated using the knowledge syllabus in Appendix A Modules 7A, 7B, 9A, 9B and 10.
- 1.5. Each question will have a model answer drafted for it, which will also include any known alternative answers that may be relevant for other subdivisions.
- 1.6. The model answer will also be broken down into a list of the important points known as Key Points.
- 1.7. The pass mark for each module and sub-module multi-choice part of the examination is seventy five percent (75%).
- 1.8. The pass mark for each essay question is seventy five percent (75%) in that the candidates answer shall contain 75 % of the required key points addressed by the question and no significant error related to any required key point.
- 1.9. If either the multi-choice part only or the essay part only is failed, then it is only necessary to retake the multi-choice or essay part, as appropriate.
- 1.10. Penalty marking systems shall not be used to determine whether a candidate has passed.
- 1.11. A failed module may not be retaken for at least ninety (90) days following the date of the failed module examination, except in the case of a maintenance training organisation approved in accordance with **CAR-147** which conducts a course of retraining tailored to the failed subjects in the particular module when the failed module may be retaken after thirty (30) days.
- 1.12. The time periods required by point CAR-66.25 apply to each individual module examination, with the exception of those module examinations which were passed as part of another category license, where the license has already been issued.
- 1.13. The maximum number of consecutive attempts for each module is three (3). Further sets of three attempts are allowed with a one (1) year waiting period between sets.

The applicant shall confirm in writing to the approved maintenance training organisation or the authority to which they apply for an examination, the number and dates of attempts during the last year and the organisation or the authority where these attempts took place. The maintenance training organisation or the authority is responsible for checking the number of attempts within the applicable timeframes.

2. Number of questions per module**2.1. MODULE 1 — MATHEMATICS**

Category A: 16 multi-choice and 0 essay questions. Time allowed 20 minutes.

Category B1: 32 multi-choice and 0 essay questions. Time allowed 40 minutes.

Category B2: 32 multi-choice and 0 essay questions. Time allowed 40 minutes.

Category B3: 28 multi-choice and 0 essay questions. Time allowed 35 minutes.

2.2. MODULE 2 — PHYSICS

Category A: 32 multi-choice and 0 essay questions. Time allowed 40 minutes.

Category B1: 52 multi-choice and 0 essay questions. Time allowed 65 minutes.

Category B2: 52 multi-choice and 0 essay questions. Time allowed 65 minutes.

Category B3: 28 multi-choice and 0 essay questions. Time allowed 35 minutes.

2.3. MODULE 3 — ELECTRICAL FUNDAMENTALS

Category A: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B1: 52 multi-choice and 0 essay questions. Time allowed 65 minutes.

Category B2: 52 multi-choice and 0 essay questions. Time allowed 65 minutes.

Category B3: 24 multi-choice and 0 essay questions. Time allowed 30 minutes.

2.4. MODULE 4 — ELECTRONIC FUNDAMENTALS

Category B1: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B2: 40 multi-choice and 0 essay questions. Time allowed 50 minutes.

Category B3: 8 multi-choice and 0 essay questions. Time allowed 10 minutes.

2.5. MODULE 5 — DIGITAL TECHNIQUES/ELECTRONIC INSTRUMENT SYSTEMS

Category A: 16 multi-choice and 0 essay questions. Time allowed 20 minutes.

Category B1.1 and B1.3: 40 multi-choice and 0 essay questions. Time allowed 50 minutes.

Category B1.2 and B1.4: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B2: 72 multi-choice and 0 essay questions. Time allowed 90 minutes.

Category B3: 16 multi-choice and 0 essay questions. Time allowed 20 minutes.

2.6. MODULE 6 — MATERIALS AND HARDWARE

Category A: 52 multi-choice and 0 essay questions. Time allowed 65 minutes.

Category B1: 72 multi-choice and 0 essay questions. Time allowed 90 minutes.

Category B2: 60 multi-choice and 0 essay questions. Time allowed 75 minutes.

Category B3: 60 multi-choice and 0 essay questions. Time allowed 75 minutes.

2.7. MODULE 7A — MAINTENANCE PRACTICES

Category A: 72 multi-choice and 2 essay questions. Time allowed 90 minutes plus 40 minutes.

Category B1: 80 multi-choice and 2 essay questions. Time allowed 100 minutes plus 40 minutes.

Category B2: 60 multi-choice and 2 essay questions. Time allowed 75 minutes plus 40 minutes.

MODULE 7B — MAINTENANCE PRACTICES

Category B3: 60 multi-choice and 2 essay questions. Time allowed 75 minutes plus 40 minutes.

2.8. MODULE 8 — BASIC AERODYNAMICS

Category A: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B1: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B2: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B3: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

2.9. MODULE 9A — HUMAN FACTORS

Category A: 20 multi-choice and 1 essay question. Time allowed 25 minutes plus 20 minutes.

Category B1: 20 multi-choice and 1 essay question. Time allowed 25 minutes plus 20 minutes.

Category B2: 20 multi-choice and 1 essay question. Time allowed 25 minutes plus 20 minutes.

MODULE 9B — HUMAN FACTORS

Category B3: 16 multi-choice and 1 essay questions. Time allowed 20 minutes plus 20 minutes.

2.10. MODULE 10 — AVIATION LEGISLATION

Category A: 32 multi-choice and 1 essay question. Time allowed 40 minutes plus 20 minutes.

Category B1: 40 multi-choice and 1 essay question. Time allowed 50 minutes plus 20 minutes.

Category B2: 40 multi-choice and 1 essay question. Time allowed 50 minutes plus 20 minutes.

Category B3: 32 multi-choice and 1 essay questions. Time allowed 40 minutes plus 20 minutes.

2.11. MODULE 11A — TURBINE AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

Category A: 108 multi-choice and 0 essay questions. Time allowed 135 minutes.

Category B1: 140 multi-choice and 0 essay questions. Time allowed 175 minutes.

MODULE 11B — PISTON AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

Category A: 72 multi-choice and 0 essay questions. Time allowed 90 minutes.

Category B1: 100 multi-choice and 0 essay questions. Time allowed 125 minutes.

MODULE 11C — PISTON AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

Category B3: 60 multi-choice and 0 essay questions. Time allowed 75 minutes.

2.12. MODULE 12 — HELICOPTER AERODYNAMICS, STRUCTURES AND SYSTEMS:

Category A: 100 multi-choice and 0 essay questions. Time allowed 125 minutes.

Category B1: 128 multi-choice and 0 essay questions. Time allowed 160 minutes.

2.13. MODULE 13 — AIRCRAFT AERODYNAMICS, STRUCTURES AND SYSTEMS

Category B2: 180 multi-choice and 0 essay questions. Time allowed 225 minutes. Questions and time allowed may be split into two examinations as appropriate.

2.14. MODULE 14 — PROPULSION

Category B2: 24 multi-choice and 0 essay questions. Time allowed 30 minutes.

2.15. MODULE 15 — GAS TURBINE ENGINE

Category A: 60 multi-choice and 0 essay questions. Time allowed 75 minutes.

Category B1: 92 multi-choice and 0 essay questions. Time allowed 115 minutes.

2.16. MODULE 16 — PISTON ENGINE

Category A: 52 multi-choice and 0 essay questions. Time allowed 65 minutes.

Category B1: 72 multi-choice and 0 essay questions. Time allowed 90 minutes.

Category B3: 68 multi-choice and 0 essay questions. Time allowed 85 minutes.

2.17. MODULE 17A — PROPELLER

Category A: 20 multi-choice and 0 essay questions. Time allowed 25 minutes.

Category B1: 32 multi-choice and 0 essay questions. Time allowed 40 minutes.

2.18. MODULE 17B — PROPELLER

Category B3: 28 multi-choice and 0 essay questions. Time allowed 35 minutes.

Appendix C — Aircraft Type Training and Examination Standard — On the Job Training

1. General

Aircraft type training shall consist of theoretical training and examination, and, except for the category C ratings, practical training and assessment.

- (a) Theoretical training and examination shall comply with the following requirements:
- (1) Shall be conducted by a maintenance training organisation appropriately approved in accordance with CAR-147 or, when conducted by other organisations, as directly approved by the authority.
 - (2) Shall comply, except as permitted by the differences training described in point (c), with:
 - i. the relevant elements defined in the mandatory part of the operational suitability data established in accordance with Regulation or, if such elements are not available, the standard described in point 3.1 of this Appendix, and the type training examination standard described in point 4.1 of this Appendix.
 - (3) In the case of a category C person qualified by holding an academic degree as specified in point CVAR-66.30(a)(5), the first relevant aircraft type theoretical training shall be at the category B1 or B2 level.
 - (4) Shall have been started and completed within the 3 years preceding the application for a type rating endorsement.
- (b) Practical training and assessment shall comply with the following requirements:
- (1) Shall be conducted by a maintenance training organisation appropriately approved in accordance with **CAR-147** or, when conducted by other organisations, as directly approved by the authority.
 - (2) Shall comply, except as permitted by the differences training described in point (c), with:
 - i. the relevant elements defined in the mandatory part of the operational suitability data established in accordance with Regulation or, if such elements are not available, the standard described in point 3.2 of this Appendix, and
 - ii. the type training assessment standard described in point 4.2 of this Appendix.
 - (3) Shall include a representative cross section of maintenance activities relevant to the aircraft type.
 - (4) Shall include demonstrations using equipment, components, simulators, other training devices or aircraft.
 - (5) Shall have been started and completed within the 3 years preceding the application for a type rating endorsement.
- (c) Differences training
- (1) Differences training is the training required in order to cover the differences between two different aircraft type ratings of the same manufacturer as determined by the Agency.
 - (2) Differences training has to be defined on a case-to-case basis taking into account the requirements contained in this Appendix C in respect of both theoretical and practical elements of type rating training.
 - (3) A type rating shall only be endorsed on a license after differences training when the applicant also complies with one of the following conditions:
 - i. having already endorsed on the license the aircraft type rating from which the differences are being identified, or
 - ii. having completed the type training requirements for the aircraft from which the differences are being identified.

2. Aircraft Type Training Levels

The three levels listed below define the objectives, the depth of training and the level of knowledge that the training is intended to achieve.

- (a) **Level 1:** A brief overview of the airframe, systems and powerplant as outlined in the Systems Description Section of the Aircraft Maintenance Manual/Instructions for Continued Airworthiness.

Course objectives: Upon completion of Level 1 training, the student will be able to:

- (1) provide a simple description of the whole subject, using common words and examples, using typical terms and identify safety precautions related to the airframe, its systems and powerplant;
- (2) identify aircraft manuals, maintenance practices important to the airframe, its systems and powerplant;
- (3) define the general layout of the aircraft's major systems;
- (4) define the general layout and characteristics of the powerplant;
- (5) identify special tooling and test equipment used with the aircraft.

- (b) **Level 2:** Basic system overview of controls, indicators, principal components, including their location and purpose, servicing and minor troubleshooting. General knowledge of the theoretical and practical aspects of the subject.

Course objectives: In addition to the information contained in the Level 1 training, at the completion of Level 2 training, the student will be able to:

- (1) understand the theoretical fundamentals; apply knowledge in a practical manner using detailed procedures;
- (2) recall the safety precautions to be observed when working on or near the aircraft, powerplant and systems;
- (3) describe systems and aircraft handling particularly access, power availability and sources;
- (4) identify the locations of the principal components;
- (5) explain the normal functioning of each major system, including terminology and nomenclature;
- (6) perform the procedures for servicing associated with the aircraft for the following systems: Fuel, Power Plants, Hydraulics, Landing Gear, Water/Waste, and Oxygen;
- (7) demonstrate proficiency in use of crew reports and on-board reporting systems (minor troubleshooting) and determine aircraft airworthiness per the MEL/CDL;
- (8) demonstrate the use, interpretation and application of appropriate documentation including instructions for continued airworthiness, maintenance manual, illustrated parts catalogue, etc.

- (c) **Level 3:** Detailed description, operation, component location, removal/installation and bite and troubleshooting procedures to maintenance manual level.

Course objectives: In addition to the information contained in Level 1 and Level 2 training, at the completion of Level 3 training, the student will be able to:

- (1) demonstrate a theoretical knowledge of aircraft systems and structures and interrelationships with other systems, provide a detailed description of the subject using theoretical fundamentals and specific examples and to interpret results from various sources and measurements and apply corrective action where appropriate;
- (2) perform system, powerplant, component and functional checks as specified in the aircraft maintenance manual;

- (3) demonstrate the use, interpret and apply appropriate documentation including structural repair manual, troubleshooting manual, etc.;
- (4) correlate information for the purpose of making decisions in respect of fault diagnosis and rectification to maintenance manual level;
- (5) describe procedures for replacement of components unique to aircraft type.

3. Aircraft Type Training Standard

Although aircraft type training includes both theoretical and practical elements, courses can be approved for the theoretical element, the practical element or for a combination of both.

3.1. Theoretical element

(a) Objective:

On completion of a theoretical training course the student shall be able to demonstrate, to the levels identified in the Appendix C syllabus, the detailed theoretical knowledge of the aircraft's applicable systems, structure, operations, maintenance, repair, and troubleshooting according to approved maintenance data. The student shall be able to demonstrate the use of manuals and approved procedures, including the knowledge of relevant inspections and limitations.

(b) Level of training:

Training levels are those levels defined in point 2 above.

After the first type course for category C certifying staff all subsequent courses need only be to Level 1.

During a Level 3 theoretical training, Level 1 and 2 training material may be used to teach the full scope of the chapter if required. However, during the training the majority of the course material and training time shall be at the higher level.

(c) Duration:

The theoretical training minimum tuition hours are contained in the following table:

Category	Hours
<i>Aeroplanes with a maximum take-off mass above 30000 kg:</i>	
B1.1	150
B1.2	120
B2	100
C	30
<i>Aeroplanes with a maximum take-off mass equal or less than 30000 kg and above 5700 kg:</i>	
B1.1	120
B1.2	100
B2	100
C	25
<i>Aeroplanes with a maximum take-off mass of 5700 kg and below ¹</i>	
B1.1	80
B1.2	60

Category	Hours
B2	60
C	15
Helicopters ²	
B1.3	120
B1.4	100
B2	100
C	25

For the purpose of the table above, a tuition hour means 60 minutes of teaching and exclude any breaks, examination, revision, preparation and aircraft visit.

These hours apply only to theoretical courses for complete aircraft/engine combinations according to the type rating as defined by the Agency.

(d) Justification of course duration:

Training courses carried out in a maintenance training organisation approved in accordance with CAR-147 and courses directly approved by the authority shall justify their hour duration and the coverage of the full syllabus by a training needs analysis based on:

- the design of the aircraft type, its maintenance needs and the types of operation,
- detailed analysis of applicable chapters — see contents table in point 3.1(e) below,
- detailed competency analysis showing that the objectives as stated in point 3.1(a) above are fully met.

Where the training needs analysis shows that more hours are needed, course lengths shall be longer than the minimum specified in the table.

Similarly, tuition hours of differences courses or other training course combinations (such as combined B1/B2 courses), and in cases of theoretical type training courses below the figures given in point 3.1(c) above, these shall be justified to the authority by the training needs analysis as described above.

NOTE 1: For non-pressurised piston engine aeroplanes below 2000 kg MTOM the minimum duration can be reduced by fifty percent (50 %).

NOTE 2: For helicopters in group 2 (as defined in point CAR-66.42) the minimum duration can be reduced by thirty percent (30 %).

In addition, the course must describe and justify the following:

- The minimum attendance required to the trainee, in order to meet the objectives of the course.
- The maximum number of hours of training per day, taking into account pedagogical and human factors principles.

If the minimum attendance required is not met, the certificate of recognition shall not be issued. Additional training may be provided by the training organisation in order to meet the minimum attendance time.

(e) Content:

As a minimum, the elements in the Syllabus below that are specific to the aircraft type shall be covered. Additional elements introduced due to type variations, technological changes, etc. shall also be included.

The training syllabus shall be focused on mechanical and electrical aspects for B1 personnel, and electrical and avionic aspects for B2.

Chapters	Level		Aeroplanes turbine		Aeroplane s piston		Helicopters turbine		Helicopter s piston		Avionics
	B1	C	B1	C	B1	C	B1	C	B1	C	B2
License category	B1	C	B1	C	B1	C	B1	C	B1	C	B2
Introduction module:											
05 Time limits/maintenance checks	1	1	1	1	1	1	1	1	1	1	1
06 Dimensions/Areas (MTOM, etc.)	1	1	1	1	1	1	1	1	1	1	1
07 Lifting and Shoring	1	1	1	1	1	1	1	1	1	1	1
08 Levelling and weighing	1	1	1	1	1	1	1	1	1	1	1
09 Towing and taxiing	1	1	1	1	1	1	1	1	1	1	1
10 Parking/mooring, Storing and Return to Service	1	1	1	1	1	1	1	1	1	1	1
11 Placards and Markings	1	1	1	1	1	1	1	1	1	1	1
12 Servicing	1	1	1	1	1	1	1	1	1	1	1
20 Standard practices — only type particular	1	1	1	1	1	1	1	1	1	1	1
Helicopters											
18 Vibration and Noise Analysis (Blade tracking)	---	---	---	---	3	1	3	1	3	1	---
60 Standard Practices Rotor	---	---	---	---	3	1	3	1	3	1	---
62 Rotors	---	---	---	---	3	1	3	1	3	1	1
62A Rotors — Monitoring and indicating	---	---	---	---	3	1	3	1	3	1	3
63 Rotor Drives	---	---	---	---	3	1	3	1	3	1	1
63A Rotor Drives — Monitoring and indicating	---	---	---	---	3	1	3	1	3	1	3
64 Tail Rotor	---	---	---	---	3	1	3	1	3	1	1

Chapters	Level	Aeroplanes turbine		Aeroplane s piston		Helicopters turbine		Helicopter s piston		Avionics
64A Tail rotor — Monitoring and indicating		---	---	---	---	3	1	3	1	3
65 Tail Rotor Drive		---	---	---	---	3	1	3	1	1
65A Tail Rotor Drive — Monitoring and indicating		---	---	---	---	3	1	3	1	3
66 Folding Blades/Pylon		---	---	---	---	3	1	3	1	---
67 Rotors Flight Control		---	---	---	---	3	1	3	1	---

Chapters	Level	Aeroplanes turbine		Aeroplanes piston		Helicopters turbine		Helicopters piston		Avionics
53 Airframe Structure (Helicopter)		---	---	---	---	3	1	3	1	---
25 Emergency Flotation Equipment		---	---	---	---	3	1	3	1	1
Airframe structures										
51 Standard practices and structures (damage classification, assessment and repair)		3	1	3	1	---	---	---	---	1
53 Fuselage		3	1	3	1	---	---	---	---	1
54 Nacelles/Pylons		3	1	3	1	---	---	---	---	1
55 Stabilisers		3	1	3	1	---	---	---	---	1
56 Windows		3	1	3	1	---	---	---	---	1
57 Wings		3	1	3	1	---	---	---	---	1
27A Flight Control Surfaces (All)		3	1	3	1	---	---	---	---	1
52 Doors		3	1	3	1					1
Zonal and Station Identification Systems.		1	1	1	1	1	1	1	1	1
Airframe systems:										
21 Air Conditioning		3	1	3	1	3	1	3	1	3
21A Air Supply		3	1	3	1	1	3	3	1	2
21B Pressurisation		3	1	3	1	3	1	3	1	3

Chapters	Level	Aeroplanes turbine		Aeroplanes piston		Helicopters turbine		Helicopters piston		Avionics
21C Safety and Warning Devices		3	1	3	1	3	1	3	1	3
22 Auto-flight		2	1	2	1	2	1	2	1	3
23 Communications		2	1	2	1	2	1	2	1	3
24 Electrical Power		3	1	3	1	3	1	3	1	3
25 Equipment and Furnishings		3	1	3	1	3	1	3	1	1
25A Electronic Equipment including emergency equipment		1	1	1	1	1	1	1	1	3
26 Fire Protection		3	1	3	1	3	1	3	1	3
27 Flight Controls		3	1	3	1	3	1	3	1	2
27A Sys. Operation: Electrical/Fly-by-Wire		3	1	---	---	---	---	---	---	3
28 Fuel Systems		3	1	3	1	3	1	3	1	2
28A Fuel Systems — Monitoring and indicating		3	1	3	1	3	1	3	1	3
29 Hydraulic Power		3	1	3	1	3	1	3	1	2
29A Hydraulic Power — Monitoring and indicating		3	1	3	1	3	1	3	1	3
30 Ice and Rain Protection		3	1	3	1	3	1	3	1	3
31 Indicating/Recording Systems		3	1	3	1	3	1	3	1	3
31 A Instrument Systems		3	1	3	1	3	1	1	3	3
32 Landing Gear		3	1	3	1	3	1	3	1	2

Chapters	Level	Aeroplanes turbine		Aeroplanes piston		Helicopters turbine		Helicopters piston		Avionics
32A Landing Gear — Monitoring and indicating		3	1	3	1	3	1	3	1	3
33 Lights		3	1	3	1	3	1	3	1	3
34 Navigation		2	1	2	1	2	1	2	1	3

Chapters	Level	Aeroplanes turbine		Aeroplanes piston		Helicopters turbine		Helicopters piston		Avionics
35 Oxygen		3	1	3	1	---	---	---	---	2
36 Pneumatic		3	1	3	1	3	1	3	1	2
36A Pneumatic — Monitoring and indicating		3	1	3	1	3	1	3	1	1
37 Vacuum		3	1	3	1	3	1	3	1	2
38 Water/Waste		3	1	3	1	---	---	---	---	2
41 Water Ballast		3	1	3	1	---	---	---	---	1
42 Integrated modular avionics		2	1	2	1	2	1	2	1	3
44 Cabin Systems		2	1	2	1	2	1	2	1	3
45 On-Board Maintenance System (or covered in 31)		3	1	3	1	3	1	---	---	3
46 Information Systems		2	1	2	1	2	1	2	1	3
50 Cargo and Accessory Compartments		3	1	3	1	3	1	3	1	1
Turbine Engine										
70 Standard Practices — Engines,		3	1	---	---	3	1	---	---	1
70A Constructional arrangement and operation (Installation Inlet, Compressors, Combustion Section, Turbine Section, Bearings and Seals, Lubrication Systems).		3	1	---	---	3	1	---	---	1
70B Engine Performance		3	1	---	---	3	1	---	---	1
71 Powerplant		3	1	---	---	3	1	---	---	1
72 Engine Turbine/Turbo Prop/ Ducted Fan/Un ducted fan		3	1	---	---	3	1	---	---	1
73 Engine Fuel and Control		3	1	---	---	3	1	---	---	1
75 Air		3	1	---	---	3	1	---	---	1
76 Engine controls		3	1	---	---	3	1	---	---	1
78 Exhaust		3	1	---	---	3	1	---	---	1
79 Oil		3	1	--	--	3	1	--	--	1

Chapters	Level	Aeroplanes turbine		Aeroplanes piston		Helicopters turbine		Helicopters piston		Avionics
80 Starting		3	1	--	--	3	1	--	--	1
82 Water Injections		3	1	--	--	3	1	--	--	1
83 Accessory Gear Boxes		3	1	--	--	3	1	--	--	1
84 Propulsion Augmentation		3	1	--	--	3	1	--	--	1
73A FADEC		3	1	--	--	3	1	--	--	1
74 Ignition		3	1	--	--	3	1	--	--	1
77 Engine Indicating Systems		3	1	--	--	3	1	--	--	1
49 Auxiliary Power Units (APUs)		3	1	--	--	3	1	--	--	1
Piston Engine										
70 Standard Practices — Engines		--	--	3	1	--	--	3	1	1
70A Constructional arrangement and operation (Installation, Carburetors, Fuel injection systems, Induction, Exhaust and Cooling Systems, Supercharging/Turbocharging, Lubrication Systems).		--	--	3	1	--	--	3	1	1
70B Engine Performance		--	--	3	1	--	--	3	1	1
71 Powerplant		--	--	3	1	--	--	3	1	1
73 Engine Fuel and Control		--	--	3	1	--	--	3	1	1
76 Engine Control		--	--	3	1	--	--	3	1	1
79 Oil		--	--	3	1	--	--	3	1	1
80 Starting		--	--	3	1	--	--	3	1	1
81 Turbines		--	--	3	1	--	--	3	1	1
82 Water Injections		--	--	3	1	--	--	3	1	1

Chapters	Level	Aeroplanes turbine		Aeroplanes piston		Helicopters turbine		Helicopters piston		Avionics
83 Accessory Gear Boxes		--	--	3	1	--	--	3	1	1
84 Propulsion Augmentation		--	--	3	1	--	--	3	1	1
73A FADEC		--	--	3	1	--	--	3	1	1
74 Ignition		--	--	3	1	--	--	3	1	1
77 Engine Indication Systems				3	1	--	--	3	1	1
Propellers										
60A Standard Practices — Propeller		3	1	3	1	--	--	--	--	1
61 Propellers/Propulsion		3	1	3	1	--	--	--	--	1
61A Propeller Construction		3	1	3	1	--	--	--	--	--
61B Propeller Pitch Control		3	1	3	1	--	--	--	--	--
61C Propeller Synchronising		3	1	3	1	--	--	--	--	1
61D Propeller Electronic control		2	1	2	1	--	-	--	--	3
61E Propeller Ice Protection		3	1	3	1	--	--	--	--	--
61F Propeller Maintenance		3	1	3	1	--	--	--	--	1

- (f) Multimedia Based Training (MBT) methods may be used to satisfy the theoretical training element either in the classroom or in a virtual controlled environment subject to the acceptance of the authority approving the training course.

3.2. Practical element

(a) Objective:

The objective of practical training is to gain the required competence in performing safe maintenance, inspections and routine work according to the maintenance manual and other relevant instructions and tasks as appropriate for the type of aircraft, for example troubleshooting, repairs, adjustments, replacements, rigging and functional checks. It includes the awareness of the use of all technical literature and documentation for the aircraft, the use of specialist/special tooling and test equipment for performing removal and replacement of components and modules unique to type, including any on-wing maintenance activity.

(b) Content:

At least fifty percent (50%) of the crossed items in the table below, which are relevant to the particular aircraft type, shall be completed as part of the practical training.

Tasks crossed represent subjects that are important for practical training purposes to ensure that the operation, function, installation and safety significance of key maintenance tasks is adequately

addressed; particularly where these cannot be fully explained by theoretical training alone. Although the list details the minimum practical training subjects, other items may be added where applicable to the particular aircraft type.

Tasks to be completed shall be representative of the aircraft and systems both in complexity and in the technical input required to complete that task. While relatively simple tasks may be included, other more complex tasks shall also be incorporated and undertaken as appropriate to the aircraft type.

Glossary of the table: LOC: Location; FOT: Functional/Operational Test; SGH: Service and Ground Handling; R/I: Removal/Installation; MEL: Minimum Equipment List; TS: Trouble Shooting.

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
Introduction module:											
5 Time limits/ maintenance checks	X/X										
6 Dimensions/Areas (MTOM, etc.)	X/X										
7 Lifting and Shoring	X/X										
8 Levelling and weighing	X/X										
9 Towing and taxiing	X/X										
10 Parking/mooring, Storing and Return to Service	X/X										
11 Placards and Markings	X/X										
12 Servicing	X/X										
20 Standard practices— only type particular	X/X										
Helicopters:											
18 Vibration and Noise Analysis (Blade tracking)	X/--	---	---	---	---	X	---	---	---	---	---
60 Standard Practices Rotor — only type specific	X/X	---	X	---	---	---	---	X	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
62 Rotors	X/--	---	X	X	---	X	---	---	---	---	---
62A Rotors -Monitoring and indicating	X/X	X	X	X	X	X	---	---	X	---	X
63 Rotor Drives	X/--	X	---	---	---	X	---	---	---	---	---
63A Rotor Drives	X/X	X	---	X	X	X	---	---	X	---	X
64 Tail Rotor	X/--	---	X	---	---	X	---	---	---	---	---
64A Tail rotor Monitoring and indicating	X/X	X	---	X	X	X	---	---	X	---	X
65 Tail Rotor Drive	X/--	X	---	---	---	X	---	---	---	---	---
65A Tail Rotor Drive — Monitoring and indicating	X/X	X	---	X	X	X	---	---	X	---	X
66 Folding Blades/Pylon	X/--	X	X	---	---	X	---	---	---	---	---
67 Rotors Flight Control	X/--	X	X	---	X	X	---	---	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
53 Airframe Structure (Helicopter) Note: covered under Airframe structures											
25 Emergency Flotation Equipment	X/X	X	X	X	X	X	X	X	---	---	---
Airframe structures:											
51 Standard Practices and Structures (damage classification, assessment and repair)											
53 Fuselage	X/---	---	---	---	---	X	---	---	---	---	---
54 Nacelles/Pylons	X/---	---	---	---	---		---	---	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
55 Stabilisers	X/---	---	---	---	---		---	---	---	---	---
56 Windows	X/---	---	---	---	---	X	---	---	---	---	---
57 Wings	X/---	---	---	---	---		---	---	---	---	---
27A Flight Control Surfaces	X/---	---	---	---	---	X	---	---	---	---	---
52 Doors	X/X	X	X	---	---	---	---	X	---	---	---
Airframe systems:											
21 Air Conditioning	X/X	X	X	---	X	X	X	X	---	X	X
21A Air Supply	X/X	X	---	---	---	---	X	---	---	---	---
21B Pressurisation	X/X	X	---	---	X	X	X	---	---	X	X
21C Safety and warning Devices	X/X	---	X	---	---	---	---	X	---	---	---
22 Autoflight	X/X	---		---	X	---	X	X	X	X	X
23 Communications	X/X	---	X	---	X	---	X	X	X	X	X
24 Electrical Power	X/X	X	X	---	X	X	X	X	X	X	X
25 Equipment and Furnishings	X/X	X	X	---	---	---	X	X	X	---	---
25A Electronic Equipment including emergency equipment	X/X	X	X	X	---	---	X	X	X	---	---
26 Fire Protection	X/X	X	X	X	X	X	X	X	X	X	X
27 Flight Controls	X/X	X	X	X	X	X	X	---	---	---	---
27A Sys. Operation: Electrical/Fly-by-Wire	X/X	X	X	X	X	---	X	---	X	---	X
28 Fuel Systems	X/X	X	X	X	X	X	X	X	---	X	---
28A Fuel Systems — Monitoring and indicating	X/X	X	---	---	---	---	X	---	X	---	X

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
29 Hydraulic Power	X/X	X	X	X	X	X	X	X	---	X	---
29A Hydraulic Power — Monitoring and indicating	X/X	X	---	X	X	X	X	---	X	X	X
30 Ice and Rain Protection	X/X	X	X	---	X	X	X	X	---	X	X
31 Indicating/Recording Systems	X/X	X	X	X	X	X	X	X	X	X	X
31A Instrument Systems	X/X	X	X	X	X	X	X	X	X	X	X
32 Landing Gear	X/X	X	X	X	X	X	X	X	X	X	---
32A Landing Gear — Monitoring and indicating	X/X	X	---	X	X	X	X	---	X	X	X
33 Lights	X/X	X	X	---	X	---	X	X	X	X	---
34 Navigation	X/X	---	X	---	X	---	X	X	X	X	X
35 Oxygen	X/X	X	X	X	---	---	X		---	---	---
36 Pneumatic	X/X	X	---	X	X	X	X	---	X	X	X
36A Pneumatic — Monitoring and indicating	X/X	X	X	X	X	X	X	X	X	X	X
37 Vacuum	X/X	X	---	X	X	X	---	---	---	---	---
38 Water/Waste	X/---	X	X	---	---	---	X	X	---	---	---
41 Water Ballast	X/---	---	---	---	---	---	---	---	---	---	---
42 Integrated modular avionics	X/X	---	---	---	---	---	X	X	X	X	X
44 Cabin Systems	X/X	---	---	---	---	---	X	X	X	X	X
45 On-Board Maintenance System (or covered in 31)	X/X	X	X	X	X	X	X	X	X	X	X
46 Information Systems	X/X	---	---	---	---	---	X	---	X	X	X
50 Cargo and Accessory Compartments	X/X	---	X	---	---	---	---	---	---	---	---
Turbine/Piston Engine Module:											

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
70 Standard Practices — Engines — only type particular	---	---	X	---	---	---	---	X	---	---	---
70A Constructional arrangement and operation (Installation Inlet, Compressors, Combustion Section,	X/X	---	---	---	---	---	---	---	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
Turbine Section, Bearings and Seals, Lubrication Systems)											
Turbine engines:											
70B Engine Performance	---	---	---	---	---	X	---	---	---	---	---
71 Power Plant	X/---	X	X	---	---	---	---	X	---	---	---
72 Engine Turbine/Turbo Prop/Ducted Fan/ Unducted fan	X/---	---	---	---	---	---	---	---	---	---	---
73 Engine Fuel and Control	X/X	X	---	---	---	---	---	---	---	---	---
73A FADEC Systems	X/X	X	---	X	X	X	X	---	X	X	X
74 Ignition	X/X	X	---	---	---	---	X	---	---	---	---
75 Air	X/---	---	---	X	---	X	---	---	---	---	---
76 Engine Controls	X/---	X	---	---	---	X	---	---	---	---	---
77 Engine Indicating	X/X	X	---	---	X	X	X	---	---	X	X
78 Exhaust	X/---	X	---	---	X	---	---	---	---	---	---
79 Oil	X/---	---	X	X	---	---	---	---	---	---	---
80 Starting	X/---	X	---	---	X	X	---	---	---	---	---
82 Water Injection	X/---	X	---	---	---	---	---	---	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
83 Accessory Gearboxes	X/---	---	X	---	---	---	---	---	---	---	---
84 Propulsion Augmentation	X/---	X	---	---	---	---	---	---	---	---	---
Auxiliary Power Units (APUs):											
49 Auxiliary Power Units (APUs)	X/---	X	X	---	---	X	---	---	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
Piston Engines:											
70 Standard Practices — Engines — only type particular	---	---	X	---	---	---	---	X	---	---	---
70A Constructional arrangement and operation (Installation Inlet, Compressors, Combustion Section, Turbine Section, Bearings and Seals, Lubrication Systems)	X/X	---	---	---	---	---	---	---	---	---	---
70B Engine Performance	---	---	---	---	---	X	---	---	---	---	---

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
71 Power Plant	X/---	X	X	---	---	---	---	X	---	---	---
73 Engine Fuel and Control	X/X	X	---	---	---	---	---	---	---	---	---
73A FADEC Systems	X/X	X	---	X	X	X	X	X	X	X	X
74 Ignition	X/X	X	---	---	---	---	X	---	---	---	---
76 Engine Controls	X/---	X	---	---	---	X	---	---	---	---	---
77 Engine Indicating	X/X	X	---	---	X	X	X	---	---	X	X

Chapters	B1/B2	B1					B2				
	LOC	FOT	SGH	R/I	MEL	TS	FOT	SGH	R/I	MEL	TS
78 Exhaust	X/---	X	---	---	X	X	---	---	---	---	---
79 Oil	X/---	---	---	---	---	---	---	---	---	---	---
80 Starting	X/---	X	---	---	X	X	---	---	---	---	---
81 Turbines	X/---	X	X	X	---	X	---	---	---	---	---
82 Water Injection	X/---	X	---	---	---	---	---	---	---	---	---
83 Accessory Gearboxes	X/---	---	X	X	---	---	---	---	---	---	---
84 Propulsion Augmentation	X/---	X	---	---	---	---	---	---	---	---	---
Propellers:											
60A Standard Practices — Propeller	---	---	---	X	---	---	---	---	---	---	---
61 Propellers/ Propulsion	X/X	X	X	---	X	X	---	---	---	---	---
61A Propeller Construction	X/X	---	---	---	---	---	---	---	---	---	---
61B Propeller Pitch Control	X/---	X	---	X	X	X	---	---	---	---	---
61C Propeller Synchronising	X/---	X	---	---	---	X	---	---	---	X	---
61D Propeller Electronic control	X/X	X	X	X	X	X	X	X	X	X	X
61E Propeller Ice Protection	X/---	X	---	X	X	X	---	---	---	---	---
61F Propeller Maintenance	X/X	X	X	X	X	X	X	X	X	X	X

4. Type Training Examination and Assessment Standard

4.1. Theoretical element examination standard

After the theoretical portion of the aircraft type training has been completed, a written examination shall be performed, which shall comply with the following:

- (a) Format of the examination is of the multi-choice type. Each multi-choice question shall have three (3) alternative answers of which only one shall be the correct answer. The total time is based on the total number of questions and the time for answering is based upon a nominal average of ninety (90) seconds per question.
- (b) The incorrect alternatives shall seem equally plausible to anyone ignorant of the subject. All the alternatives shall be clearly related to the question and of similar vocabulary, grammatical construction and length.
- (c) In numerical questions, the incorrect answers shall correspond to procedural errors such as the use of incorrect sense (+ versus -) or incorrect measurement units. They shall not be mere random numbers.
- (d) The level of examination for each chapter¹ shall be the one defined in point 2 'Aircraft type training levels'. However, the use of a limited number of questions at a lower level is acceptable.
- (e) The examination shall be of the closed book type. No reference material is permitted. An exception will be made for the case of examining a B1 or B2 candidate's ability to interpret technical documents.
- (f) The number of questions shall be at least one (1) question per hour of instruction. The number of questions for each chapter and level shall be proportionate to:
 - (1) the effective training hours spent teaching at that chapter and level,
 - (2) the learning objectives as given by the training needs analysis.
- (g) The authority will assess the number and the level of the questions when approving the course.
- (h) The minimum examination pass mark is seventy five percent (75%). When the type training examination is split in several examinations, each examination shall be passed with at least a seventy five (75%) mark. In order to be possible to achieve exactly a seventy five (75%) pass mark, the number of questions in the examination shall be a multiple of four (4).
- (i) Penalty marking (negative points for failed questions) is not to be used.
- (j) End of module phase examinations cannot be used as part of the final examination unless they contain the correct number and level of questions required.

4.2. Practical element assessment standard

After the practical element of the aircraft type training has been completed, an assessment must be performed, which must comply with the following:

- (a) The assessment shall be performed by designated assessors appropriately qualified.
- (b) The assessment shall evaluate the knowledge and skills of the trainee.

NOTE 1: For the purpose of this point 4, a 'chapter' means each one of the rows preceded by a number in the table contained in point 3.1(e).

5. Type Examination Standard

Type examination shall be conducted by training organisations appropriately approved under **CAR-147** or by the authority.

The examination shall be oral, written or practical assessment based, or a combination thereof and it shall comply with the following requirements:

- (a) Oral examination questions shall be open.
- (b) Written examination questions shall be essay type or multi-choice questions.
- (c) Practical assessment shall determine a person's competence to perform a task.
- (d) Examinations shall be on a sample of chapters¹ drawn from point 3 type training/examination syllabus, at the indicated level.
- (e) The incorrect alternatives shall seem equally plausible to anyone ignorant of the subject. All of the alternatives shall be clearly related to the question and of similar vocabulary, grammatical construction and length.
- (f) In numerical questions, the incorrect answers shall correspond to procedural errors such as corrections applied in the wrong sense or incorrect unit conversions: they shall not be mere random numbers.
- (g) The examination shall ensure that the following objectives are met:
 - (1) Properly discuss with confidence the aircraft and its systems.
 - (2) Ensure safe performance of maintenance, inspections and routine work according to the maintenance manual and other relevant instructions and tasks as appropriate for the type of aircraft, for example troubleshooting, repairs, adjustments, replacements, rigging and functional checks such as engine run, etc., if required.
 - (3) Correctly use all technical literature and documentation for the aircraft.
 - (4) Correctly use specialist/special tooling and test equipment, perform removal and replacement of components and modules unique to type, including any on-wing maintenance activity
- (h) The following conditions apply to the examination:
 - (1) The maximum number of consecutive attempts is three. Further sets of three attempts are allowed with a one (1) year waiting period between sets. A waiting period of thirty (30) days is required after the first failed attempt within one set, and a waiting period of sixty (60) days is required after the second failed attempt.

The applicant shall confirm in writing to the maintenance training organisation or the authority to which they apply for an examination, the number and dates of attempts during the last year and the maintenance training organisation or the authority where these attempts took place. The maintenance training organisation or the authority is responsible for checking the number of attempts within the applicable timeframes.

- (2) The type examination shall be passed and the required practical experience shall be completed within the 3 years preceding the application for the rating endorsement on the aircraft maintenance license.
- (3) Type examination shall be performed with at least one examiner present. The examiner(s) shall not have been involved in the applicant's training.
 - i. A written and signed report shall be made by the examiner(s) to explain why the candidate has passed or failed.

NOTE 1: For the purpose of this point 5, a 'chapter' means each one of the rows preceded by a number in the tables contained in points 3.1(e) and 3.2(b).

6. On the Job Training

On the Job Training (OJT) shall be approved by the authority who has issued the license.

It shall be conducted at and under the control of a maintenance organisation appropriately approved for the maintenance of the particular aircraft type and shall be assessed by designated assessors appropriately qualified.

It shall have been started and completed within the three (3) years preceding the application for a type rating endorsement.

(a) Objective:

The objective of OJT is to gain the required competence and experience in performing safe maintenance.

(b) Content:

OJT shall cover a cross section of tasks acceptable to the authority. The OJT tasks to be completed shall be representative of the aircraft and systems both in complexity and in the technical input required to complete that task. While relatively simple tasks may be included, other more complex maintenance tasks shall also be incorporated and undertaken as appropriate to the aircraft type.

Each task shall be signed off by the student and countersigned by a designated supervisor. The tasks listed shall refer to an actual job card/work sheet, etc.

The final assessment of the completed OJT is mandatory and shall be performed by a designated assessor appropriately qualified.

The following data shall be addressed on the OJT worksheets/logbook:

- (1) Name of Trainee;
- (2) Date of Birth;
- (3) Approved Maintenance Organisation;
- (4) Location;
- (5) Name of supervisor(s) and assessor, (including license number if applicable);
- (6) Date of task completion;
- (7) Description of task and job card/work order/tech log, etc.;
- (8) Aircraft type and aircraft registration;
- (9) Aircraft rating applied for.

In order to facilitate the verification by the authority, demonstration of the OJT shall consist of:

- i. detailed worksheets/logbook; and
- ii. a compliance report demonstrating how the OJT meets the requirement of this Part.

AMC to Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’

Aircraft Type Training and On-the-Job Training

The theoretical and practical training providers, as well as the OJT provider, may contract the services of a language translator in the case where training is imparted to students not conversant in the language of the training material. Nevertheless, it remains essential that the students understand all the relevant maintenance documentation.

During the performance of examinations and assessments, the assistance of the translator should be limited to the translation of the questions, but should not provide clarifications or help in relation to those questions.

AMC to Section 1 of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’**Aircraft Type Training**

- (a) Aircraft type training may be sub-divided in airframe and/or powerplant and/or avionics/electrical systems type training courses.
- (1) Airframe type-training course means a type training course including all relevant aircraft structure and electrical and mechanical systems excluding the powerplant.
 - (2) Powerplant type training course means a type-training course on the bare engine, including the build-up to a quick engine change unit.
 - (3) The interface of the engine/airframe systems should be addressed by either airframe or powerplant type training course. In some cases, such as for general aviation, it may be more appropriate to cover the interface during the airframe course due to the large variety of aircraft that can have the same engine type installed.
 - (4) Avionics/electrical systems type training course means type training on avionics and electrical systems covered by but not necessarily limited to ATA (Air Transport Association) Chapters 22, 23, 24, 25, 27, 31, 33, 34, 42, 44, 45, 46, 73 and 77 or equivalent.
- (b) Practical training may be performed either following or integrated with the theoretical elements. However, it should not be performed before theoretical training.
- (c) The content of the theoretical and practical training should:
- (1) address the different parts of the aircraft which are representative of the structure, the systems/components installed and the cabin; and
 - (2) include training on the use of technical manuals, maintenance procedures and the interface with the operation of the aircraft.
Therefore, it should be based on the following elements:
 - (3) Type design including relevant type design variants, new technology and techniques;
 - (4) Feedback from in-service difficulties, occurrence reporting, etc.;
 - (5) Significant applicable airworthiness directives and service bulletins;
 - (6) Known human factor issues associated with the particular aircraft type;
 - (7) Use of common and specific documentation, (when applicable, such as MMEL, AMM, MPD, TSM, SRM, WD, AFM, tool handbook), philosophy of the troubleshooting, etc.;
 - (8) Knowledge of the maintenance on-board reporting systems and ETOPS maintenance conditions where applicable;
 - (9) Use of special tooling and test equipment and specific maintenance practises including critical safety items and safety precautions;
 - (10) Significant and critical tasks/aspects from the MMEL, CDL, Fuel Tank Safety (FTS), airworthiness limitation items (ALI) including Critical Design Configuration Control Limitations (CDCCL), CMR and all ICA documentation such as MRB, MPD, SRM, AMM, etc., when applicable;
 - (11) Maintenance actions and procedures to be followed as a consequence of specific certification requirements, such as, but not limited to, RVSM (Reduced Vertical Separation Minimum) and NVIS (Night Vision Imaging Systems);
 - (12) Knowledge of relevant inspections and limitations as applicable to the effects of environmental factors or operational procedures such as cold and hot climates, wind, moisture, sand, de-icing / anti-icing, etc.

The type training does not necessarily need to include all possible customer options corresponding to the type rating described in the Appendix A to AMC to CAR -66.

- (d) Limited avionic system training should be included in the category B1 type training as the B1 privileges include work on avionics systems requiring simple tests to prove their serviceability.
- (e) Electrical systems should be included in both categories of B1 and B2 type training.
- (f) The theoretical and practical training should be complementary and may be:
 - (1) Integrated or split
 - (2) Supported by the use of training aids, such as trainers, virtual aircraft, aircraft components, synthetic training devices (STD), computer based training devices (CBT), etc.

AMC to Paragraphs 1(b), 3.2 and 4.2 of Appendix C to CAR -66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’

Practical Element of the Aircraft Type Training

- (a) The practical training may include instruction in a classroom or in simulators but part of the practical training should be conducted in a real maintenance or manufacturer environment.
- (b) The tasks should be selected because of their frequency, complexity, variety, safety, criticality, novelty, etc. The selected tasks should cover all the chapters described in the table contained in paragraph 3.2 of Appendix C to **CAR -66**.
- (c) The duration of the practical training should ensure that the content of training required by paragraph 3.2 of Appendix C to **CAR -66** is completed.

Nevertheless, for aeroplanes with a MTOM equal or above 30000kg, the duration for the practical element of a type rating training course should not be less than two weeks unless a shorter duration meeting the objectives of the training and taking into account pedagogical aspects (maximum duration per day) is justified to the authority.

- (d) The organisation providing the practical element of the type training should provide trainees a schedule or plan indicating the list of tasks to be performed under instruction or supervision. A record of the tasks completed should be entered into a logbook which should be designed such that each task or group of tasks may be countersigned by the designated assessor. The logbook format and its use should be clearly defined.
- (e) In paragraph 4.2 of Appendix C to **CAR -66**, the term ‘designated assessors appropriately qualified’ means that the assessors should demonstrate training and experience on the assessment process being undertaken and be authorised to do so by the organisation.

Further guidance about the assessment and the designated assessors is provided in Appendix C to AMC to **CAR -66**.

- (f) The practical element (for powerplant and avionics systems) of the Type Rating Training may be subcontracted by the approved **CAR -147** organisation under its quality system according to the provisions of 147.A.145(d)3 and the corresponding Guidance Material.

AMC to Paragraph 1(c) of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’

Differences Training

Approved difference training is not required for different variants within the same aircraft type rating (as specified in Appendix A to AMC to **CAR-66**) for the purpose of type rating endorsement on the aircraft maintenance license.

However, this does not necessarily mean that no training is required before a certifying staff authorisation can be issued by the maintenance organisation (refer to AMC 66.20(b)3).

AMC to point 3.1(d) of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’

Training Needs Analysis for the Theoretical Element of the Aircraft Type Training

- (a) The minimum duration for the theoretical element of the type rating training course, as described in Appendix C to **CAR-66**, has been determined based on:
 - (1) generic categories of aircraft and minimum standard equipment fit
 - (2) the estimated average duration of standard courses imparted in Europe
- (b) The purpose of the Training Needs Analysis (TNA) is to adapt and justify the duration of the course for a specific aircraft type. This means that the TNA is the main driver for determining the duration of the course, regardless of whether it is above or below the minimum duration described in Appendix C to **CAR-66**.

Note: In the particular case of type training courses approved on the basis of the requirements valid before Regulation (EU) No 1149/2011 was applicable (1 August 2012) and having a duration for the theoretical element equal to or above the minimum duration contained in paragraph 3.1(c) of Appendix C to CAR-66, it is acceptable that the TNA only covers the differences introduced by Regulation (EU) No 1149/2011 in paragraph 3.1(e) ‘Content’ and the criteria introduced in paragraph 3.1(d) ‘Justification of course duration’ related to the minimum attendance and the maximum number of training hours per day. This TNA may result in a change in the duration of the theoretical element.

- (c) The content and the duration deriving from this TNA may be supported by an analysis from the Type Certificate holder.
- (d) In order to approve a reduction of such minimum duration, the evaluation done by the authority should be performed on a case-by-case basis appropriate to the aircraft type. For example, while it would be exceptional for a theoretical course for a transport category complex motor-powered aircraft such as an A330 or B757 to be below the minimum duration shown, it would not necessarily be exceptional in the case of a General Aviation (GA) business aircraft such as a Learjet 45 or similar. Typically, the TNA for a GA aircraft course would demonstrate that a course of a shorter duration satisfies the requirements.
- (e) When developing the TNA the following should be considered:
 - (1) The TNA should include an analysis identifying all the areas and elements where there is a need for training as well as the associated learning objectives, considering the design philosophy of the aircraft type, the operational environment, the type of operations and the operational experience. This analysis should be written in a manner which provides a reasonable understanding of which areas and elements constitute the course in order to meet the learning objectives.
 - (2) As a minimum, the Training Need Analysis (TNA) should take into account all the applicable elements contained in paragraph 3.1 of **CAR-66** Appendix C and associated AMCs.
 - (3) The TNA should set-up the course content considering the Appendix C objectives for each level of training and the prescribed topics in the theoretical element table contained in paragraph 3.1 of **CAR-66** Appendix C.
 - (4) For each chapter described in the theoretical element table contained in paragraph 3.1 of **CAR-66** Appendix C, the corresponding training time should be recorded.
 - (5) Typical documents to be used in order to identify the areas and elements where there is a need for training typically include, among others, the Aircraft Maintenance Manual, MRB report, CMRs, airworthiness limitations, Troubleshooting Manual, Structural Repair Manual, Illustrated Parts Catalogue, Airworthiness Directives and Service Bulletins.
 - (6) During the analysis of these documents:
 - i. Consideration should be given to the following typical activities:

- Activation/reactivation;
 - Removal/Installation;
 - Testing;
 - Servicing;
 - Inspection, check and repairs;
 - Troubleshooting / diagnosis.
- ii. For the purpose of identifying the specific elements constituting the training course, it is acceptable to use a filtering method based on criteria such as:
- Frequency of the task;
 - Human factor issues associated to the task;
 - Difficulty of the task;
 - Criticality and safety impact of the task;
 - In-service experience;
 - Novel or unusual design features (not covered by **CAR-66** Appendix A);
 - Similarities with other aircraft types;
 - Special tests and tools/equipment.
- iii. It is acceptable to follow an approach based on:
- Tasks or groups of tasks, or
 - Systems or subsystems or components

(g) The TNA should:

- (1) Identify the learning objectives for each task, group of tasks, system, subsystem or component;
- (2) Associate the identified tasks to be trained to the regulatory requirements (table in Paragraph 3.1 of Appendix C to **CAR-66**);
- (3) Organise the training into modules in a logical sequence (adequate combination of chapters as defined in Appendix C of **CAR-66**);
- (4) Determine the sequence of learning (within a lesson and for the whole syllabus);
 - i. Identify the scope of information and level of detail with regard the minimum standard to which the topics of the TNA should be taught according to the set-up objectives.
 - ii. Address the following:
 - A. Description of each system/component including the structure (where applicable);
 - B. System/component operation taking into account:
 - 1) Complexity of the system (e.g. the need of further break down into subsystems, etc.);
 - 2) Design specifics which may require more detailed presentation or may contribute to maintenance errors;
 - 3) Normal and emergency functioning;
 - 4) Troubleshooting;
 - 5) Interpretation of indications and malfunctions;
 - 6) Use of maintenance publications;
 - 7) Identification of special tools and equipment required for servicing and maintaining the aircraft;
 - 8) Maintenance Practices;
 - 9) Routine inspections, functional or operational tests, rigging/adjustment, etc.
 - C. Describe the following:
 - 1) The instructional methods and equipment, teaching methods and blending of the teaching methods in order to ensure the effectiveness of the training;

- (5) The maintenance training documentation/material to be delivered to the student;
 - (6) Facilitated discussions, questioning session, additional practiced-oriented training, etc.;
 - (7) The homework, if developed;
 - (8) The training provider's resources available to the learner.
- (h) It is acceptable to differentiate between issues which have to be led by an instructor and issues which may be delivered through interactive simulation training devices and/or covered by web based elements. Overall time of the course will be allocated accordingly.
- (i) The maximum number of training hours per day for the theoretical element of type training should not be more than six (6) hours. A training hour means sixty (60) minutes of tuition excluding any breaks, examination, revision, preparation and aircraft visit. In exceptional cases, the authority may allow deviation from this standard when it is properly justified that the proposed number of hours follows pedagogical and human factors principles. These principles are especially important in those cases where:
- (1) Theoretical and practical training are performed at the same time;
 - (2) Training and normal maintenance duty/apprenticeship are performed at the same time.
- (j) The minimum participation time for the trainee in order to meet the objectives of the course should not be less than ninety percent (90%) of the tuition hours of the theoretical training course. Additional training may be provided by the training organisation in order to meet the minimum participation time. If the minimum participation defined for the course is not met, a certificate of recognition should not be issued.
- (k) The TNA is a living process and should be reviewed/updated based on operation feedback, maintenance occurrences, airworthiness directives, major service bulletins impacting maintenance activities or requiring new competencies for mechanics, alert service bulletins, feedback from trainees or customer satisfaction, evolution of the maintenance documentation such as MRBs, MPDs, MMs, etc. The frequency at which the TNA should be reviewed/updated is left to the discretion of the organisation conducting the course.

NOTE: The examination is not part of the TNA. However, it should be prepared in accordance with the learning objectives described in the TNA.

AMC to Section 5 of Appendix C to CAR-66 'Aircraft Type Training and Examination Standard. On-the-Job Training'

Type Examination Standard

This Section 5 'Type Examination Standard' does not apply to the examination performed as part of type training. This Section only applies to those cases where type examination is performed as a substitute for type training.

AMC to Section 6 of Appendix C to CAR-66 ‘Aircraft Type Training and Examination Standard. On-the-Job Training’**On-the-Job Training (OJT)**

- (a) ‘A maintenance organisation appropriately approved for the maintenance of the particular aircraft type’ means a CAR -145 or CAR M. Subpart F approved maintenance organisation holding an A rating for such aircraft.
- (b) The OJT should include one to one supervision and should involve actual work task performance on aircraft/components, covering line and/or base maintenance tasks.
- (c) The use of simulators for OJT should not be allowed.
- (d) The OJT should cover at least fifty percent (50%) of the tasks contained in Appendix B to AMC to **CAR-66**. Some tasks should be selected from each paragraph of the Appendix B list. Tasks should be selected among those applicable to the type of aircraft and license (sub)category applied for. Other tasks than those in the Appendix B may be considered as a replacement when they are relevant. Typically, in addition to the variety and the complexity, the OJT tasks should be selected because of their frequency, safety, novelty, etc.
- (e) Up to fifty percent (50%) of the required OJT may be undertaken before the aircraft theoretical type training starts.
- (f) The organisation providing the on-the-job training should provide trainees a schedule or plan indicating the list of tasks to be performed under supervision. A record of the tasks completed should be entered into a logbook which should be designed such that each task or group of tasks is countersigned by the corresponding supervisor. The logbook format and its use should be clearly defined.
- (g) Regarding the day-to-day supervision of the OJT programme in the approved maintenance organisation and the role of the supervisor(s), the following should be considered:
 - (1) It is sufficient that the completion of individual OJT tasks is confirmed by the direct supervisor(s), without being necessary the direct evaluation of the assessor.
 - (2) During the day-to-day OJT performance, the supervision aims at overseeing the complete process, including task completion, use of manuals and procedures, observance of safety measures, warnings and recommendations and adequate behaviour in the maintenance environment.
 - (3) The supervisor(s) should personally observe the work being performed to ensure the safe completeness and should be readily available for consultation, if needed during the OJT performance.
 - (4) The supervisor(s) should countersign the tasks and release the maintenance tasks as the trainee is still not qualified to do so.
 - (5) The supervisor(s) should therefore:
 - i. have certifying staff or support staff privileges relevant to the OJT tasks;
 - ii. be for the selected tasks;
 - iii. be safety-orientated;
 - iv. be capable to coach (setting objectives, giving training, performing supervision, evaluating, handling trainee’s reactions and cultural issues, managing objectively and positively debriefing sessions, determining the need for extra training or re-orientate the training, reporting, etc.);
 - v. be designated by the approved maintenance organisation to carry out the supervision.
- (h) Regarding the assessor, the following should be considered:
 - (1) The function of the assessor, as described in Section 6 of Appendix C to CAR-66, is to conduct the final assessment of the completed OJT. This assessment should include confirmation of the completion of the required diversity and quantity of OJT and should be based on the supervisor(s) reports and feedback.

- (2) In Section 6 of Appendix C to CAR -66, the term 'designated assessor appropriately qualified' means that the assessor should demonstrate training and experience on the assessment process being undertaken and should be authorised to do so by the organisation. Further guidance about the assessment and the designated assessors is provided in Appendix C to AMC to CAR-66.
- (i) The procedures for OJT should be included into the Exposition Manual of the approved maintenance organisation (chapter 3.15, as indicated in AMC 145.70(a)).

However, since these procedures in the Exposition Manual are approved by the authority of the maintenance organisation, and providing training is not one of the privileges of a maintenance organisation, they can only be used when the licensing authority is the same as the authority of the maintenance organisation. In other cases, it is up to the licensing authority to decide whether it accepts such procedures for the purpose of approving the OJT.

Appendix D — Experience Requirements for Extending a CAR-66 Aircraft Maintenance License

The table below shows the experience requirements for adding a new category or subcategory to an existing CAR-66 license.

The experience shall be practical maintenance experience on operating aircraft in the subcategory relevant to the application.

The experience requirement will be reduced by fifty percent (50%) if the applicant has completed an approved CAR 147 course relevant to the subcategory.

To From	A1	A2	A3	A4	B1.1	B1.2	B1.3	B1.4	B2	B3
A1	—	6 months	6 months	6 months	2 years	6 months	2 years	1 year	2 years	6 months
A2	6 months	—	6 months	6 months	2 years	6 months	2 years	1 year	2 years	6 months
A3	6 months	6 months	—	6 months	2 years	1 year	2 years	6 months	2 years	1 year
A4	6 months	6 months	6 months	—	2 years	1 year	2 years	6 months	2 years	1 year
B1.1	None	6 months	6 months	6 months	—	6 months	6 months	6 months	1 year	6 months
B1.2	6 months	None	6 months	6 months	2 years	—	2 years	6 months	2 years	None
B1.3	6 months	6 months	None	6 months	6 months	6 months	—	6 months	1 year	6 months
B1.4	6 months	6 months	6 months	None	2 years	6 months	2 years	—	2 years	6 months
B2	6 months	6 months	6 months	6 months	1 year	1 year	1 year	1 year	—	1 year
B3	6 months	None	6 months	6 months	2 years	6 months	2 years	1 year	2 years	—

Note: Currently the shaded conversions are not issued.

Appendix E — Application Form

The authority prescribed Application which may be revised time to time has to be submitted with the relevant documents and applicable fee.

Appendix F — Aircraft Maintenance License referred to in CAR-66

SPECIFICATIONS FOR AIRCRAFT MAINTENANCE LICENSES

5.1 Aircraft Maintenance License issued by PACA in accordance with the provisions of this CAR shall conform to the following specifications:

5.1.1 Detail

5.1.1.1 A license issued shall ensure that other States are able to easily determine the license privileges and validity of ratings.

5.1.1.2 The following details shall appear on the license:

- (1) Name of State (in bold type);
- (2) Title of license (in very bold type);
- (3) Serial number of the license, in Arabic numerals, given by the authority issuing the license;
- (4) Name of holder in full;
- (5) Date of birth;
- (6) Address of holder;
- (7) Nationality of holder;
- (8) Signature of holder;
- (9) Authority and, where necessary, conditions under which the license is issued;
- (10) Certification concerning validity and authorization for holder to exercise privileges appropriate to license;
- (11) Signature of officer issuing the license and the date of such issue;
- (12) Seal or stamp of authority issuing the license;
- (13) Ratings, e.g. category, class, type of aircraft, airframe, aerodrome control, etc.
- (14) Remarks, i.e. special endorsements relating to limitations and endorsements for privileges, including an endorsement of language proficiency, and other information required in pursuance to Article 39 of the Chicago Convention; and
- (15) Any other details desired by PACA

5.1.2 Material

First quality paper or other suitable material, including plastic cards, shall be used and the items mentioned in

5.1.2.1 Shown clearly thereon.

5.1.3 Language

When licenses are issued in a language other than English, the license shall include an English translation of at least items (1), (2), (4), (10), (13), (14) and (15). When provided in a language other than English, authorizations issued in accordance with this CAR shall include an English translation of the name of the State issuing the authorization, the limit of validity of the authorization and any restriction or limitation that may be established.

5.1.4 Arrangement of items

Item headings on the license shall be uniformly numbered in roman numerals as indicated in 5.1.1, so that on any license the number will, under any arrangement, refer to the same item heading.

Note: Item headings may be arranged in such order as may best suit the convenience of the Authority issuing the license.

Intentionally Left Blank

APPENDICES TO AMCS TO CAR-66

Appendix A — Aircraft Type Ratings for CAR -66 Aircraft Maintenance Licenses

The following aircraft type ratings should be used to ensure a common standard .

Notes on TR endorsement covering several models/variant:

The endorsement of a type rating (TR) on the aircraft maintenance license (AML), covering several models/variants, does not automatically imply that the AML holder has acquired the appropriate knowledge on each model/variant. The TR course received or the experience the AML holder has gained, may have been limited to one or several model(s)/variant(s) but not to all models/variants.

To demonstrate adequate competence on the relevant model(s)/variant(s), the AML holder and/or the maintenance organisation where the AML holder is contracted/employed, are responsible to verify whether the model/variant has been adequately covered by the TR course or gained experience.

Further explanation can be found in AMC 66.20(b)3 and AMC 145.A.35(a).

Notes on when the licenses should be modified:

When a modification is introduced by this Decision to an aircraft type rating or to an engine designation in the rating, which affect licenses already issued, the ratings on the AMLs may be modified at the next renewal or when the license is reissued, unless there is an urgent reason to modify the license.

Notes on aircraft modified by Supplemental Type Certificate (STC):

- (a) This Appendix A intends to include the type ratings of aircraft resulting from STCs for installation of another engine. These STCs are those approved by the state of design
- (1) However, the ratings from STCs for installation of an engine:
 - (2) on part of the original airframe models, or
 - (3) from the same manufacturer, but of a type very similar to the original one, have not been added because they would have resulted in an already existing rating.

Examples:

- i. The STC from SILVERHAWK CONVERSIONS approved by State of Design for installation of PT6A-135A on Beech C90, C90A and E90 would result in the Beech C90/C90A/E90 (PWC PT6) rating, but this is not listed because it is already included in the original Beech 90 Series (PWC PT6) rating.
 - ii. The STC from Air-Service Wildgruber GmbH approved by LBA for replacement of PWC PT6A-20 by PWC PT6A-27 would result in the De Havilland DHC-6-100 (PWC PT6) rating, but this is not listed because it is already included in the De Havilland DHC-6 (PWC PT6) rating in the table.
- (b) When the STC concerns the installation of an engine that falls under a different subcategory, e.g. replacement of a piston engine by a turbo-prop (a turbine engine), then the new type rating needs to be listed in the new subcategory.
- (c) In case a type rating resulting from an STC has not been yet defined by the state of design, the latter shall be contacted by the authority to agree on a new type rating to be used.

Appendix B — Aircraft Type Practical Experience and On-the-Job Training - List of Tasks

Time limits/Maintenance checks

- 100-hour check (general aviation aircraft).
- 'B' or 'C' check (transport category aircraft).
- Assist carrying out a scheduled maintenance check i.a.w. AMM.
- Review Aircraft maintenance log for correct completion.
- Review records for compliance with Airworthiness Directives.
- Review records for compliance with component life limits.
- Procedure for inspection following heavy landing.
- Procedure for inspection following lightning strike.

Dimensions/Areas

- Locate component(s) by zone/station number.
- Perform symmetry check.

Lifting and Shoring

- Assist in:
 - Jack aircraft nose or tail wheel.
 - Jack complete aircraft.
 - Sling or trestle major component.

Levelling/Weighing

- Level aircraft.
- Weigh aircraft.
- Prepare weight and balance amendment.
- Check aircraft against equipment list.

Towing and Taxiing

- Prepare for aircraft towing.
- Towing aircraft.
- Be part of aircraft towing team.

Parking and mooring

- Tie down aircraft.
- Park, secure and cover aircraft.
- Position aircraft in dock.
- Secure rotor blades.

Placards and Markings

- Check aircraft for correct placards.
- Check aircraft for correct markings.

Servicing

- Refuel aircraft.
- Defuel aircraft.
- Carry out tank to tank fuel transfer.
- Check/adjust tire pressures.
- Check/replenish oil level.
- Check/replenish hydraulic fluid level.
- Check/replenish accumulator pressure.
- Charge pneumatic system.
- Grease aircraft.
- Connect ground power.
- Service toilet/water system
- Perform pre-flight/daily check.

Vibration and Noise Analysis

- Analyse helicopter vibration problem.
- Analyse noise spectrum.
- Analyse engine vibration.

Air Conditioning

- Replace combustion heater.
- Replace flow control valve.
- Replace outflow valve.
- Replace safety valve.
- Replace vapour cycle unit.
- Replace air cycle unit.
- Replace cabin blower.
- Replace heat exchanger.
- Replace pressurisation controller.
- Clean outflow valves.
- Deactivate/reactivate cargo isolation valve.
- Deactivate/reactivate avionics ventilation components.
- Check operation of air conditioning/heating system.
- Check operation of pressurisation system.
- Troubleshoot faulty system.

Auto flight

- Install servos.
- Rig bridle cables Replace controller.
- Replace amplifier.
- Replacement of the auto flight system LRUs in case of fly-by-wire aircraft.
- Check operation of auto-pilot.
- Check operation of auto-throttle/auto-thrust.
- Check operation of yaw damper.
- Check and adjust servo clutch.
- Perform autopilot gain adjustments.
- Perform mach trim functional check.
- Troubleshoot faulty system.
- Check autoland system.
- Check flight management systems.
- Check stability augmentation system.

Communications

- Replace VHF com unit.
- Replace HF com unit.
- Replace existing antenna.
- Replace static discharge wicks.
- Check operation of radios.
- Perform antenna VSWR check.
- Perform Selcal operational check.
- Perform operational check of passenger address system.
- Functionally check audio integrating system.
- Repair co-axial cable.
- Troubleshoot faulty system.

Electrical Power

- Charge lead/acid battery.
- Charge Ni-Cad battery.

Check battery capacity.
Deep-cycle Ni-Cad battery.
Replace integrated drive/generator/alternator.
Replace switches.
Replace circuit breakers.
Adjust voltage regulator.
Change voltage regulator.
Amend electrical load analysis report.
Repair/replace electrical feeder cable.
Troubleshoot faulty system.
Perform functional check of integrated drive/generator/alternator.
Perform functional check of voltage regulator.
Perform functional check of emergency generation system.

Equipment/Furnishings

Replace carpets
Replace crew seats.
Replace passenger seats.
Check inertia reels.
Check seats/belts for security.
Check emergency equipment.
Check ELT for compliance with regulations.
Repair toilet waste container.
Remove and install ceiling and sidewall panels.
Repair upholstery.
Change cabin configuration.
Replace cargo loading system actuator.
Test cargo loading system.
Replace escape slides/ropes.

Fire protection

Check fire bottle contents.
Check/test operation of fire/smoke detection and warning system.
Check cabin fire extinguisher contents.
Check lavatory smoke detector system.
Check cargo panel sealing.
Install new fire bottle.
Replace fire bottle squib.
Troubleshoot faulty system.
Inspect engine fire wire detection systems.

Flight Controls

Inspect primary flight controls and related components i.a.w. AMM.
Extending/retracting flaps & slats.
Replace horizontal stabiliser.
Replace spoiler/lift damper.
Replace elevator.
Deactivation/reactivation of aileron servo control.
Replace aileron.
Replace rudder.
Replace trim tabs.
Install control cable and fittings.
Replace slats.
Replace flaps.

Replace powered flying control unit.
Replace flat actuator.
Rig primary flight controls.
Adjust trim tab.
Adjust control cable tension.
Check control range and direction of movement.
Check for correct assembly and locking.
Troubleshoot faulty system.
Functional test of primary flight controls.
Functional test of flap system.
Operational test of the side stick assembly.
Operational test of the THS.
THS system wear check.

Fuel

Water drain system (operation).
Replace booster pump.
Replace fuel selector.
Replace fuel tank cells.
Replace/test fuel control valves.
Replace magnetic fuel level indicators.
Replace water drain valve.
Check/calculate fuel contents manually.
Check filters.
Flow check system.
Check calibration of fuel quantity gauges.
Check operation feed/selectors.
Check operation of fuel dump/jettison system.
Fuel transfer between tanks.
Pressure defuel.
Pressure refuel (manual control).
Deactivation/reactivation of the fuel valves (transfer defuel, X-feed, refuel).
Troubleshoot faulty system.

Hydraulics

Replace engine driven pump.
Check/replace case drain filter.
Replace standby pump.
Replace hydraulic motor pump/generator.
Replace accumulator.
Check operation of shut off valve.
Check filters/clog indicators.
Check indicating systems.
Perform functional checks.
Pressurisation/depressurisation of the hydraulic system.
Power Transfer Unit (PTU) operation.
Replacement of PTU.
Troubleshoot faulty system.

Ice and rain protection

Replace pump.
Replace timer.
Inspect repair propeller deice boot.

Test propeller de-icing system.
Inspect/test wing leading edge de-icer boot.
Replace anti-ice/deice valve.
Install wiper motor.
Check operation of systems.
Operational test of the pitot-probe ice protection.
Operational test of the TAT ice protection.
Operational test of the wing ice protection system.
Assistance to the operational test of the engine air-intake ice protection (with engines operating).
Troubleshoot faulty system.

Indicating/recording systems

Replace flight data recorder.
Replace cockpit voice recorder.
Replace clock.
Replace master caution unit.
Replace FDR.
Perform FDR data retrieval.
Troubleshoot faulty system.
Implement ESDS procedures.
Inspect for HIRF requirements.
Start/stop EIS procedure.
Bite test of the CFDIU.
Ground scanning of the central warning system.

Landing Gear

Build up wheel.
Replace main wheel.
Replace nose wheel.
Replace steering actuator.
Replace truck tilt actuator.
Replace gear retraction actuator.
Replace unlock / down lock assembly.
Replace shimmy damper.
Rig nose wheel steering.
Functional test of the nose wheel steering system.
Replace shock strut seals.
Replace brake unit.
Replace brake control valve.
Bleed brakes.
Replace brake fan.
Test anti-skid unit.
Test gear retraction.
Change bungees.
Adjust micro switches/sensors.
Charge struts with oil and air.
Troubleshoot faulty system.
Test auto-brake system.
Replace rotorcraft skids.
Replace rotorcraft skid shoes.
Pack and check floats.
Flotation equipment.

Check/test emergency blowdown (emergency landing gear extension).
Operational test of the landing gear doors.

Lights

Repair/replace rotating beacon.
Repair/replace landing lights.
Repair/replace navigation lights.
Repair/replace interior lights.
Replace ice inspection lights.
Repair/replace logo lights.
Repair/replace emergency lighting system.
Perform emergency lighting system checks.
Troubleshoot faulty system

Navigation

Calibrate magnetic direction indicator.
Replace airspeed indicator.
Replace altimeter.
Replace air data computer.
Replace VOR unit.
Replace ADI.
Replace HSI.
Check pitot static system for leaks.
Check operation of directional gyro.
Functional check weather radar.
Functional check Doppler.
Functional check TCAS.
Functional check DME.
Functional check ATC Transponder
Functional check flight director system.
Functional check inertial navigation system.
Complete quadrantal error correction of ADF system.
Update flight management system database.
Check calibration of pitot static instruments.
Check calibration of pressure altitude reporting system.
Troubleshoot faulty system.
Check marker systems.
Compass replacement direct/indirect.
Check Satcom.
Check GPS.
Test AVM.

Oxygen

Inspect on board oxygen equipment.
Purge and recharge oxygen system.
Replace regulator.
Replace oxygen generator.
Test crew oxygen system.
Perform auto oxygen system deployment check.
Troubleshoot faulty system.

Pneumatic systems

- Replace filter.
- Replace air shut off valve.
- Replace pressure regulating valve.
- Replace compressor.
- Recharge desiccator.
- Adjust regulator.
- Check for leaks.
- Troubleshoot faulty system.

Vacuum systems

- Inspect the vacuum system i.a.w. AMM.
- Replace vacuum pump.
- Check/replace filters.
- Adjust regulator.
- Troubleshoot faulty system.

Water/Waste

- Replace water pump.
- Replace tap.
- Replace toilet pump.
- Perform water heater functional check.
- Troubleshoot faulty system.
- Inspect waste bin flap closure.

Central Maintenance System

- Retrieve data from CMU.
- Replace CMU.
- Perform Bite check.
- Troubleshoot faulty system.

Airborne Auxiliary power

- Install APU.
- Inspect hot section.
- Troubleshoot faulty system.

Structures

- Assessment of damage.
- Sheet metal repair.
- Fibre glass repair.
- Wooden repair.
- Fabric repair.
- Recover fabric control surface.
- Treat corrosion.
- Apply protective treatment.

Doors

- Inspect passenger door i.a.w. AMM.
- Rig/adjust locking mechanism.
- Adjust air stair system.
- Check operation of emergency exits.
- Test door warning system.
- Troubleshoot faulty system.
- Remove and install passenger door i.a.w. AMM.
- Remove and install emergency exit i.a.w. AMM.
- Inspect cargo door i.a.w. AMM.

Windows

- Replace windshield.
- Replace direct vision window.
- Replace cabin window.
- Repair transparency.

Wings

- Skin repair.
- Recover fabric wing.
- Replace tip.
- Replace rib.
- Replace integral fuel tank panel.
- Check incidence/rig.

Propeller

- Assemble prop after transportation.
- Replace propeller.
- Replace governor.
- Adjust governor.
- Perform static functional checks.
- Check operation during ground run.
- Check track.
- Check setting of micro switches.
- Assessment of blade damage i.a.w. AMM.
- Dynamically balance prop.
- Troubleshoot faulty system.

Main Rotors

- Install rotor assembly.
- Replace blades.
- Replace damper assembly.
- Check track.
- Check static balance.
- Check dynamic balance.
- Troubleshoot.

Rotor Drive

- Replace mast.
- Replace drive coupling.
- Replace clutch/freewheel unit
- Replace drive belt.
- Install main gearbox.
- Overhaul main gearbox.
- Check gearbox chip detectors.

Tail Rotors

- Install rotor assembly.
- Replace blades.
- Troubleshoot.

Tail Rotor Drive

- Replace bevel gearbox.
- Replace universal joints.
- Overhaul bevel gearbox.
- Install drive assembly.
- Check chip detectors.

Check/install bearings and hangers.
Check/service/assemble flexible couplings.
Check alignment of drive shafts.
Install and rig drive shafts.

Rotorcraft flight controls

Install swash plate.
Install mixing box.
Adjust pitch links.
Rig collective system.
Rig cyclic system.
Rig anti-torque system.
Check controls for assembly and locking.
Check controls for operation and sense.
Troubleshoot faulty system.

Power Plant

Build up ECU.
Replace engine.
Repair cooling baffles.
Repair cowling.
Adjust cowl flaps.
Repair faulty wiring.
Troubleshoot.
Assist in dry motoring check.
Assist in wet motoring check.
Assist in engine start (manual mode).

Piston Engines

Remove/install reduction gear.
Check crankshaft run-out.
Check tappet clearance.
Check compression.
Extract broken stud.
Install helicoil.
Perform ground run.
Establish/check reference RPM.
Troubleshoot.

Turbine Engines

Replace module.
Replace fan blade.
Hot section inspection/boroscope check.
Carry out engine/compressor wash.
Carry out engine dry cycle.
Engine ground run.
Establish reference power.
Trend monitoring/gas path analysis.
Troubleshoot.
Fuel and control, piston
Replace engine driven pump.
Adjust AMC.
Adjust ABC.
Install carburettor/injector.
Adjust carburettor/injector.

Clean injector nozzles.
Replace primer line.
Check carburettor float setting.
Troubleshoot faulty system.

Fuel and control, turbine

Replace FCU.
Replace Engine Electronic Control Unit (FADEC).
Replace Fuel Metering Unit (FADEC).
Replace engine driven pump.
Clean/test fuel nozzles.
Clean/replace filters.
Adjust FCU.
Troubleshoot faulty system.
Functional test of FADEC.

Ignition systems, piston

Change magneto.
Change ignition vibrator.
Change plugs.
Test plugs.
Check H.T. leads.
Install new leads.
Check timing.
Check system bonding.
Troubleshoot faulty system.

Ignition systems, turbine

Perform functional test of the ignition system.
Check glow plugs/ignitors.
Check H.T. leads.
Check ignition unit.
Replace ignition unit.
Troubleshoot faulty system.

Engine Controls

Rig thrust lever.
Rig RPM control.
Rig mixture HP cock lever.
Rig power lever.
Check control sync (multi-eng).
Check controls for correct assembly and locking.
Check controls for range and direction of movement.
Adjust pedestal micro-switches.
Troubleshoot faulty system.

Engine Indicating

Replace engine instruments(s).
Replace oil temperature bulb.
Replace thermocouples.
Check calibration.
Troubleshoot faulty system.

Exhaust, piston

Replace exhaust gasket.
Inspect welded repair.

Pressure check cabin heater muff.
Troubleshoot faulty system.

Exhaust, turbine

Change jet pipe.
Change shroud assembly.
Install trimmers.
Inspect/replace thrust reverser.
Replace thrust reverser component.
Deactivate/reactivate thrust reverser.
Operational test of the thrust reverser system.

Oil

Change oil.
Check filter(s).
Adjust pressure relief valve.
Replace oil tank.
Replace oil pump.
Replace oil cooler.
Replace firewall shut off valve.
Perform oil dilution test.
Troubleshoot faulty system.

Starting

Replace starter.
Replace start relay.
Replace start control valve.
Check cranking speed.
Troubleshoot faulty system.

Turbines, piston engines

Replace PRT.
Replace turbo-blower.
Replace heat shields.
Replace waste gate.
Adjust density controller.

Engine water injection

Replace water/methanol pump.
Flow check water/methanol system.
Adjust water/methanol control unit.
Check fluid for quality.
Troubleshoot faulty system

Accessory gearboxes

Replace gearbox.
Replace drive shaft.
Inspect magnetic chip detector.

APU

Removal/installation of the APU.
Removal/installation of the inlet guide-vane actuator.
Operational test of the APU emergency shutdown test.
Operational test of the APU.

Appendix C — Evaluation of the Competence: Assessment and Assessors

This Appendix applies to the competence assessment performed by the designated assessors (and their qualifications).

(a) What does 'competence' mean and areas of focus for assessment

The assessment should aim at measuring the competence by evaluating three major factors associated to the learning objectives:

- (1) Knowledge;
- (2) Skills;
- (3) Attitude;

Generally, knowledge is evaluated by examination. The purpose of this document is not to describe the examination process: this material mainly addresses the evaluation of 'skills' and 'attitude' after training containing practical elements. Nevertheless, the trainee needs to demonstrate to have sufficient knowledge to perform the required tasks.

'Attitude' is indivisible from the 'skill' as this greatly contributes to the safe performance of the tasks.

The evaluation of the competence should be based on the learning objectives of the training, in particular:

- i. the (observable) desired performance. This covers what the trainee is expected to be able to do and how the trainee is expected to behave at the end of the training;
- ii. the (measurable) performance standard that must be attained to confirm the trainee's level of competence in the form of tolerances, constraints, limits, performance rates or qualitative statements; and
- iii. the conditions under which the trainee will demonstrate competence. Conditions consist of the training methods, the environmental, situational and regulatory factors.

The assessment should focus on the competencies relevant to the aircraft type and its maintenance such as, but not limited to:

- i. Environment awareness (act safely, apply safety precautions and prevent dangerous situations);
- ii. Systems integration (demonstrate understanding of aircraft systems interaction – identify, describe, explain, plan, execute);
- iii. Knowledge and understanding of areas requiring special emphasis or novelty (areas peculiar to the aircraft type, domains not covered by Part-66 Appendix A, practical training elements that cannot be imparted through simulation devices, etc.);
- iv. Using reports and indications (the ability to read and interpret);
- v. Aircraft documentation finding and handling (identify the appropriate aircraft documentation, navigate, execute and obey the prescribed maintenance procedures);
- vi. Perform maintenance actions (demonstrate safe handling of aircraft, engines, components and tools);
- vii. Aircraft final/close-up and report (apply close up, initiate appropriate actions/follow-up/records of testing, establish and sign maintenance records/logbooks).

(b) How to assess

As far as feasible, the objectives of the assessment should be associated with the learning objectives and the passing level; it means that observable criteria should be set in order to measure the performance and should remain as objective as possible.

The general characteristics of effective assessment are: objective, flexible, acceptable, comprehensive, constructive, organised and thoughtful. At the conclusion, the trainee should have no doubt about what he/she did well, what he/she did poorly and how he/she can improve.

The following is a non-exhaustive list of questions that may be posed to assist assessment:

- (1) What are the success factors for the job?
- (2) What are typical characteristics of a correct behaviour for the task?
- (3) What criteria should be observed?
- (4) What level of expertise is expected?
- (5) Is there any standard available?
- (6) What is the pass mark? For example:
- (7) 'Go-no go' situation;
- (8) How to allocate points? Minimum amount to succeed;
- (9) 'Must know or execute' versus 'Good to know or execute' versus 'Don't expect the candidate to be an expert'.
- (10) Minimum or maximum time to achieve? Use time effectively and efficiently.
- (11) What if the trainee fails? How many times is the trainee allowed to fail?
- (12) When and how should the trainee be prepared for the assessment?
- (13) What proportion of judgment by the instructor out of collaboration with the trainee is needed during the evaluation stage?

The assessment may be:

- (14) diagnostic (prior to a course), formative (re-orientate the course on areas where there is a need to reinforce) or summative (partial or final evaluation);
- (15) performed task-by-task, as a group of tasks or as a final assessment;

One method might be an initial assessment to be performed by the trainee himself, then discussing areas where the perceptions of the trainee's performance by the assessors differ in order to:

- (16) develop the self-assessment habits;
- (17) make the assessment more acceptable and understandable to both parties.

A 'box-ticking' exercise would be pointless. Experience has shown that assessment sheets have largely evolved over time into assessment of groups of 'skills' because in practice such things eventually detracted from the training and assessment that it was intended to serve: evaluate

at a point of time, encourage and orientate the training needs, improve safety and ultimately qualify people for their duties.

In addition, many other aspects should be appropriately considered during the assessment process such as stress and environmental conditions, difficulty of the test, history of evaluation (such as tangible progresses or sudden and unexpected poor performance made by the trainee), amount of time necessary to build competence, etc.

All these reasons place more emphasis on the assessor and highlight the function of the organisation's approval.

(c) Who should assess

In order to qualify, the assessor should:

- (1) Be proficient and have sufficient experience or knowledge in:
- (2) human performance and safety culture;
- (3) the aircraft type (necessary to have the certifying staff privileges in case of CRS issuances);
- (4) training/coaching/testing skills;
- (5) instructional tools to use;

- (6) Understand the objective and the content of the practical elements of the training that is being assessed;
- (7) Have interpersonal skills to manage the assessment process (professionalism, sincerity, objectivity and neutrality, analysis skills, sense of judgement, flexibility, capability of evaluating the supervisor's or instructor's reports, handling of trainee's reactions to failing assessment with the cultural environment, being constructive, etc.);
- (8) Be ultimately designated by the organisation to carry out the assessment.

The roles may be combined for:

- (9) the assessor and the instructor for the practical elements of the Type Rating Training; or
- (10) the assessor and the supervisor for the On-the-Job Training.

Provided that the objectives associated to each role are clearly understood and that the competence and qualification criteria according to the company's procedures are met for both functions. Whenever possible (depending on the size of the organisation), it is recommended to split the roles (two different persons) in order to avoid any conflicts of interests.

Intentionally Left Blank